## **Historic, Archive Document**


Do not assume content reflects current scientific knowledge, policies, or practices.



## WILLET'S SPRING 1918 CATALOGUE

12 17

FOR TRUCKERS AND FARMERS. AN ENCYCLOPEDIA AS CONCERNING SOUTHERN SEEDS FOR SPRING AND SUMMER PLANTING.



NOTE! The farmer who wishes to diversify his crops in 1918, should read this catalogue as a whole. It will put him in the way for Mixed Home-feeding Farming.

# Inoculate Your Alfalfa, Clovers, Cow Peas, Soy Beans, Vetches and all other legume crops with

# Mulford Cultures

Small Cost

Large Returns

Easy to Use

No Labor Expense



Uninoculated

ALFALFA Inoculated

Photographed on same scale. Plant on left not inoculated—Plant on right inoculated with Mulford Culture for Alfalfa. All other conditions identical.

THE CONTRAST SPEAKS FOR ITSELF.

MULFORD CULTURES contain pure tested strains of active, vigorous, nitrogen-fixing bacteria, for inoculating seeds of legumes or soil. Enormous numbers of these very valuable and desirable bacteria are thus available to you in every package of Mulford Culture and may readily be applied to your seed. The sealed bottle insures purity.

# Increase Your Crops Improve Your Soil

LEGUMES OFFER THE BEST-KNOWN MEANS of maintaining soil fertility and rejuvenating overcropped and worn-out fields. They add both humus and nitrogen to your soil and thus increase your yield of wheat. cotton, corn and other non-legume crops.

THE U. S. DEPARTMENT OF AGRICULTURE and many State Agricultural Experiment Stations recommend inoculation of legumes with nitrogen-fixing bacteria to induce a prompt "catch" and increase your yield.

MULFORD CULTURES ARE SCIENTIFICALLY PREPARED and tested by experts, in the biological laboratories of H. K. Mulford Company, Philadelphia, U. S. A., with the same degree of care as Mulford Antitoxins, Serums, Vaccines, etc., which are standard all over the world.

Always specify on your order what crop you want to inoculate, as there is a different strain of bacteria for each legume.

ALFALFA
CRIMSON CLOVER
SWEET CLOVER
WHITE CLOVER
RED CLOVER
ALSIKE CLOVER
Mammoth Clover

BURR CLOVER Yellow Clover Berseem Clover COW PEAS SOY BEANS Canada Field Peas PEANUTS VETCH
Horse Beans
VELVET BEANS
Perennial Peas
SWEET PEAS
GARDEN PEAS
GARDEN BEANS

LIMA BEANS Lupins Sainfoin Lespedeza Beggar Weed and others.

Those printed in CAPITAL LETTERS can be shipped immediately from stock. The others will be prepared to order and can be supplied in a few days.

### PRICES

MULFORD CULTURES are supplied for the varieties of legumes listed, at the following prices: 5-Acre Size, \$5.00 ("A Dollar per Acre")

Why buy expensive commercial nitrates when you can grow legume crops and thus increase your yield and at the same time increase the nitrates and enrich and renovate your soil by Nature's own method.

## FREE DESCRIPTIVE LITERATURE SENT UPON REQUEST

## N. L. WILLET SEED COMPANY

849 Broad Street, Augusta, Georgia

Put up for the following crops



See Legume list above in Mulford's Culture. Farmogerm has been on the market for 10 Years

UNIT PRICE TO CUSTOMER

N. L. WILLET SEED CO., Augusta, Georgia

## N. L. WILLET SEED CO., AUGUSTA, GEORGIA. OUR OWN MANUFACTURES.

CONTAGION RAT DEATH (not a poison). Gives each rat a fatal contagious skin disease, which he soon communicates to all the tribe. 50c postpaid; wholesale, \$4.00 per dozen.

CARTWRIGHT'S DOG BLACK TONGUE REMEDY. New. An absolute never-failing remedy for Black Tongue and Hookworm in dogs. Each package contains symptoms, and the complete remedy, including a box of Dog Tonic Pills. 1 package, postpaid, \$1.00; 1 dozen, \$8.00.

CARTWRIGHT'S DOG MANGE CURE—Guaranteed LIQUID FORM, 50c; DRY POWDER FORM, 50c; Postpaid, 55c; 1 dozen, \$4.00; or 3 dozen lots at \$4.00 dozen, less 20% off delivered.

CARTWRIGHT'S DOG SOAP-Cake, 20c; dozen, \$1.00; gross, \$16.80, less 15% delivered.

ANIMAL PARASITE KILLER—Fleas, mites, etc. Mix 1 A. P. K. to 25 of water; pt., 30c; qt., 50c; gal., \$1,25; 5 gallons for \$5.00.

SUN SANITARY FLUID—Mix 1 to 50 of water. Germicide and deodorizer. Pt., 20c; qt., 35c; gal., \$1.00; 10 gallons at 75c gal., can extra; ½ bbl. or bbl., 70c per gallon.

RUTHLESS INSECT EXTERMINATOR—A wonderful new spray for mosquitoes, flies, dog fleas, Argentine Ants, etc. Pint bottle, 40c; qt. bottle, 60c; gal. can, \$1.75, with sprayers free.

HOUSEHOLD CLEANSING FLUID—Removes spots, grease, oils, varnish, etc. Harmless, better solvent than benzine, non-inflammable. 1-lb. tin, postpaid, 60c; 5-lb. tin, postpaid, \$2.00.

When ORDERING please write below the names of your neighbors (or friends elsewhere) who want the

POSTOFFICE	R.F.D.No.	STATE
		· <b>-</b>
-		
	\	
	[]	
	] ]	
	ļ	
•••••	ļ	
·		
	[	·
		······
	1	
	POSTOFFICE	POSTOFFICE R.F.D.No.

Headquarters for ALL KINDS OF SEEDS—Garden, Field and Forage. Incubators, Brooders, Poultry Supplies, Animal Feeds, Animal Remedies, Insecticides, Sprayers, Prepared Roofings, Wire Netting, Etc.

## To N. L. WILLET SEED CO., Augusta, Ga. (Incorporated)

Flease forward	(State wi	ether by mail,	ther by mail, express or freight)				
		Enclosed find					
Name	IM No matter	DollarsCts.  IMPORTANT  No matter how offen you write					
County		us, ALWAYS Address in f you want you	us, ALWAYS give your Name and Address in full. Always state how you want your orders sent, whether by Mail or Express. Attach both				
	B <sub>0</sub> x N <sub>0</sub> State	Name and H ordered. ALV NAME PLA	Price to eacl WAYS WRIT AINLY, and	article EYOUR before			
Express Office	our correspon	ordering please read directions to our correspondents in our catalog					
Quantity	DESCRIPTION OF VARIETY WANTED		Dollars	Cents			
	4						
			)	4			
		·····					
		·  	·	-			
			••••				
				-			
ĺ		#					
	·	,					
		·····					
	·	 					
			·				
				-			
		.					
		- 		************			



AUGUSTA, GEORGIA.

## 1918—SPRING CATALOGUE—1918

## INTRODUCTORY

THIS CATALOG is informative and in a large and general way, rather than the usual seed catalog, which is only commercial and is only intended to stress and sell certain given seeds on which there is extra profit.

## THE "WILLET PLAN" IS TO SATISFY

Whether you are a new customer or a patron of years' standing. we assure you of our earnest cooperation to satisfy you, to keep you satisfied and to retain you as a permanent buyer of "WILLET'S SOUND SEEDS."

Our aim is to make our business improve, to grow better seeds every year so our customers will have

better, more profitable gardens and farms year after year.

We wish you to feel that we have a greater interest in you than merely filling your orders—we want you to feel that we are as much concerned about the success of your crops on your farm or in your garden as if we were in a partnership with you.

We want to so conduct our business and serve you that you will not only be a customer, but a friend. We invite you to buy your seeds of us and get the benefits of the "WILLET PLAN." We feel sure that it will form business relations between us of long standing.

## WILLET'S SOUND SEEDS ARE TESTED SEEDS

Every lot of seeds that we receive is given a careful germinating test to enable us to ascertain its vitality. If any are found low in vitality they are destroyed or used for stock feed. The packets we

put up contain seeds of the same good quality as those sold in larger quantities.

We try new varieties before we list them to the public. Many are offered to us each year, but few of them pass the critical tests which we give them. You may feel assured that the sorts listed in this catalog have good recommending qualities. Keep in mind the fact that "WILLET'S SOUND SEEDS" are espe-

cially selected for the South.

We take this opportunity of thanking our customers for their patronage in the past and hope for a continuance of same in the future, and those who have never dealt with us before we assure you that a trial order will be greatly appreciated and promise to use our very best endeavors to give satisfaction in every

The Willet Medal—The Willet Medal, given for meritorious agricultural work, is the only medal of

its kind being given. We will be glad to be put in touch with workers who are deserving of it.

## FOR THE AGRICULTURAL STUDENT!

An Agricultural Encyclopedia—Your farm and garden will be greatly benefited if you will read this catalogue from cover to cover. By putting a string in it and hanging it up by the fireplace, you will have a ready reference throughout the year. This book is an agricultural encyclopedia, 'and points a thousand ways for agriculture.' Agricultural Paper Subscriptions—For cash—taken by us at Publishers' yearly prices for following Weeklies, Semi-Monthlies, and Monthlies. Deduct 10 per cent for more than one subscription. Southern Cultivator (Ga.) (S.-M.), \$1; Florida Grower (W.), \$1.50; So. Planter (Va.) (M.), 50c; Progressive Farmer (N. C.) (W.), \$1; So. Agriculturist (Tenn.) (S.-M.), 50c; Bo. Fruit Grower (Tenn.) (M.), 50c; three years \$1; Country Gentleman (W.) \$1; So. Ruralist (S.-M.), 50c; Hoard's Dairyman (W.), \$1: Breeder's Gazette (W.), \$1; Augusta Daily Chronicle, containing Willet's 'Daily Plant Hints' and Daily Food Letters of N. L. Willet, Augusta Food Administrator, \$7.00. We also sell Agricultural Books. Tell us the subject you are interested in and your maximum price.

## INDEX

Apple Pie Melon	28	Collards 10	Kansas Stock Melon., 27-28	Poultry Supplies 61-68
Artichokes.		Corn, Field30-31-32	Lawn Mowers and	Pumpkins & Cushaw 21-22
Green Globe	4	Corn, Garden 12	Rollers, etc 30	Radishes 22
Artichokes, Jerusalem	52	Corn, Kaffir 49	Lettuce 14-15	Raffia Moss
Asparagus Bunchers		Corn, Pop 33	Millet, Brown Top 49-50	Rape, Essex22-52-53
and Knives	· 4	Cotton, Seed 33-42	Millet, German 50	Rice, Upland 53
Asparagus Roots		Cream Separators 64	Millet, Japanese 50	Romaine 13
and Seed	4	Cucumbers 13	Millet, Pearl or Cat-	Rye 54
Barley	53	Dairy Supplies 64	Tail 50	Salsify or Oyster
Beans, Garden	4-6	Dasheen 13	Milo Maize 49	Plant 22
Beans, Soy or Soja	44-45	Dog Remedies	Mustard 15	Spinach 22-23
Beans, Velvet		and Feeds 64	Mulford Cultures,	Seed Sowers 60
Beets	6-7	Egg Plant 14	Front Cover Inside.	Shallu 49
Beggar Weed	53	Farmogerm-Front	Oats 53-54	Sorghum 48
Broom Corn		Cover Inside.	Okra 15-16	Spraying Machines 61
Bene	28	Fertilizer 30	Onion Seed 16	Squash 22
Brooders	61-62	Feterita 49	Onion Sets 17	Strawberry Plants 25
Bird Supplies	64	Flower Seed28-29-30	Parsley and Parsnip 17	Sugar Cane, Japanese 50
Brussels Sprouts	7	Garden Lemon 19	Peas, Canada Field 44	Sunflower 52
Buckwheat	53	Grass, Lawn 30	Peas, Cow or Field 42-44	Swiss Chard or
Bug Death	60	Grass, Miscellaneous., 57-59	Peas, Garden 17-18	Spinach Beet
Bulbs	30	Grass, Roots 59	Peanuts 50-52	Tomato23-24-25
Cabbages	7-9	Grazing Mixture,	Pecan Nuts 53	Teosinte 49
Cabbages, Plants	9	Willet's 54	Pepper 18-19	Threshing Machines,
Cantaloupes	10-11	Herbs 28	Planting Calendar 3	(Cow Peas, Beans, etc.
Carrots	9	Hog Goobers 52	Plant Setters 9	Rear Inside Cover.
Cattle Dip, Cooper's	61	Incubators 61-62	Potatoes, Draws 21	Turnips 25
Cauliflower	9	Insecticides	Potatoes, Irish 19-20	Vetches 54-55
Celery	9	and Germicides 60-61	Potatoes, Sweet 20-21	Watermelons 26-27
Chufas	52	Japanese Garden	Pots, Earthenware 30	Wheat 54
Citron, Preserving	27	Seeds 14	Poultry Feeds 64	Willet's Manufactures
Clovers		Kale 14	Poultry Remedies 64	-Rear Cover, Inside.

# WILLET SEED

### GENERAL INFORMATION AND TERMS OF SALE.

The Prices Quoted in this Catalog are Net. We offer no premiums, discounts or gratuities. This list cancels all previous quotations.

Remittances should be made by Express Money Order, P. O. Money Order, Bank Draft or Registered Letter. We must decline sending goods C. O. D. unless 25 per cent of their value accompanies the order. We do not ship plants C. O. D.

Accounts. Parties having no account with us—who order goods without remittance—must furnish satisfactory reference. Augusta reference preferred on account of the shorter delay pending investigation.

We Forward as Customer Directs, by express, freight or parcel post. When no shipping instructions are given we

send according to our judgment.

We Deliver Free by parcel post to any postoffice in the United States, all Vegetable and Flower Seed sold by the packet, ounce and up to ¼ lb. Purchasers pay transportation on one pound, pints, quarts, pecks, half bushel, etc. If these are wanted sent by parcel post add postage as noted below.

We Do Not Guarantee safe delivery by parcel post unless sufficient postage is sent to insure, which is only five cents on packages amounting to \$25.00, as packages lost by mail we cannot be responsible for, or make claim unless insured.

Special Express Rates. We have obtained from the Southern Express Company a especial express rate on seeds shipped from us to our customers. The special rate is equivalent to a reduction of about one-third from the regular rates, and on shipments of less than 30 lbs. we can, in most cases, ship by express as cheap or cheaper than by freight. As a rule, we can ship 15 lbs. of seeds, or a peck of peas, or beans, or corn to any point reached by the Southern Express Company for 35 cents.

PRICES—Note: The prices quoted in this catalog are those ruling at time it is printed. All Garden Seed, and especially Field Seed, such as Grains, Clovers and Vetches, Peas, Beans, etc., are liable to fluctuate in price, depending on market conditions and supplies. We will take pleasure at any time in quoting prices on request, or will fill all orders entrusted to us at as low prices as possible for first-class seed. The importation of seeds has almost ceased. The panic in food supplies and food prices, extends even more so to seed supplies and seed prices. The prices in this catalog on the present fluctuating market, are only tentative and are not binding.

Errors in the Filling of Orders. We use the greatest care in filling, checking and packing orders. Should anything be accidentally omitted we will promptly forward same when advised. Keep a duplicate copy of your order for comparison.

We Cannot Guarantee the Results of any seeds, plants or bulbs we send out-therefore:

N. L. Willet Seed Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

Germination Test. Never plant a crop of any kind of seed without first testing them for germination.

Caruguss Seed Tester-75c postpaid, a metal box with one hundred compartments with supplies and moisture to germinate seed without further attention.

							ZONE	s		
v	Veight		Bate M.)	M.	M.	M.	M.	Ä.	Ĭ.	Over M
		Local Rate	Zone (50 1	2d 150 l	3d 300	4th 600	5th 1000	6th 1400	7th 1800	8th Rate (
1	Ib	\$0.05	\$0.05	\$0.05	\$0.06	\$0.07	\$0.08	\$0.09	\$0.11	\$0.12
2	lbs		.06	.06	.08	.11	.14	.17	.21	.24
3	lbs			.07	.10	.15	.20	.25	.31	
4	lbs	.07	.08	.08	.12	.19	.26	.33	.41	
5	lbs			.09	.14	.23	.32	.41	.51 .61	
6 7	lbs	.08		.10	.16 .18	.27	.36		.71	
8	lbs			.11	.20	.35	.50	.65	.81	
9	lbs			.13		.39			.91	
10	lbs			.14		.43		.81	1.01	
11	lbs			.15		.47	.68		1.11	
12	lbs			.16		.51	.74	.97	1.21	
13	lbs		.17	.17		.55	.80		1.31	
14	lbs							1.13	1.41	
15	lbs			.19		.63			1.51	
16	lbs			.20			.98	1.29	1.61	
17	lbs			.21			1.04		1.71	
18	lbs			.22	.40				1.81	
$\frac{19}{20}$	lbs			.23						
21	lbs			.25		.00	1.22	1.01	2.01	2.40
22	lbs	.16		.26	l					
23	lbs			.27						
$\frac{24}{24}$	lbs			.28	1					
25	lbs			.29						
26	lbs	.18	.30	.30	1					
$^{27}$	lbs			.31					. 1	
$^{28}$	lbs			.32						
29	lbs	.19	.33	.33				o to		
30	lbs		.34	.34	ing	g poir		nsider		s of
31	lbs							h <b>Z</b> on uba	e	
32 33	lbs			.36				uam.		
34	lbs					al Zon		awaiia	n Tsl	ands
35	lbs			.39				ilippi		
36	lbs				Rep	ublic	of Pa	anama		
37	lbs	.23	.41			o-Pag		uila 1	Island	
38	lbs	.24	.42				Ma:	nua Is	sland	
39	lbs	.24	.43					moa)		
40	lbs						stal A	gency,	Shar	ighai,
41	lbs	.25	.45			hina.				
42	lbs	.26	.46							
43	lbs			.47						
44 45	lbs		.48							
46	lbs		.50	.50						
47	lbs									
48	15s				1					
49	lbs		.53							

.30

.54 .54

## CUSTOMERS PLEASE NOTICE If Goods Are Wanted by Parcel Post, Postage Must Be Added as per Table Below, Except for Those We Offer to Deliver Free as Above.

Regarding Domestic Parcel Post within the United States and Possessions—which now includes Seeds, Plants, Bulbs and Roots.

For all merchandise mailable by Parcel Post as offered in this catalog see the opposite Parcel Post table, so that extra for postage can be remitted, according to Zone distances as below.

Weight Limit. The weight limit within the Local 1st and 2d Zones, is now fifty (50) pounds, within the other Zones the weight limit is twenty (20) pounds and the size limit seventy-two inches (72) for combined length and largest girth.

For small packages, weighing 4 ounces or less, a special rate of 1c per ounce or fraction is provided covering all zones. A package weighing over 4 ounces and not more than 16 ounces is charged at the "First Pound" rate.

Important. In remitting postage always add it to the foot of the order as a separate item—this will help to avoid mistakes.

The local postmaster will inform you what zone you are in from Augusta, and you can add for postage accordingly. Or from any child's geography, which shows scales of miles, you can determine what zone you are in as from Augusta.



## Calendar for Monthly Operations in the South What to Plant and When to Plant for Each Month in the Year

### JANUARY

For the Garden—Manure and prepare the soil. Top dress asparagus beds with manure, also give dressing of salt and kainit. Plant asparagus roots and cabbage plants. Plant early crop of English Peas. Plant onion sets, shallots, carrots, kale, radish, spinach, and turnips. Plant into the desor cold frames for later transplanting early cabbage, collards, lettuce, beets and cauliflower. Prune vines, fruit trees, hedges, etc. Spray fruit trees with Willet's Insecticides. Sow pansy and other flower seed in hot beds for later transplanting.

For the Farm—Vetches, oats and wheat can be sown, also rye and bearded barley for grazing or for green crop. Top dress fall sown grain. Use every effort to prepare land for spring crops. Send in orders for seed so as to have them on hand at the proper time for sowing. For the Garden-Manure and prepare the soil.

### FERRUARY

FEBRUARY

For the Garden—Plant asparagus roots and cabbage plants. Plant in hot beds egg plant, pepper and tomatoes for later transplanting. Plant artichokes, Irish potatoes, English peas and onion sets. Later in the month early corn. Asparagus, beets, cabbage, carrots, collards, celery, mustard, parsnip, parsley, radish, salsify, spinach and turnips can be sown. Finish pruning and transplanting vines and trees. Spray. Transplant strawberries. Hardy flower seed can be forwarded by sowing in hot beds, or in pots, or boxes in the house, for later transplanting. Sow Willet's evergreen lawn grass.

For the Farm—Bed sweet potatoes for slips. Sow Canada field peas, oats, rye and bearded barley. Towards end of month grasses and clovers can be put in. Sow beardless barley; cut in April makes an ;excellent crop for hay or grain, no danger in feeding, as it is free from beard. Comes off in time to plant cotton or corn. Sow dwarf Essex rape for early green grazing. Early corn can be planted.

planted.

### MARCH

MARCH

For the Garden—Active month for sowing all kinds of hardy seed. The sooner most are sown, the better. Set out asparagus roots. Plant English peas. Transplant cauliflower, cabbage, lettuce from hot beds. Herbs. Plant asparagus, beets, early cabbage, corn. carrots, cauliflower, celery, collards, egg plant. Irish potators, kale, lettuce, mustard, okra, parsley, parsnips, pepper redishes, spinach, spring turnips, tomatoes, and salsify in month plant a few snap beans. Tomato plants retransplatned if protected. Prepare land for cantaloup cucumbers and squash. Plant strawberries. Sow and truth plant your hardy flower seed. Sow Willet's evergreen lawn grass.

For the Farm—Sow spring oats Canada field page closure.

-Sow spring oats, Canada field peas, clover kinds, the earlier the better. Sow beard-For the Farm—Sow spring oats, Canada field peas, clover and grasses of all kinds, the earlier the better. Sow beardless barley, an excellent crop, comes off in time for cotton or corn. Plant artichokes, for hogs also dwarf Essex rape. Put in first crop of Spanish peanuts. The month for planting corn. The majority of it should be put in by the 20th. ing corn. The majority of it should be p Get land in condition for planting cotton.

### APRIL

For the Garden-Replant any seeds necessary to secure

For the Garden—Replant any seeds necessary to secure a good stand. Plant garden corn and snap beans every two or three weeks for succession. Transplant egg plant, pepper and tomatoes. Plant cantaloupes, musk melons, squash and cucumbers. Lawn grass can be planted, the earlier the better. Sow flower seed. Dahlias, gladiolus and canna bulbs can be set out. Plant sunflower seed in every vacant corner, not only beautifies, but makes valuable seed for poultry in the fall.

For the Farm—The cotton planting month. Buy Willet's Cotton Planting Seed culled on our \$450.00 Culling Machine—increases crop out-turn 15 per cent. Grasses and clovers can be platned early in the month. Plant corn, cotton, chufas, peanuts, rice, watermelons and all sorghums; millets and fodder corn can be planted during this month, likewise cow peas, velvet and soy beans. Plant sweet potato draws. Plant mangel wurzel for winter feeding. Kaffir corn, milo maize and shallu make fine feed for poultry in the fall. Plant Bermuda seeds or sets, bene for birds, feterita, sudan grass, dasheen, watermelons. try in the fall. Plant Bermuda seeds or sets, birds, feterita, sudan grass, dasheen, watermelons.

For the Garden-Late this month transplant celery. Win-

For the Garden—Late this month transplant celery. Winter cabbage, tomatoes, etc., can be set out, well watered and protected from the sun. Plant corn and snap beans, table peas and running beans. Late cabbage and cauliflower can be sown for transplanting in fall.

For the Farm—Plant mangel wurzel for winter feeding, also sorzhums. Millets can be planted, likewise cow peas. corn, cotton, chufas, peanuts, rice and velvet beans and soy beans; also pumpkins. Get oats harvested and land in condition to plant corn and cotton seed. Plant sweet potato plants, sudan grass, kaffir and feterita, watermelons.

For the Garden—Continue to transplant winter cabbage, celery plants and tomatoes for late crop, water and protect from the sun; continue to plant corn and snap beans; also plant running beans and table peas. Winter cabbage seed can be sown now if protected and watered. Plant okra, salsify, New Zealand spinach and squash. Prepare ground for turnips.

For the Farm—Sow millets, sorghums, cow peas. soy beans, velvet beans, peanuts and chufas. Plant your late corn and early cotton. Mangel wurzel beets can be sown. Plant sweet potato cuttings, sudan grass, feterita and kaffir and beggar weed.

JULY

JULY

For the Garden—Gather and store onions, shallots and Irish potatoes. Put in another crop beets. Plant rutabaga and turnips. Replant cabbage and celery. Sow collards for transplanting in fall. Plant cucumbers for pick-

lards for transplanting in Ital.

For the Farm—Sow German millet, cow peas and soy beans. Put in last crop Spanish peanuts. Plant Mexican June corn. Sow corn in drills for ensilage or fodder. Crimson and burr clover can be sown in the last plowing of corn or cotton, for winter grazing or as a soil improver. Sow dwarf Essex rape for greens and grazing. Plant Look Out Mountain potatoes and second Crop Cold Storage potatoes for the fall.

AUGUST

For the Garden—Snap beans, lettuce, spinach, carrots, salsify and turnips may be planted, also cucumbers for pickling. Set out your late crop of tomato plants and earth up your celery. Set out cabbage and collard plants for fall. Late in month English peas can be successfully planted.

For the Farm—Crimson clover should be sown. Excellent hay crop and grazing, and a wonderful soil improver if turned under. Rye and bearded barley should be sown for fall and winter grazing. Rye can be planted as a cover crop and turned under. Beardless barley can be planted last of the month and cut in October and November, followed by other grain crops. Towards the end of the month sow vetches and rape. Grasses can be put in. Alfalfa and clovers can be successfully planted. August 1st sow amber sorghum and Sudan grass. Sow burr clover in cotton and corn middles.

SEPTEMBER

For the Garden—Carrots, kale, beets, chard, lettuce, spinach, radishes, turnips, salsify, parsnip and parsley can be sown. Set out collards, winter cabbage. Put out onion sets for your early crop. Strawberry beds should be prepared and plants set out. Sow Willet's evergreen lawn grass. Early flowering bulbs can be planted.

For the Farm—Sow beardless barley, cut in November. Cut in bloom makes avecilent bay or ripe makes fine grain.

For the Farm—Sow beardless barley, cut in November. Cut in bloom makes excellent hay, or ripe makes fine grain for food; no beards, can be fed to stock without danger. Comes off in time to be followed by other grain or clover or early crops. Sow crimson clover. Sow burr clover in Bermuda fields and corn in cotton middles. Sow vetches, grasses and clover seed. Winter turf and grazing oats do well sowed this month, as they get well rooted before the cold. Sow barley and rye for winter grazing. Plant dwarf Essex rape and Willet's grazing mixture.

### OCTOBER

For the Garden—Turnips can be planted for winter use, but it is almost too late to bring roots to much perfection. Collards, kale, lettuce, mustard and spinach can be grown. Onion sets can be planted. Plant your strawberry beds. Plant hyacinth bulbs, tulips, narcissus, jonquils, crocus, freezias and Chinese sacred lilies. Plant Willet's ever-

green lawn grass.

For the Farm—All kinds of grasses and clovers can be sown. Clovers should be put in early in the month. Sow barley and oats, wheat, rye and vetches.

For the Garden—English peas may be planted this month. Strawberry beds planted. Onion sets and cabbage plants can be planted. Begin to get ready to start spraying. Sow lawn grass and flower bulbs—see October.

For the Farm—Gather and bank sweet potatoes. Barley, oats, rye and wheat can be sown. Herd's grass. Sow Canada field peas, vetches and clover and willet's grazing mixture. Sow rye on all vacant land for fall grazing and cover crop to improve the soil.

### DECEMBER

For the Garden—Prepare your hot beds and cold frames. Plant onion sets, cabbage and lettuce and beets can be sown in hot beds or cold frames for later transplanting. The winter growing of lettuce is very profitable. Prune your trees and vines and spray for scales with Willet's spray materials. Plant asparagus roots.

For the Farm—Oats, wheat, vetches and clovers can be planted. Rye and barley for grazing and grain crops. Canada field peas can be sown, but must be planted deep.

# BEST ADAPTED TO OUR IS SOUTHERN STATES

GARDEN SEEDS, 1918 PRICES:

All Garden Seeds for very many reasons, are higher than have ever been heretofore known. These prices are the very best that can be given at the time of the issue of this catalogue. Owing to the violent fluctuation in the market and great scarcity of certain types, these catalogue prices are subject to change without notice. We advise all Garden Seed buyers to get in their orders at once, and very early, as many types of Garden Seeds in the latter part of the season, will not be available at any price.

"TRUCK FARMING IN THE SOUTH"—By Oemler, 4 pages. Illustrated. Cloth \$1.10 postpaid. Let us all you this book. Diseases of Economic Plants by Ste--By Oemler, id. Let us 274 pages. Illustrated. Clemail you this book. Diseases vens & Hall. Postpaid \$2.15.

ASPARAGUS SEED

Georgia Grown.

Note—Largest dealers in Asparagus Seed and Roots.
United States seed trade supplied.
One ounce of scd

One ounce of sed sows 35 feet, producing about 300 plants; 16 pounds sows one acre—about 100,000 roots. One pound produces plants to set one acre. Sow seed in March or April. Ready from seed in one year; market
March to May 15th.
GIANT FRENCH ARGENTEUIL ASPARA-

GUS-Of great reputa-tion in France. We got tion in France. We got our seed originally from France, and have care-fully grown it here in large amounts. A first-class variety with beau-tiful smooth speers. Of very large size and known everywhere over very large size and known everywhere over the world as a fancy high-priced asparagus, used by French canners. See prices below.



Giant Argenteuil Asparagus

PALMETTO ASPARAGUS—Popular and grown extensively for a generation around Charleston. Possibly more Palmetto is grown than any other asparagus. See prices

BEN TILLMAN ASPARAGUS—Introduced by Senator llman. Now largely grown about Augusta. As early as BEN TILLIMAN ASPARAGUS—Introduced by Senator Tillman. Now largely grown about Augusta. As early as the earliest, extremely vigorous, grows larger and more uniform stalks and speers than any other variety. Has a less percentage of culls. Speers are nice and smooth, look well in bunches. The largest growers in America, who live near Augusta, pronounce this the best of all known asparagus. We have individual growers here who plant 300 acres of it. See prices helow of it. See prices below.

BARR'S MAMMOTH ASPARAGUS—A variety, better known farther north and more largely used in that section than in the South. See prices below.

CONNOVER'S COLOSSAL-Is regarded here as a rough, unsightly, and woody asparagus and rather poor quality, but used a good bit north. See prices below.

PRICES for all of the above kinds—Pkt., 5c; 1 oz., 10c; ¼ lb., 20c; 1 lb., 40c; 5 lbs., 30c; 10 lbs., 25c.

## ASPARAGUS ROOTS

Culture for Garden—Where the soil is light and rich, open up the furrows, 3 inches deep, and 4 to 6 feet apart. Place roots in the bottom of the furrow, 12 to 18 inches apart, and cover with 2 or 3 inches of soil. As shoots appear, fill in around them with well-rotted stable manure. You cannot get your beds too rich or use too much manure for the crop. One hundred root sets a bed 10x40 feet.

Culture for the Farm—Lay rows 6 feet apart. Scrape out soil in water furrow so that level of water furrow will be 7 or 8 inches below the ground. Plant crowns with eye up, straight in the row, and 27 or 28 inches apart, cover with 2 or 3 inches of soil. For first two years, cultivate and gradually throw soil over into water furrow until the water furrow is itself a raised bed. First year use 1,000 pounds of guano per acre; after that stable manure. Soil needs to be rich. Plant roots from November to March; market March to May 15th. Roots cannot be dug and planted until after frost kills the tops.

NOTE! Augusta is the center of the largest Asparagus industry in United States. Within 20 miles of the city there is one single unbroken field of 400 acres, being not only the largest single field in the United States, but also in the world.

PRICES—We supply any variety in catalog from Novem-

the world

PRICES—We supply any variety in catalog from November to April. Will bear transportation to any part of United States. 1,000 roots weigh about 100 lbs.; it takes

4,000 to 5,000 per acre Duration of beds from 12 to 15 years. 100 roots, \$1.00; 500 roots, \$2.50; 1,000 roots, \$4.25; 5,000 roots at \$3.75 per M. Write for prices on large amounts.

"ASPARAGUS" Hexamar. -By 174 pages. Illustrated, Cloth, 60c, postpaid. Let us mail you this

Bunchers Asparagus book. ASPARAGUS BUNCHERS-

ASPARAGUS KNIVES-\$0.30 .25

### FRENCH ARTICHOKE

Culture—Sow in hot beds in February and transplant in May, or sow outside in April in rows 15 inches apart and 1 inch deep; thin out to 4 inches, and transplant the following spring to rows 3 feet apart and 2 feet between the plants. Protect in winter with litter or manure.

GREEN GLOBE—A favorite French vegetable. Entirely different from the Jerusalem tuberous rooted artichoke. Grown for the undeveloped flower-heads, which are cooked Grown for the undeveloped flower-heads, which are cooked like asparagus, and make a most tender and excellent vegetable. Can be eaten with butter sauce or French dressing.

It in the South, and should be largely grown, espetor shipping to Northern markets, as it is growing a popularity in our large cities. Like asparagus, when come planted, it lasts for several years.

Prices—Pkt., 10c; oz., 60c; 1/4 lb., \$2.00.

JERUSALEM—Grown from roots or tubers. Sometimes used as a vegetable and for pickling. Plant and cultivate like potatoes. Fuller information is given under head of 'Farm Seeds.'

Prices—Quart, 20c; peck, 75c; bushel, \$2.50; 5-bushel lots and over, \$2.25 bushel.

## Garden Beans

## BUSH or SNAP BEANS

USE MULFORD CULTURES-Garden Size, 25c, and 1/4

USE MULFORD CULTURES—Garden Size, 25c, and ¼ acre, 50c.
Culture—For earliest crop, plant about the 1st of March. For succession, plant every two weeks throughout the summer, until September 20th. Late Snaps make a satisfactory crop and should be more generally grown. For field culture, plant in rows 2½ to 3 feet apart and 3 inches between the beans, covering about 2 inches. If cultivated by hand in small gardens, rows may be 2 feet apart. Up to time of blooming, cultivate often, but never when the vines are wet.\* as pods and leaves would become discolered and rust. Ready in sixty days. Market. May 15th to October 15th. Plant beans in Florida from January 15th to April; also August and September. One quart will plant 100 feet of drill; 1½ bushels to an acre.

"BEAN CULTURE"—By Sevey. 144 pages. Illustrated. Cloth, 60c, postpaid. Let us mail you this book. BEANS BY MAIL—For all beans, when sent by mail, add for postage; half pint, 5c; pint, 10c; quart, 15c.

HOPKINS' IMPROVED VALENTINE—Strain of Red Valentine perfected through many years of careful attention. Hardy, vigorous, upright in growth, holding pods well up from the ground. Early and remarkably uniform in height as well as ripening. One of the finest beans grown for market gardeners, as a large proportion of crop can be secured at one picking. Fully as early as any strain of Red Valentines, and fully as uniform of habit and ripening with an almost entire absence of flat pods. Pods 5 to 6 inches long, round, thick and meaty, tender and of fine flavor. Seed similar in appearance to Extra Early Red Valentine, but of a darker shade of red, inclined toward



square ends. Packet, 5c and 10c;  $\frac{1}{2}$  pint, 20c; pint, 35c; quart, 60c;  $\frac{1}{2}$  peck, \$2.00; peck, \$3.50; bushel, \$12.00.



Valentine Beans

BLACK BLACK VALEN-TINE—Excellent bean for market gardeners, especially in earliness, in abundance of pods and uniform ripening. Very extensively used in the South as the pods retain their color and freshness. Fairly good flavor and handgood flavor and hand-some in appearance. Vines vigorous and very hardy, holding pods well up from the ground. Pods 5 to 5½ inches long, round, thick, meaty, tender thick, meaty, tender and stringless. Seed medium size, black. medium size, black. Becomirng more popular each season. Hardy and will stand more frost and cold weather than other kinds, than other kinds, consequently can be planted earlier with less risk. Packet, 5c and 10c; ½ pint, 15c; pint, 35c; quart, 60c; ½ peck, \$2.00; peck, \$3.50; bushel, \$12.00.

GIANT STRINGLESS GREEN POD-A very early va-


riety; long straight, round and fleshy pods, free from strings; good bearer; healthy grow-er. The dry b e a n s are oval, of a chocola te brown color, and of a beautiful fleshy appeara n c e. Packet, 5c and 10c; ½ pint, 25c; pint, 40c; quart, 75c; ½ peck, \$2.50; peck, \$2.50; peck, \$4; bu., \$14.00.

BURPEE'S BURPEE'S STRINGLESS GREEN POD—Marked by extreme earliness and pro-ductiven ess, Brittle Saddle-back. Claimed back. Claimed to be hardier and will stand



Giant Stringless Green Pod

and will stand frost better than other early kinds, and that it is entirely stringless. It makes a round podded snap, tender, and of excellent quality. Packet, 5c and 10c; ½ pint, 25c; pint, 40c; quart, 75c; ½ peck, \$2.50; peck, \$4.00; bu, \$14.00. IMPROVED GOLDEN WAX GRENELL'S—Pods large, long, brittle and entirely stringless, and of a beautiful rich golden, wax color. As a snap bean it excels every



Bountiful Beans

other variety in tenderness and rich buttery flavor, while as a shell bean for winter use it has few or no superiors. It is very prolific, of dwarf, compact growth. Pods 3½ inches long, straight and flat; light cream wax color. Seed white, splashed with purplish black. Packet, 5c and 10c; ½ pint, 25c; pint, 40c; quart, 75c; ½ peck, \$2.50; peck, \$4.50; bu., \$15.00.

\$4.50; bu., \$15.00.

BOUNTIFUL—Should have an extensive sale, as it is one of the best green podded beans on the market, especially for market gardeners, as hardy and productive as Six Weeks, with stringless pods of excellent quality. Pods 5 to 6 inches long, broad, flat, thick and meaty, very stringless. Seed medium size, yellow. The stringless tender flat green pods come very early. Produce heavily and keep on bearing a great while. Practically a stringless early yellow six weeks. Packet, 5c and 10c; ½ pint, 20c; pint, 35c; quart, 60c; ½ peck, \$2.10; peck, \$3.75; bu., \$12.50. pint, 3 \$12.50.

CURRIE'S RUST-PROOF WAX—One of the earliest of the wax sort; vines strong, robust and upright, holding the pods well off the ground. Pods are long, flat and tender, of a beautiful golden color, and of finest quality. Pods 4½ to 5 inches long. Flat tender, early to ripen. Seed larger than Black Wax, and are purplish black in color. Packet, 5c and 10c; ½ pint, 30c; pint, 45c; quart, 85c; ½ peck, \$3.00; peck, \$5.00; bu., \$16.00.



improved Goiden Wax Deans

EARLY YELLOW SIX WEEKS—Hardy and very early;

EARLY YELLOW SIX WEEKS—Hardy and very early; green pod; resembles Mohawk, save in color. Upright heavy cropper, uniform in ripening. 5 ½ inches long, nearly straight, flat, and of good quality. Seed long, yellow. Packet, 5c and 10c; ½ pint, 20c; pint, 30c; quart, 50c; ½ peck, \$1.75; peck, \$3.00; bu, \$10.00.

WARDWELL'S KIDNEY WAX—Early as the Golden Wax; pods very long, tender, stringless and of fine light golden color. It grows taller than Golden Wax—the truckers' favorite in yellow wax beans. Packet, 5c and 10c; ½ pint, 30c; pint, 45c; quart, 85c; ½ peck, \$3.00; peck, \$5.00; bu, \$16.00.

EARLY MOHAWK SIX WEEKS—Our hardiest bean. Perhaps the oldest of the green podded sorts, very hardy, resisting even a slight degree of frost. Foliage very coarse and straggling dark green, early and very prolific. Pods 4 to 4½ inches long, straightt, flat, broad and of medium quality. Seed large, of purplish shade splashed with lighter color. Packet, 5c and 10c; ½ pint, 20c; pint, 30c; quart, 50c; ½ peck, \$1.75; peck, \$3.00; bushel, \$10.00.

DWARF GERMAN BLACK WAX—The prolific type. An old variety. Tender wax pods. Strong healthy foliage, pods, 4½ to 5 inches long; thick, curved, round, meaty and tender. Creamy white, excellent quality. Seed oblong, glossy black. Packet, 5c and 10c; ½ pint, 25c; pint, 40c; quart, 75c; ½ peck, \$2.50; peck, \$4.50; bu., \$15.

punt, auc; quart, 70c; 4/2 peck, \$2.50; peck, \$4.50; bu., \$15. EXTRA EARLY REFUGEE, or 1000 TO 1—A sevenweek plant, medium to late. Variation from the old Refugee or Thousand to One, more dwarf and compact in growth, and earlier, fit to pick nearly as early as Six Weeks. Pods round, light green, nearly straight, solid, tender, of good quality, either for canning or pickling. Seed resembles that of Refugee Wax. Packet, 5c and 10c; ½ pint, 20c; pint. 35c; quart, 60c; ½ peck, \$2.00; peck, \$3.50; bu., \$12.00.

POLE, or CORNFIELD SNAP USE MULFORD CULTURES for legumes. 1/4 acre, 50c;

USE MULFORD CULTURES for legumes. ½ acre, 50c; garden size, 25c.
Culture—Pole beans are more sensitive to cold and wet than bush beans, and should not be planted before April: Set poles 8 feet long firmly in the ground, 4 feet apart each way, and put five or six beans, eye downward, in each hill. One pint will plant about 100 hills, one or two pecks to plant an acre. Also largely planted in corn. Plant two Russian sunflower seeds to each hill for beans to train on. Pick off lower sunflower leaves to give sunlight. Ready for market, 70 to 80 days.

SOUTHERN WHITE CREASEBACK, or FAT HORSE—Large, long, round pods, growing in clusters of from six to twelve; silver green; the best quality of snaps. A good corn-hill bean for late planting for fall market. Packet, 5c and 10c; ½ pint, 20c; pint, 35c; quart, 60c; ½ peck, \$2.00; peck, \$3.75; bushel, \$13.50.

RED SPECKLE CUT SHORT or CORN-HILL—An old

RED SPECKLE CUT SHORT or CORN-HILL-RED SPECKLE CUT SHORT or CORN-HILL—An old variety; popular for planting among corn; gives fair crop without use of poles; vines medium, not twining tightly; pods short, cylindrical and tender; bean nearly oblong, cut off diagonally at the ends; seed white and marked with reddish-brown dots; makes until frost. Packet, 5c and 10c; ½ pint, 20c; pint, 35c; quart, 60c; ½ peck, \$2.00; peck, \$3.75; bushel, \$13.50.

OLD HOMESTEAD,



OR IMPROVED KENTUCKY WONDER—Pods seven to nine inches in length, saddle-backed and are solidly meaty, and of finest quality. Stringless when young. Be sure to gather pods as they mature, and vines will continue bearing to end of season. Enormously productive. Pods in clusters. Bright green color. Packet, 5c and 10c; ½ pint, 20c; pint, 35c; quart, 60c; ½ peck, \$2.00; peck, \$3.75; bushel, \$13.50. OR IMPROVED KENTUCKY  $\frac{1}{2}$  peck, \$2.0 bushel, \$13.50.

SOUTHERN PROLIFIC-SOUTHERN PROLIFIC—A Southern bean. Stands Southern heat. Continues to bear until frost. Pods 7 inches long and flat; seed dark yellow. Stand-ard in this latitude. Favorite way to plant in the South is in way to plant in the South is in damp Iand among corn, and let the vines grow up the corn stalks. Packet, 5c and 10c; ½ pint, 20c; pint, 35c; quart, 60c; ½ peck, \$3.75; bushal \$13.50 the v  $\frac{1}{2}$  peck, \$2.0 bushel, \$13.50.

## LIMA BEANS


USE MULFORD CULTURES Kentucky Wonder Beans for Legumes. 1/4 acre, 50c; garden size, 25c. CULTURE -

uen size, 25c.

CULTURE — Lima Beans should not be planted before the weather gets warm in April. Of the large seeded sorts, one quart plants 100 hills; of the smaller sorts, one quart plants about 200 hills. Poles 3 to 10 feet in length should be firmly set in center of hills before seed are planted. Bush Limas should be planted 3 feet apart, dropping two or three beans 15 inches apart in the rows. Cover about 1½ inches deep. About 1½ to 2 pecks plants an acre.

BURPEE'S LARGE BUSH LIMA— A barrel arge roll 12.

BURPEE'S LARGE BUSH LIMA—A bush form of the large pole Lima. Beans are large and flat, like those of that variety. Very productive, and its dwarf character is well established. Packet, 5c and 10c; ½ pint, 25c;



Henderson's Bush Lima Beans

pint, 45c; quart, 85c; 1/2 peck, \$3.00; peck, \$5.00; bushel, \$16.00

\$16.00.

HENDERSON'S DWARF SMALL LIMA—By successive plantings can get two or three crops; yield per acre, 100 bushels; plant same time as Bush Snap. Bush is dwarf and beans are small Limas. Packet, 5c and 10c; ½2 pint, 25c; pint, 45c; quart, 85c; ½2 peck, \$3.00; peck, \$5.00; bushel, \$16.00.


JACKSON'S WONDER—A flat brown bean, mottled, with deep beauge cross size somewhat larger than Sieva. Most

SMALI LIMA, or CAROLINA SIEVA (Pole)—Similar in every way to large seeds, and pods being smaller. Largely grown in the South, and immensely popular. Packet, 5c and 10c; ½ pint, 25c; pint, 45c; ½ peck, \$3.00; peck, \$5.00; bushel, \$16.00.

LARGE WHITE LIMA (Pole)—Either green or dry, this is the standard table vegetable and the best shell bean known. Give it rich ground and plenty of room. Packet, 5c and 10c; ½ pint, 25c; pint, 45c; quart, 85c; ½ peck, \$3.00; peck, \$5.00; bushel, \$16.00.

### BEETS

Culture—Sow as soon as ground can be worked. Ready in 75 days. Thrive best in light, loose, fresh, clean, deeply worked soil, well manured. Winter beets and mangels



Early Eclipse Beets

should be sown in April or May, or as late as June, and the seed should be soaked before sowing. For field culture, sow in drills 2 to 2½ feet apart, and cover 1 inch. Thin out to 4 inches. One ounce sows 50 feet of drill; 6 to 8 pounds one acre. For small garden the drills need not be more than 15 inches apart. Garden beets can also be sown from June to October, for use during the fall and early winter. The young tops are superior to turnips and spinach for greens.

For Succession Beets, followed by snapbeans or okra in June, and by winter radishes, turnips, onions or spinach in October. Plant beets in Florida in December and May.

EARLY ECLIPSE—The handsomest of the very early beets. Globe-shaped, fine dark red color, rapid grower, small tops, purplish green foliage and red veins. Packet, 5c; ounce, 20c; 4 ounces, 60c; pound, \$1.75.

IMPROVED EARLY DARK BLOOD TURNIP-Trifle

IMPROVED EARLY DARK BLOOD TURNIP—Trifle later than Eclipse; flesh deep blood red; tender and fine flavored. The most generally used family beet. Packet, 5c; ounce, 20c; 4 ounces, 60c; pound, \$1.75.

DARK RED EGYPTIAN—Highly prized by market gardeners everywhere; size about 3 inches. Slightly flattened; skin dark red; flesh fine, compact texture, tender, of superior flavor. Packet, 5c; 1 ounce, 20c; ½ pound, 60c; pound, \$1.75.



EXTRA EARLY, or BASSANO—As early as Eclipse; flesh pink, with white streaks: very juicy. Packet, 5c; ounce, 20c; 4 ounces, 60c; pound, \$1.75.

IMPROVED LONG SMOOTH, BLOOD RED—Medium late; often used for late summer planting and winter use. Packet, 5c; ounce, 20c; 4 ounces, 60c; pound, \$1.75.

HALF LONG BLOOD RED—Similar to Long Blood but differs in size, being half long. Packet, 5c; ounce, 20c; 4 ounces, 60c; pound, \$1.75.

SILESIAN SUGAR WHITE—A sweet white beet preferred by some. Packet, 5c ou;nce, 20c; 4 ounces, 60c; pound, \$1.75.

SWISS CHARD or SPINACH REET—Sow spring

SWISS CHARD, or SPINACH BEET—Sow spring and fall in drills 12 to 18 inches apart. Leaves can be cropped six times during the season. Plant grows 2½ feet high. In cutting leaves, leave the bud and leaf will grow out. Poultry fond of it. Take a dozen or two of the leaves, tie them in a bunch and hang them up so that the chickens can pick at them easily. The birds are extremely fond of this kind of greens and will leave other feed to eat them. This is not grown for its roots, but as a salad, and is particularly desirable because it combines two vegetables in one, the young leaves to use as greens, and later the broad, flat, beautiful waxlike leaf stems are cooked and used either as a salad or like asparagus. Also makes desirable pickles. Chard makes a very attractive plant, and should be grown in every garden. The new leaves are put out from the center of the plant, and in cutting only the outside leaves should be taken. The leaves are large, with heavy stems very tender and brittle. Plant February 1st to April 15th; July to September. Packet, 5c; ounce, 25c; 4 ounces, 75c; pound, \$2.00.



Swiss Chard

## BEETS FOR STOCK

OR MANGEL WURZEL

NORBITAN GIANT—We have tried to get in this the largest stock beet that grows. A long red variety of great size. Flesh solid; a good keeper. Ounce 15c; 4 ounces, 35c; pound, 80c. BRUSSELS SPROUTS Closely akin to the cab-bage and collard. Treated in the South just like col-lards. It produces a pecu-liar erect stock, about 2 feet high and bears numerous lit-




Norbitan Giant Beet

the sprouts shaped had a head of cabbage. These set thickly on the close-jointed stalk, and develop to their entire height all at the same PERFECTION — The variety for the South. Grows 2 feet high and produces 2 feet fight and products from the stem numerous little sprouts, 1 or 2 inches in diameter, resembling cabbage. The sprouts are used Dage. The sprouts are used as greens and become very tender and rich when touched by frost. Sow in May, or for succession through the year, and cultivate same as cabbage. One ounce as cabbage. One ounce makes 1,000 or more plants. Packet, 5c; 1 ounce. 25c; 1/4 pound, 75c; pound, \$2.00.

tle sprouts shaped like a

## **Cabbages**

"CABBAGE CAULIFLOWER, ETC." By C. L. Allen. oth, 126 pages. Illustrated. Let us man you this book Cloth, 126 pages. -60c, postpaid.



Improved Blood Turnip Beet

Improved Blood Turnip Beet

Our Cabbage Seed—We pay 50 per cent more for our Long Island Cabbage seed than do the greater portion of the seed trade of America, who use cheap, imported seed. Our Cabbages are grown for us on Long Island by the best-known and most reliable cabbage seed growers in the United States. No better cabbage seed in the world than those we offer. We sell our special cabbage seed—enough to grow 3,000 acres in cabbages—on Charleston coast.

Culture—For a succession sow the early varieties in cold frames in January, February, or early March. Later sow the early varieties out of doors, in March or April. For winter cabbage sow in April, May or June, transplanting in July or August to head up during the late fall and winter. Fall sowings, to make plants for setting out in the fall or early spring, should be made after September 20th; if sown earlier they will likely shoot to seed, especially in



Early Jersey Wakefield Cabbage

the flat-headed kinds. Early varieties should be set 18 inches apart in rows 2½ to 3 feet apart; late varieties, being larger, should be set out 2 to 3 feet in row; rows 30 inches apart; 7.000 to 8.000 plants per acre; ready for use in 100 to 160 days. For drilling, 4 ounces seed 100-foot row. One ounce will produce about 2.000 plants; 6 ounces will make enough plants to set an acre. Cabbage requires good, rich soil, or plenty of manure and fertilizer, and to be worked frequently and deeply. For cabbage and collard "Green Cabbage Worm" spray young plants with Solution Arsenate Lead. For lice, use "Black Leaf 40." Plant cabbage in Florida January and February, September and October. Seed sown are ready for transplanting in 30 days.

EXTRA EARLY JERSEY WAKEFIELD—Most desirable; extra early; supposed to be the earliest of all cabbages; pointed head; excellent table qualities; sure heading; a satisfactory variety. Can plant close; not so large as some later varieties, but for extra earliness the best of all. The heads are of good size, cone form, broad at the base, with twisted top. To those who have never tried this variety, we say, by all means, plant it. Packet, 5c; ounce, 50c; 4 ounces, \$1.50; pound, \$4.25.

EARLY CHARLESTON WAKEFIELD-Early and well known favorite; heads are conical shaped; possibly the prinknown favorite; heads are conical shaped; possibly the principal variety that is grown by truckers for early shipments, and by gardeners in general. Quantities of this cabbage now off Charleston in 22 pounds weight, all solid heads; 10 days later in heading than Early Jersey Wakefield; one-third larger in size. It is the best and most profitable early variety to grow for either market or private gardens, as it is always sure to form fine, solid heads, and is the largest heading of all the early varieties. Produces about 300 harrel crates per acre. Not

is the largest heading of all the early varieties. Produces about 300 barrel crates per acre. Not quite so hardy as Jersey Wakefield. A popular cabbage and grown quite scientifically in the South. Originated by a pioneer cabbage grower of South Carolina. Pkt. 5c; oz. 50c; 4 ozs. \$1.50; 1 lb. \$4.25.

COPENHAGEN MARKET new cabbage in enormous demand new cabbage in enormous demand throughout the cabbage world, and heretofore in limited supply. A trifle late, three or four days, perhaps, than Wakefeld, but is roundheaded and is larger and more to be desired. They weigh an average of 10 pounds, and frequently 14 to 16 pounds. The earliest of all the round-headed cabbages Our age of 10 pounds, and frequently 14 to 16 pounds. The earliest of all the round-headed cabbages. Our truckers are taking rapid and large hold of this splendid new cabbage. The field yield is high, and 95% head all at same time. Pkt. 10c; oz. 60c; 4 ozs. \$1.75; lb. \$4.75.

GEORGIA EARLY TRUCKER— For market gardener or planter; one of the best; large size, hand-some color; fine market flavor; does not run to seed; largely used by South Carolina sea coast ship-pers. Pkt. 5c; oz. 45c; 4 ozs. \$1.40; 1 lb. \$4.00.

EARLY WINNINGSTANDT—A Prussian cabbage; a standard cone-shaped, solid head; second early variety. Packet. 5c; ounce 50c; 4 ounces \$1.50; pound \$4.25.


EARLY LARGE YORK-For very early sowing: an old English variet heads small and slightly heart-shaped; rather dwarf; can be planted closely—8 inches in row. Packet 5c; ounce 50c; 4 ounces \$1.50; pound \$4.25.

WILLET'S ALL-SEASON SUREHEADER—Surehead has all the individual type of the Large Flat Dutch and ema-nated from that variety by selection. Is popular with all for its size and sure heading. One of the finest for second early or late sowing. Grown quickly to a large size and heads surely. It is a true, sure, hard-header. Its name is an index of its character. Packet, 5c ounce, 45c 4 ounces, \$1.40; pound \$4.00.\$

SUCCESSION CABBAGE—A thoroughbred second early cabbage, pronounced by experts the most perfect type grown. Especially recommended on account of its uniform size. One of the surest varieties to make a crop under all conditions and does well in all seasons, no matter when planted. The earliest header among flat varieties; 10 days later than Charleston Wakefield; more delicate. A popular cabbage, large yielder, often making 400 barrel crates per acre, and

Succession Cabbage

more when everything is favorable. Sometimes have complaints in the market of this cabbage being too large (sometimes 20 pounds), but this fault can be easily overcome by painting them thicker. Packet 5c; ounce 45c; 4 ounces \$1.40; pound \$4.00.



Early Charleston Wakefield Cabbage

IMPROVED EARLY FLAT DUTCH—Not so early as the very earlier and not so heavy as some, but very salable because of its flat shape; very extensively planted; weighs from 10 to 12 pounds. Packet 5c; ounce 45c; 4 ounces

runy earlier and not so heavy as some, but very salable because of its flat shape; very extensively planted; weighs from 10 to 12 pounds. Packet 5c; ounce 45c; 4 ounces \$1.40; pound \$4.00.

IMPROVED EARLY DRUMHEAD—An intermediate kind between the cone-shaped early and late varieties; can be planted closely; takes its name from its shape. Packet 5c; ounce 45c; 4 ounces \$1.40; pound \$4.00.

CAROLINA WINTER CABBAGE—Grown and highly prized for many years below Augusta. Deserves widest and universal use throughout all the South—dependent as we are upon the North and Europe for cabbage seed—usually small-head cabbage. Exploited and only listed by this house. The very choicest and the very largest of all cabbages, and the only cabbage that for the grower seeds in the South and reproduces itself (cut off the heads and eat them and the plant will grow out and go to seed for saving). Absolutely never cold-killed. Is of immense size; often 3 to 3½ feet across; sometimes runs 15 to 18 to 20 lbs. Augusta truckers, 1914, wholesaled them in Augusta at 15c per head—retailed at 25c. Have high (18 inches) stems, and with a small green outer fringe resembling a collard. The big center is hard, firm, white and solid. The heads are round like Flat Dutch. They all head. Plant in March or April and no later than May 15th, and set out plants. They head up in the winter. Is the best Southern cabbage ever known, and should be universally grown. Packet 10c; 1 ounce 60c; ¼ pound \$1.75; pound \$5.00.

GREEN GLAZED—For late sowing; glossy green leaves; not so liable to insect attacks, and especially adapted for hot climates. Packet 5c; ounce 60c; 4 ounces \$1.75; pound \$5.00.

BUNCOMBE, or NORTH CAROLINA WINTER—A firm, solid header,

BUNCOMBE, or NORTH CARO-LINA WINTER—A firm, solid header, and keeps well; either a spring or winter cabbage. Packet 5c; ounce 60c; 4 ounces \$1.75; pound \$5.00.

A ounces \$1.75; pound \$5.00.

PREMIUM LATE DRUMHEAD—
Sow in Sept.; very hardy and withstands cold; large round heads, though
sometimes flattened on top; well
known. Packet 5c; ounce 45c; 4 ounces
\$1.40; pound \$4.00.

PREMIUM LATE FLAT DUTCH—
The old favorite for fall and winter
sowing; grows low to ground; heads
large, bluish green in color; broad and
flat top. Packet 5c; ounce 45c; 4
ounces \$1.40; pound \$4.00.

One Acre in Cabbages should make
5,000 heads at about 4 to 5 pounds
each, or ten tons of fine succulent
feed for man, hog and cattle. What
better could you ask? No food crop
is more indicated for the farm than
are cabbages, and cabbage plants are
dirt cheap. Every farmer should grow
at least one acre in cabbages. The
use of cabbage saves meat-eating, not
only for the family, but for the hands only for the family, but for the hands



of the farm. There can be no over-production, for there is no better hog and cattle food.

no better hog and cattle tood.

WILLET'S EARLY CABBAGE PLANTS

BY EXPRESS (Frost Proof)

Delivery October to April 15th. Our plants are from seed sown in open fields on the Carolina and Georgia coasts, and are frost-proof. Frost-proof refers to plants when just set out. It does not refer to plants that have grown off and have absorbed in warm weather a heavy succulent watery growth easily attacked by frost.

We ship millions of cabbage plants; do an immense busivess in them and can figure on largest orders. October to

We snip minions of cabbage plants; do all limited business in them, and can figure on largest orders. October to April, also in midsummer. All varieties. Read "Cabbage plants—Parcel Post," just below for method of growing. All cabbage plants are cash with order, and no plants are shipped C. O. D. 1,000 \$1.75; 2,000 \$1.65; 5,000 to 10,000 \$1.50 per 1,000 f. o. b. grower, for express shipment.

## WILLET'S CABBAGE PLANTS

WILLET'S CABBAGE PLANTS

BY PARCEL POST PREPAID (Frost Proof)

Grown from the best of Long Island grown seed and not imported seed; shipped direct from our growing station in South Carolina by parcel post or express—shipment from November to April 15th. The plants will be somewhat wilted and have a hard, stunted appearance, disappointing to the sight, but regardless of appearance, disappointing to the sight, but regardless of appearance, disappointing to the sight, but regardless of appearance, they will produce results. Our grower grows over 140,000,000 cabbage plants. Transplant deep, up to first leaf, in deep, rich soil, and water plants well.

Set out 2 to 3 feet in row; rows 30 inches apart; 7,000 to 8,000 plants per acre; ready for use in 100 to 160 days. Varieties: Jersey Wakefield, Charleston Wakefield, Charleston Wakefield, Charleston Wakefield, Charleston Wakefield, Terms, cash with order.

No plants shipped C. O. D. Price: 100, 200, 300, 40c per 100; 500 for \$1.50; 1,000 for \$2.50, by parcel post, prepaid.

FOR A SUCCESSION CABBAGE PLANTS can be followed by pole or butter beans about June 15th

PLANTS can be followed by pole or butter beans about June 15th, and by kale or extra early peas in September.

## MASTER'S PLANT SETTER

Can set, water and fertilize more plants than three men can set by hand. Every plant securely routed by absorption—Nature's only way. No blank. No stooping. No more lame hade No blank. No stooping. No more lame backs.

lame backs.

Don't wait for showers, but keep the Planter going every day regardless of the weather and by using water or liquid fertilizer you will produce the best stand of plants ever seen. This system of planting is guaranteed to be proof against cut-worms or your money

Especially adapted for new land, either stumpy or stony. Satisfaction guaranteed or money back. Get literature and see how it's done. Sets 5,000 to 10,000 plants a day—cabbages, sweet potatoes, tobacco, tomatoes, pepper, collards, etc. \$5.50 each.

### CARROTS



Culture—One ounce plants a 100-foot row; 3 pounds an acre. Soil must be fertile, deeply dug and light or sandy. Soak seed and light or sandy. Soak seed well. Sow in drills from March well. Sow in drills from March to November; press down, thin out from 2 to 4 inches so plants can be worked. Can be used in 70 to 120 days. Best time for planting, August to Octo-

ber.
Digestible, wholesome, six times more nutriment by weight than Irish potatoes. Boil without peeling. Valuable in stews and soups, as its pectin acid gelatinizes all fluids and

acid gelatinizes all fluids and
makes them easily digested.
For Succession, Carrots, followed by egg plants in June,
and by turnips or other greens
for salad in the fall.
IMPROVED LONG ORANGE
—A standard late variety;
hardsome and uniform in chase;

—A standard late variety;
handsome and uniform in shape;
deep orange color; good flavor;
yields heavily; requires deep
soli; plants should stand 8 ins.
Carrot
apart in 18-in. drills for roots

to attain full size. Packet 5c; 1 ounce 20c; 4 ounces 60c; pound \$1.75.

CHANTENAY-Deep scarlet, of uniform shape; a heavy yielder and of fine table quality; grows 5 to 7 inches long. Packet 5c; ounce 20c; 4 ounces 60c; pound \$1.75.

HALF-LONG DANVERS-One of the most productive, and suits all kinds of soils. The roots are smooth and handsome, a deep orange color, medium length, tapering to a blunt point. The flesh is sweet, crisp and tender. Packet 5c; o;unce 20c; 4 ounces 60c; pound \$1.75.



Chantenay Carrot

### CARROTS FOR STOCK

Culture—Sow 3 pounds to the acre. These roots are often 15 inches in circumference; greatly enjoyed by stock and gives fine color to butter. 500 bushels can be raised on one acre. 1 bushel is equal to 1 bushel of corn in feed

BELGIAN YELLOW-The largest, heaviest cropping and most nutritious yellow variety in cultivation. Easily gathered, as the roots grow largely above the ground. Packet 5c; 1 ounce 15c; 4 ounces 35c; pound 80c.

## CAULIFLOWER

Culture—Cauliflower will grow on soil well adapted to cabbage, and same methods of cultivation will answer. The seed should be sown in December in cold frame or hotbed, and the plants wintered over and made as hardy as possible. They must be put out just as early as danger of hard freezes have passed. Rapid cultivation is necessary to bring the plants to head before hot weather. The heads will be improved if the leaves are tied over it when beginning to form. One ounce for 1,000 plants. Ready in 95 to 120 days. Market for May 15th to July 15th; October 15th to November 15th. Also plant September 1st for December and January. and January

EARLY SNOWBALL—Plant 30 inches apart each way: very early and very reliable for heading, besides being very dwarf in its habits of growth and very short outer leaves. Imported directly by us from the best Holland grower. Packet 25c; ounce \$2.00; ¼ pound \$7.00; pound \$20.00.

## CELERY

"CELERY CULTURE." —By Beattie. 150 pages. Illustrated. Let us mail you this book. Cloth, 60c postpaid.

Culture—Germinates within 1 to 2 weeks. One ounce makes 4,000 plants, 100 feet drill. Four ounces to an acre. Grown with profit extensively for market. Sow in April, May and June, and also in August and September. Transplanted when 6 inches high in 3-foot rows, 6 inches in row. When tall enough they should be covered with earth to bleach. Ready for use in 140 to 175 days. Market September to January 15th. Plant celery in Florida August to November November.

BOSTON MARKET—Dwarf branching variety grown so extensively about Boston. Solid, crisp and of excellent flavor; its compact dwarf habit allows closer planting and requires less earthing up than taller sorts. Packet 5c; ounce 30c; 4 ounces 75c; pound \$2.50.



Geiden self-Blanching

WHITE PLUME-The stalk and portions of inner leaves and heart are naturally white; needs very little earthing-up; crisp, solid, and of a pleasing nutty flavor; its white, feather-like foliage is very ornamental. Packet 5c; ounce 30c; 4 ounces 75c; pound \$2.50.

GOLDEN SELF-BLANCHING -A self-blanching variety of the White Plume type; ready tne White Plume type; ready for use nearly as early; bleaches as easily and is larger in size. as well as finer in quality; of a rich, golden-yellow color; crisp, tender and of fine flavor, keeps well. Packet 10c; ounce 50c; \( \frac{1}{4} \), pound \$1.75; pound \$5.00.

### GEORGIA COLLARDS

Georgia Grown Seed—United States Seedmen Supplied—Georgia grows Collard Seed for the United States. We are large Collard seed-growing contractors. We have made are large Collard seed-growing contractors. We have made sales repeatedly, each carrying a sufficiency of seed to plant 60,000 acres in collards. The collard is a kind of cabbage that never forms a compact head. The Collard is among the most valuable of vegetables (and the cheapest kind known), growing in any kind of fertile soil. The vegetable is fit for food from a plant 10 inches in height up to a stalk of 3 to 5 feet. Then after the top has been cut off, the young, crisp sprouts springing out from the invincible stalks are a delicious dish. The collard is most palatable in winter, especially after a keen frost. When properly boiled the winter-crisped leaves may be partaken of with keenest relish.

with keenest relish.

Have often seen plants weighing from 17 to 18 pounds. Planted in Augusta last of June they escape worms; cut and thin out in August and September, if drilled. Plants will keep growing till spring. Every farmer's garden in the South Atlantic States grows collards. Thousands of the negro garden patches in the South grow nothing but collards. Negroes eat 'collard greens' three times a day; a market 5-cent collard boiled lasts through three meals. Negroes moving North miss the collard more than any other Southern food. There is no cheap equivalent for them in the North. Cabbage collards planted here July 15th made plants that were sold in December and January, three feet across the top and weighing sometimes 15 pounds per plant. Possibly the principal market garden crop about this city. They are by many liked better than the cabbage, or any other green boiled stuff. Ready in 125 to 160 days. Market October to February. Collards are sweetest and best when touched by frost. sweetest and best when touched by frost.

sweetest and best when touched by frost.

Culture—An ounce will produce about 1,000 plants 150 feet row. Sow in spring or summer as directed for cabbage, either in beds, to transplant when large enough, or in rows where intended to stand. They are rapid growers about Augusta; seeds planted in spring, thinnned out April 20th, make plants by June 15th, 3 feet in diameter, weighing 6¾ pounds. Several feet each way ought to be given the plants. Plant collards in Florida, January and February, September and October. Sixteen ounces seed for one acre. For cabbage and collard "Green cabbage worms," spray young plants with solution of arsenate lead. For lice use "Black Leaf 40."

For Succession—Collards, followed by tomato, pepper, egg plant, about June 1st to June 15th; and by onion sets, turnips for salad, mustard or kale in September and October.

GEORGIA BLUE STEM COLLARD-The old-fashioned kind, known for a hundred years or more. ounce 15c; 4 ounces 40c; pound \$1.25. Packet 5c;



Georgia White Cabbage Collard

GEORGIA WHITE CABBAGE COLLARD—Whiter and more tender than the Blue Stem. Introduced fifteen years ago. Three-fourths of them bunch or head up in winter, weighing 10 pounds or more. Plants grow about 30 inches or more high—30 to 40 inches across. Packet 5c; ounce 15c; 4 ounces 40c; pound \$1.25.


### COLLARD PLANTS

COLLARD PLANTS delivered May 1st to November 1st, cash with order, as follows: By Express, 500 for \$1.00; 1,000 for \$1.60; 3,000 at \$1.50; 5,000 at \$1.40 per 1,000. By Postal Package, postage prepaid, 100, 200, 300, 350 per 100; 500 for \$1.40; 1,000 for \$2.40, by Parcel Post, prepaid. No plants sent C. O. D. We sell enormous amounts of collard plants; it's cheaper to buy than for you to grow them yourself

### CANTALOUPE or MUSKMELON

Cantaloupe or Muskmelon
Culture—Prepare hills, 4 to 6 feet apart, in a rich, moderately dry sandy soil. When frost is over, plant 10 to 12 seeds in each hill and when well up, thin out, leaving 4 strong plants to the hill. To have more and better fruit, pinch off the ends of the vines. Give frequent shallow cultivation till vines cover ground. Dust with sifted ashes, air-slacked lime, or road dust, to keep off insects. Do not grow near cucumbers, squashes, etc. One ounce plants 50 hills; two pounds to one acre. Plant cantaloupes in Florida January to May. Plant April 1st to June. An average of 175 crates of cantaloupes should be had per acre. As against insects, plant every 16th row in squashes and also end of each row. After crop is gathered turn in hogs. For leaf blight use Bordeaux Mixture.

Note—A great commercial truck crop. Planted open ground, March 25th, ripening about June 22d; produces about 60 crates per acre; crates 12x12x24, holding average 45 melons. Fertilizer is same and amount to same as given for trucker cabbage. No up-to-date trucker plants anything but pink flesh or salmon varieties.



Rockyford Cantaloupe-Netted Gem

ROCKYFORD NETTED GEM CANTALOUPE—Our seed grown for us at Rockyford, Colorado, where we have the largest contracts. Melon is small, sweet and can be eaten to the rind; distinctive flavor; prolific. Meat light green. Fine grain, spicy and sweet. Seed cavity triangular. Has made 300 standard crates from one acre. Continues long in bearing. The melon is small. Packet 5c and 10c; 4 ounces 30c; pound \$1.00. Special prices to heavy growers.

EDEN GEM, or NETTED ROCK, or POLLOCK—Our seed from Colorado; big improvement over Rockyford Netted Gem; more solid and hard; stands shipping better, stays in condition longer, holding hardness and flavor; vines bear longer and more; small cavity; hetting covers whole melon. The melon is small. Price per packet 5c and 10c; 4 ounces 30c; pound \$1.00. Get prices on larger amounts.

NEW FORDHOOK, or SWEET MARTHA CANTALOUPE
—The principal Cantaloupe used in Atlantic City. All hotels and restaurants using one-half melon for a "help," have discarded the small green flesh melons for the larger ROCKYFORD NETTED GEM CANTALOUPE-

—The principal Cantaloupe used in Atlantic City. All hotels and restaurants using one-half melon for a "help," have discarded the small green flesh melons for the larger salmon flesh—the New Fordhook being the best of the types and large enough for two "helps" at restaurants. A large grower says: "The New Fordhook Cantaloupe I he same size as Improved Jenny Lind, very thick flesh, of orange yellow, very small seed cavity, comparatively few seeds, flesh very solid and of very high flavor, flesh staying solid and firm after melon has become quite yellow, making it an excellent long-distance shipper. The vines are healthy and a very strong grower, often makes 1 dozen or 25 bushel measured; setting fruit close to hill and keeps on setting fruit throughout season to end of vine. Well ribbed, heavily netted, weigh about 1½ to 2 pounds apiece." One-third larger than Rockyford, flavor quite different and better. Skin yellow, green markings. Sometimes weigh 4 pounds. Augusta truckers have discarded all else. Messrs. A. F. Young & Co., commission merchants, New York, wrote: "Fordhook catnaloupes sold today at \$2.25 per crate. Receipts of Colorado melons are heavy. They sold mostly at \$1.00 and \$1.50 per crate.

Hotel Chelsea, Atlantic City, N. J., writes: "The cantaloupes have given us better satisfaction than any that we have been able to obtain heretofore. They have a most excellent flavor."

Our grower says: "All the big hotels in Atlanta. Ga.

excellent flavor. ' Our grower says:


"All the big hotels in Atlanta, Our grower says: "All the big notels in Atlanta, Ga., paid me a premium of \$1.00 per crate and used no other." The best melon grower in N. J. says: "Fordhook is unlike in shape the Rockyford; considerably larger and a much better melon in every wav." Price: Packet 10c; ounce 20c; 4 ounces 50c; 1 pound \$1.50.





Sweet Martha Cantaloune





6½-Pound Honey Dew Cantaloupe

WINTER CASABA, or MEXICAN CANTALOUPE—Now largely grown in California, which ships in
large amounts to New England markets. They
cumference, round in shape; thin rind; flesh yellow cream
white; soft and delicious. This is the famous "Sarda" or
Sweet Melon of Afghanistan. Do not confound this with
the Summer Pineapple Casaba—a different melon. The
Winter Casaba is roundish—7 or 8 pounds, yellow, green
and ridged. Keep from freezing. Keep four or five
months, and improve in quality all
gusta party says: "Had splendid success with Casaba

Cantaloupe.

WINTER CASABA, or MEXICAN CANTALOUPE—Now largely grown in California, which ships in
large amounts to New
Forgland markets. They
planted in new ground,
ing the late part of s
culture—Plant late s
ripen in September and
outhouses. Fine for h
10c; ounce 25c; 4 ounce


Winter 'Casaba-61/2 Pounds planted in new ground, and planted every few weeks dur-ing the late part of spring until July 1st, and had fine cantaloupes from the last of June until frost.'' See cut of

6%-pound melon.

Culture—Plant late spring till last of June. Late ones ripen in September and can be kept several months. Can be eaten from the vine, or before frost, pull and store in outhouses. Fine for home use or shipping. Price, packet 10c; ounce 25c; 4 ounces 75c; pound \$2.50.

EXTRA EARLY PINK MEAT CAN-TALOUPE-Called Ordway's pink meat or Burrell's Gem. An extra early standard size netted melon, small cavity, flesh dark pink, color through to rind. Delicious flavor. Heavy yielder. The first melon from Colorado that comes to Eastern markets (in September) and brings fancy price. Carries a weight of 41/2 pounds usually. Package 10c; 4 ounces 30c; pound \$1.00.

BANANA—This variety gets its name on account of the long fruits having a banana-like aroma. The fruits are from 15 to 20 inches in length, and from 4 to 6 inches in diameter. The salmon flesh is thick and of a delicious flavor. Weighs 7 or 8 pounds. An exceedingly handsome, large, finely flavored melon. Price, packet 10c; ounce 20c; 4 ounces 40c; pound \$1.25.




Nixon





## Market Garden Corn



Trucker's Favorite

Corn prefers a rich, warm, well manur el soil. Plant in April; sweet corns a r e tender and should not be planted till ground is warm. Give frequent but shallow cultivation and continue plantings at intervals of two weeks for succession of roasting e a r s. Ready f o r use 70 to 95 days. Mar-ket May to Novemb e r . For roasting ears, take off the suckers from the plant and grow on the main stem. Drill, and feed ears, blade and stalk. early forage crop use ears, stalk and blades in green state, not

Culture-

ing the suckers; this gives the earliest perfect ration forage crop known. One quart plants 200 hills; 6 to 8 quarts one acre. Add postage on corn, at rate 1 pound per pint.

For Succession, Sweet Corn, followed by sweet potato cuttings about June 15th, can be followed by rape, onion sets or cabbage plants or lettuce plants in fall.

EXTRA EARLY ADAMS—(Not a Sugar Corn)—The earliest white corn in cultivation; makes a small ear and stalk can be planted close together. Packet 5c; pint 20c; quart 35c; peck \$1.50; bushel \$4.50.

EARLY ADAMS, or BURLINGTON—(Not a Sugar Corn)—Similar to Extra Early Adams, but a little later, and makes larger ears. Earlier and hardier than the sugar corns, and as it makes a small stalk, can be planted very close. Packet 5c; pint 20c; quart 35c; peck \$1.50; bushel \$4.50.

TRUCKER'S FAVORITE—(Not a Sugar Corn)—Never have we introduced a corn that has given more general satisfaction. For a second-early, to follow Early Adams, unquestionably one of the best; or for planting late to mature quickly it is equally valuable. Is a white corn with a very good depth of grain, tender and sweet, and makes a most desirable size for roasting ears. Fine field corn, too, for late planting. 65 days for roasting ears and 80 days for meal. Packet 5c; pint 15c; quart 25c; peck \$1.25; bushel \$3.75.

SNOWFLAKE CORN—(Not a Sugar Corn)—The universal Augusta market table corn, white, juicy, productive and ears as big as field corn. Packet 5c; pint 15c; quart 25c; peck \$1.25; bushel \$3.75.

## CORI SUGAR

NOTE-Cook soon affer pulling, as after pulling the sugar quickly changes to starch in the grains. Sp in rows and 18 inches in drill.


COUNTRY GENTLEMAN—For middle season Space 3 ft.

use. Irregular rows. Long slender shoe peg grains. Ears 8 to 9 inches. Keeps tender a great while. Medium early and one of the best Sugar Corns known. While it has

not been on the market as long as some, it is today the most popular. The ears are not only of good size, but are produced in great abundance, frequently yielding three or four good ears to the stalk. Its quality is unsurpassed. Packet 5c; pint 45c; quart 80c; peck \$5.00.



Country Gentleman Corn



Stowell's Evergreen Corn

WILLET'S GOLDEN SWEET CORN, or "BANTAM".—
Very early, and a tender table corn. Remains on the stalk longer without getting hard than most white varieties. It is very prolific and hardy. One of the great favorites in New England and rapidly supplanting the white varieties. Quite a number of our customers claim it the tenderest and sweetest table corn they have ever planted. Price, packet 5c; pint 40c; quart 75c; peck \$4.50.

STOWELL'S EVERGREEN—For middle season and late use. Practically no other Sugar Corn but this is used at Atlantic City hotels. Extremely large ears, deep large juicy grains and tender. Medium late. This has long been a great favorite. Its strong point is that it will remain in the green state. Very tender and sugary. Packet 5c; pint 40c; quart 75c; peck \$4.50.

LATE MAMMOTH SUGAR—This is the latest, but largest of all the sugar corns. The ears are immense, an dare of fine quality and flavor. Packet 5c; pint 40c; quart 75c; peck \$4.50.



## CUCUMBERS

paper boxes. For general crop, plant in the open ground about the middle of April or first of May, not over an inch deep, in hills about 4 paper boxes.

feet apart each way. The hills should be The hills should be previously prepared by mixing well-rotted manure with soil. Put ten seeds in each hill, and when all danger of incorte is past thin insects is past, thin out to four plants and give frequent but shallow cultivation. The fruit should be gathered when large enough, ered when large enough, whether wanted or not, for if left to ripen on the vine, it destroys its productiveness. For pickling, plant in June or July. Ready in 65 to 80 days. Market May 15th to August 1st and October 1st to November 15th. One November 15th. One ounce will plant 50 hills; two pounds, one acre. Cucumbers are largely infected with anthracnose, or spots, and should be sprayed with Bordeaux Mixture Paste. Plant Cucum-bers in Florida Sep-



Improved Early White Spine Cucumber

IMPROVED EARLY WHITE SPINE—The well known standard trucker variety.




iety. One of the best for the table; tender, crisp straight and tender. dark green, with few white spines. 5 to 7 few white spines. 5 to 7 pinches long. Packet 5c; oz. 15c; 4 ozs. 40c; pound \$1.00.

KLONDYKE CHCHMBER . The fruit averages about inches thick to inches long, very dark green, striped with


light.green Klondike Cucumber

2

the length from
The flesh is waxy white, crisp, and of
Comes in with the extra early sorts, for the blossom end. excellent flavor.



Long Green Cucumber



Dasheen

market gardener abundant yielder. Packet 5c; ounce 15c; 4 ounces 35c; pound 90c.

EXTRA EARLY LONG GREEN—Very early, of attractive form and size, very prolific and especially valuable for market gardens because of these valuable qualities. Particularly good for pickling. Packet 5c; ounce 15c; 4 ounces 40c; pound \$1.00.

EARLY FRAME, or SHORT GREEN—Excellent for table or pickling. 4 to 5 inches long. Fruit straight, handsome, smaller at each end, bright green; flesh tender, crisp, makes fine pickles. Packet 5c; bulk price same as Long Green.

DAVIS' PERFECT CUCUMBER—New, shy seeder and early. Holds color and brittleness long after cutting; disease-resistant; resembles in taste the hothouse product, and brings double price in market. Color is the same as Klondyke, but the fruits are longer, averaging 9 to 10 inches long, when in market condition. Packet 5c; ounce 15c; 4 ounces 40c; pound \$1.00.

ounces 40c; pound \$1.00.

CHICAGO PICKLING—This is the chief pickling cucumber in the Middle West and in California. It carries a special fine pickling quality and a very dark green color. The fruit starts early and continues throughout a long season. The favor as a pickling matter is delicious. In shape it is 1 inch thick and 3 inches long when at pickling size. It is enormously prolific and bears in clusters. Must be used when ready and not allowed to yellow on the vines. Packet 5c; ounce 15c; 4 ounces 40c; pound \$1.00.

GHERKIN—West India or Burr—Used in pickling. Round, green, prickly. Packet 5c; ounce 20c; 4 ounces 50c; pound \$1.50.

DASHEEN—A substitute for Irish potatoes. Are more nutritious, far more productive. Baked, are better than Irish potatoes. Cook in a dozen different ways; get Dasheen Bulletin from Agricultural Department at Washington. Store and keep and cook like Irish potatoes. They keep twice as well. Forty-five to fifty pounds to one bushel. Have a sweet nutty flavor and like sweet potatoes. Gather about November 1st. Plant 3½ and 3½ feet: plant whole bulb March or April in well drained damp rich land, like rice land and cultivate. In large use now in Florida and Southern Alabama. The whole world eats practically as much Dasheen as it does Irish potatoes. The writer much prefers them to Irish potatoes. The bulbs weigh from 1 to 1½ pounds. See cut. It requires a warm, frostless growing season of at least six months. They should make 200 or 300 bushels per acre. In curing, tear bulbs apart by hand and dry on the floor for several weeks before being bulked. The big central corms should be eaten; the balance of the tubers can be saved and kept for seed or eating purposes. One 3-pound corm makes enough fried chips or French fried to serve eight or ten people. The leaves make most excellent "greens," and the tender shoots can be used like asparagus. The dasheen is a good shipper and is handled by the carriers at the same freight rates as potatoes. The vegetable has already found its way into a n nanded by the carriers at the same freight rates as pota-tions. The vegetable has already found its way into a num-ber of Northern markets. The starch grains in the dasheen are easily digested; a splendid food for invalids or for the regular diet. Corms contain much more protein and sugar and starch and fat than Irish or sweet potatoes. Are

usually baked. In 1915, at Augusta, produced 15 to 18 tubers per hill (almost one peck) some 4 inches in diameter. Plant grows



5 to 6 ft, produces immense elephant ear leaves and largely ornamental. A grower says: "I plant in 4 ft. rows, 20 ins. between the plants, 4 inches deep, cultivate often and on the level. Some plants grow 6 ft. tall; make enough corms per hill to fill 1½ peck measure. When the foliage dies November 1st it strips off easily from the corms." Price, peck 90c; bushel \$2.75.

## EGG PLANT

Culture—One ounce, 100-foot row. Plant February 1st in hotbed; transfer to cold frame in March, and later to field in growing weather. Mature about June 25th; about 300 bushels per acre. Plant will produce fruit until killed by frost—say November. Set out plants early in warm weather in field in rows 2x3 ft. For October to January shipment, seed should be sown during July and August. The result from an acre or two of egg plant at that season is often surprisingly satisfactory. Plant ½ pound of seed to furnish plants for an acre. Ready in 100 to 125 days. Market July through winter. Plant egg plant in Florida September to January.

BLACK BEAUTY—Nearly two weeks earlier than any other large variety, producing large, thick, lustrous, pur-

BLACK BEAUTY—Nearly two weeks earlier than any other large variety, producing large, thick, lustrous, purplish-black fruits of the finest quality. The fruits set freely and develop quickly. It holds its color exceptionally well. Not as large as our strain of New York Improved, but its earliness and splendid shipping qualities recommend it highly to market growers. Packet 10c; ounce 75c; 4 ounces \$2.00; pound \$6.00.

NEW YORK IMPROVED PURPLE—The type most generally grown. Makes a large, thick fruit, having a purple skin of satin-like luster. In the original type the stem and thick green calyx were set with short spines or



New York Improved Purple Egg Plant

prickles. These spines or prickles have, by continuous selection of seed parents, been entirely eliminated and the spineless type is now most generally offered. Deep, lustrous purple; standard. Packet, 10c; ounce 75c; 4 ounces \$2.00; pound \$6.00.

FLORIDA HIGH BUSH—A great favorite in the South and in Florida. The fruit is large and purple, and is held well up off the ground. It is a splendid shipper and the commission men get high prices for it. Resists drought and wet weather. The plant is vigorous. Productive and bears profusely. Price, packet 10c; ounce 65c; 4 ounces \$1.75: nound \$5.00. bears profusely. Pr \$1.75; pound \$5.00.

EGG PLANTS—Ready for shipment April to June f. o. b. grower in Florida. Cash with order, \$1.25 per 100.

grower in Florida. Cash with order, \$1.25 per 100.

JAPANESE and CHINESE SEEDS

For spring and early fall garden sowing. All are excellent things with genuine great merit, and not the usual novelties to sell and to experiment with.

JAPANESE SPINACH-HORENSO—Of highest quality. Leaves exceedingly large, but very tender and of fine taste. The Japanese believe this to be the best spinach in the world. Sow 1 oz. to 100 ft. 8 lbs. per acre. Sow early spring and until May, September and August. Ready in 50 days. Leaves are large, but tender. 1 oz. 15c; 4 ozs. 50c; 1 lb. \$1.50.

TURNIP TOKYO SUMMER MARKET—This is very popular and matures quickly, good variety for summer use. Flat round, pure white, solid sweet, and excellent fine flavor. Highly esteemed by the market gardeners. Sow seeds any time in spring. 1 oz. 15c; 4 ozs. 50c; 1 lb. \$1.50.

TURNIP TENNOJI LARGE BAILI—It is the most popular variety of Japanese turnips. Snow white, smooth, globe-shaped and has fine grained flesh of mild flavor. It forms a good root early, even in shape, and of good quality for table use. 1 oz. 15c; 4 ozs. 50c; 1 lb. \$1.50.

JAPANESE TURNIP (Shogoin)—The largest of all the Japanese turnips—sometimes 15 pounds. White, solid, sweet. For human use or cattle. Withstands cold, keeps well, shape round and uniform. Best variety for summer planting—June, July and August. 1 oz. 100 ft.; 4 lbs. an acre. 1 oz. 15c; 4 ozs. 50c; 1 lb. \$1.50.


JAPANESE RADISH (Mikado)—Large, long, snow white, sometimes several feet in length, or seven or eight pounds. Very sweet and crisp and firm. Slice. Eat raw, or cook, or pickle. Quick-growing. Great favorite. Used in Augusta quite largely by restaurants. August sowing is best. 1 oz. to 100 ft. 1 oz. 15c; 4 ozs. 50c; 1 lb. \$1.50.

CHINA CABBAGE SANTOSAI-This differs entirely in CHINA CABBAGE SANTOSAI—This differs entirely in appearance from the cabbage, being rather like a cos lettuce in aspect. The leaves are thick and fleshy, and is highly recommended as a winter vegetable for mild elimates. It should be sown in late summer for fall and winter use; successive plantings can be made. A grand feed for poultry; also used extensively in salads. Boiled, minced and seasoned with butter, it is as delicate a flavor as the best endive. Sown any time in year, but for the main crop sow in August. Tall, shapely leaves fold inward. 1 oz. to 100 ft. drill. Thin to 10-in, in drill. 1 oz. 20c; 4 ozs. 60c; 1 lb. \$2.00. 1 lb. \$2.00.

### KALE or BORECOLE

Culture—Used for greens, helps to make a boiled dinner; coarser and rougher than spinach and a larger yielder. Sow from August through the fall in drills 2 feet apart, thin out to 8 inches in the row; cultivate as cabbage. It is marketed in the winter. One ounce for 1,000 plants; 8 pounds an acre. For winter greens sow from August to October in drills 2 feet apart; thin out to 3 inches in row, and cultivate as cabbage. We frequently plant here August 1st up to November and still through mid-winter up until May 1st. Ready in 90 to 120 days. A quick-growing big market crop. Makes fine chicken food.

DWARF SCOTCH—Curled. Most tender and delicate of all the cabbage family; improved by frost. The leaves look like an immense feather. Grayish-green leaves, which are only slightly curled at the edges; extremely hardy. Packet 5c; ounce 20c; 4 ounces 50c; pound \$1.50.




Dwarf Scotch Kale

TALL SCOTCH—Curled. Similar in growth to the dwarf, but larger and produces more, equally as tender and fine for market. Packet 5c; ounce 20c; 4 ounces 50c; lb. \$1.50.

### LETTUCE

Culture-One ounce for 200 feet drill; 1,500 plants; three out in ground March 1st, mature about May 1st. Sow in beds almost any month in the year. Reset plants 10 inches apart in rows; force to rapid growth if wanted ten-



Deacon Cabbage Lettuce



der: several crops in one season under glass frames. Ready in 50 to 85 days. Market March 1st to August 15th, and October 1st to December 15th. Plant all the year.

For Succession, Lettuce, followed May 15th by snap beans, and by endive, parsley or spinach from August 1st toto September 1st. Plant lettuce in Florida October to January.

DEACON CABBAGE—Has large, solid head; cabbage lettuce for summer use. Packet 5c; ounce 15c; 4 ounces 35c; pound \$1.00.

MAXIMUM, or IMMENSITY—A very large heading sort. Prof. R. E. Mansell, of the Experiment Station at the University of California, who plants a very large number of samples annually, pronounces Maximum entirely to lead the list of all lettuces. Packet 5c; ounce 15c; 4 ounces 35c; pound \$1.00.

MAY KING--A very early new variety, forming fine hard heads within a few weeks after planting. It is medium-sized, light green, with buttery, but crisp heads. Packet 5c; ounce 15c; 4 ounces 35c; pound \$1.00.

SILVER BALL—The thick, light-green leaves have so much sheen that they actually look silvery white in some lights. The heads are of good size and fine quality. Packet 5c; ounce 15c; 4 ounces 35c; pound \$1.00.

BIG BOSTON—Among the Southern truckers this is more preferred than any other for shipping. Preferred on account of great size and solidity. Packet 5c; ounce 15c; 4 ounces 35c; pound \$1.00.



Big Boston Lettuce

IMPROVED HANSON—Forms very large, firm heads, resembling cabbage, which are deliciously sweet, crisp and tender; heads green outside and white within; for outdoor culture unexcelled. Heat resisting. Packet 5c; ounce 15c; 4 ounces 35c; pound \$1.00.

LETTUCE PLANTS—Ready for shipment from November 1st until May, f. o. b. grower in Florida or South Carolina coast. Cash with order, \$1.75 for 1,000; 5,000 at \$1.50 per 1,000.

PARIS WHITE ROMAINE, Celery Lettuce, or Cos Lettuce. Now grown with great financial success in Florida and South Carolina lettuce trucking area. Somewhat a



cross between lettuce and celery. Plant almost any time with us, except in summer, usually 12 inches in the row and 18 inches between rows. The outside leaves fold in and over, and the inside leaves develop and in this shaded center are blanched and whitened made crisp and tender. Superior to other lettuces, because it always carries a special crisp-ness and a tenderness and deliness and a tenderness and dericious flavor. Eat just like let-tuce or celery. Can be sold as a superior form of lettuce. Get-ting more popular than lettuce because it revives better after because it revives better after shipping, and because it makes more abundantly. The gardeners who get a very fine product out of this variety of lettuce usually tie the leaves together well up on the plant with string, so that the inside leaves shall be quite completely blanched, and other gardeners plant the seed quite thick, so that the with consequent proportional blanching. Cone-shaped. Price: Pkt. 5c; 1 ounce 20c; 4 ounces 45c; 1 pound \$1.25.

### MUSTARD

Culture—One ounce to 100 feet. Sow in fall, winter or spring, in rows or shallow drills. Press earth well down; ready for use in five or six weeks. One ounce, 100 f.t; 3 to 5 lbs, an acre. An easy, inexpensive vegetable to grow, and its "greens" are in demand in spring and fall; can be put down here all the year around.

For Succession Mustard, followed by English peas for late crop about April 1st; and by cabbage plants in August. Plant mustard in Florida any time.



Ostrich Plume Mustard

OSTRICH PLUME—U. S. seedmen supplied. Most beautiful mustard grown. Originated in Augusta. It was introduced by us to the seed trade of the United States. Many of them are putting it in novelty lists. Plumes are very tender, very long and fine crimped, pretty as an ornamental plant. Looks like ostrich plumes. Plants large, often 5 to 6 lbs. Packet 5c; oz. 15c; 4 ozs. 35c; lb. \$1.00.

SOUTHERN GIANT CURLED.—Highly esteemed in the South; sown in the fall produces enormous bunches. Excellent for salad and very generally used for greens, for which it is largely cultivated. Pkt. 5c; oz. 15c; 4 ozs. 35c; lb. \$1.00.


CHINESE—(See cut.) A variety producing larger and broader foliage and more succulent stems; of a deeper green color. Pkt. 5c; oz. 15c; 4 ozs. 35c; lb. \$1.00.

FORDHOOK—A strain intermediate in value between S. G. C. and Ostrich Plume. Less curly and larger than O. P., but more curly than S. G. C. Pkt. 5c; oz. 15c; 4 ozs. 35c; lb. \$1.00. OSTRICH PLUME-U. S. seedmen supplied. Most beau-

## OKRA

## GEORGIA GROWN.

These seeds are grown in Georgia. We supply the U.S. These seeds are grown in Georgia. We supply the U. S. trade many thousands of pounds yearly. Large amounts dealt in—spot or contract. A staple article of itself, and a necessity in soups and creole jumbo. Flourishes wherever cotton grows and not affected by insect diseases and drought. Prolific; gather continuously the young pods and the plant blooms and fruits up to frost. Fine for canning and drying. Culture—One ounce to 50 ft. drill; 8 bbs. to 1 acre. Sow late in spring in drills 2 ft. apart, and leave one plant to every 15 inches. Cover one inch deep; use in 90 days. Plant March to June. Market June 20th to October 10th. Pick off all pods soon as ready and new ones will come. HUFFMAN'S EARLIEST—Two or three weeks earlier than other Okras; produced after eight or ten years of work through careful selection—two weeks earlier than



Chinese Mustard







of twenty varieties tested last any out of twenty varieties tested last year. Blooms often when plant is no higher than your finger and begins bearing oftentimes when the fourth leaf appears; three feet high, and pods six to twelve inches long.

twelve inches long.

The Agricultural Department at Washington has taken great interest in this Okra, as have our growers who have tested it this season. It is a dwarf variety and is the earliest of all the usually sold Okras. The plants are uniform, and while dwarf Okras have short pods, the Huffman has long pods, very long, and a bright green color. The pods are decidedly angular in shape rather than round. It is an extremely abundant bearer. bearer.

Packet 5c; ounce 10c; 4 ounces 20c; pound 60c.


LONG GREEN—Pods are dark green and stalks tall—about 7 feet: Packet


Earliest Huffman Okra

5c; 2 ounces 10c; 4 ounces 15c; pound 40c.

NEW WHITE VEL. VET, or LADY FINGER VET, or LADY FINGER
—Tender, white pods,
round and smooth; a
distinct variety. Height,
5 to 6 feet. One stalk
at Augusta, 1914, had
110 pods on it. Packet 5c; 2 ounces 10c; 4
ounces 15c; pound 40c.
WILLET'S IMPROVED WHITE VELVET
OKRA—See cut. Only
listed by us, and for the
first time. Has been
bred by an Augusta party

bred by an Augusta party for some ten years. Now it is one of the earliest okras. Was on the marokras. Wa ket here at Augusta June 9th selling at \$1.00 per peck, one month ahead of any other okra. anead of any other okra.
Our cut shows simply the
top of the stalk as cut
off. The stalk is usually
head high. Each limb
carries often 10 to 20
Willet's Improved White Velvet pods each 8 inches long:





Bermuda Onions Grown From Seed.

plenty of stalks carrying 100 to 125 pods. Cut pods young. Never let them mature, but keep cutting and new okra will keep coming on until frost. This is without doubt the earliest, the most prolific and the finest of all okras on the market. Price: One ounce 10c; 4 ounces 30c; pound 75c.

PERKINS LONG PODDED—New, very prolific; pods are intense green in color, of unusual length—9 to 10 inches—very slim and do not get hard, as is the case with other okras. Height, 5 to 6 feet. Packet, 5c; 2 ounces 10c; 4 ounces 15c; pound 40c.

NEW DWARF GREEN PROLIFIC—Early and will bear till frost. Height about 4 feet. Packet, 5c; 2 ounces 10c; 4 ounces 15c; pound 40c.

## ONIONS

"The New Onion Culture."—By Greiner, 140 pages. Illustrated. Let us mail you this book. Cloth, postpaid, 60c. Culture—Large Onions From Seed—To grow large onions from seed the first year, sow in January or February in



Silver Skin Onion.

hotbeds, and as soon as the weather opens and sets are size of a goose quill, transplant to rows 12 inches apart and 4 to 6 inches between the onions. Transplanting is of decided benefit. Can also be sown in open ground in February or March, and will make a good crop. The Italian, Spanish and Bermuda varieties can be sown in August or September, and transplanted about the end of October or early in November. Five or six pounds will sow an acre.

Growing Onion Sets From Seed-Sow in broad, wide rows Growing Onion Sets From Seed—Sow in broad, wide rows in March or early in April, 40 to 50 pounds an acre, and keep clean of weeds. In late summer, or whenever the tops die, remove the small bulbs, buttons or sets, to a dry place, spreading them out thinly on trays made of laths, piling the trays one on top of the other, separated by blocks, so that the air can circulate freely. The larger sets should be sold for pickling, and only the smallest retained for planting tained for planting.

AUSTRALIAN BROWN—Deep rich brown, erg-shaped. These, dug in spring and kept in sheds, will keep in summer and not rot. A most valuable onion for the South, where onions once dug rot so early. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.00.

WHITE SILVERSKIN—Flavor mild and pleasant; skin silvery white, of handsome appearance. Extensively planted for white onion sets. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.00.

YELLOW GLOBE DANVERS—Skin of a beautiful silver yellow color, flesh white, comparatively mild, well-flavored. Largely planted for yellow sets. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.00.

PRIZE TAKER—Large globe shaped, light yellow skin; keeps well; weighs 2 to 3 pounds. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.00.

LARGE RED WEATHERSFIELD—Of a heautiful form, skin deep purplish red, flesh purplish white, and of a very fine grain. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.00.

WHITE PEARL—Delicate; come off earliest of all; ready for market in January; not good keepers. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.00.



BERMUDA VARIETIES—Of a mild and delicate flavor and keep long. They produce full-grown onions from seed the same season. In the South, seed sown in August or September, produce large onions for market for early spring. Second early varieties and later than Pearl, but sooner than White Silver Skin or Danvers. Onions are flattened, about 4 inches in diameter. We import our seed direct from Canary Islands, from the best growers. Plant about 5 pounds to an acre, 1 ounce to 100 ft. Plant onions in Florida August to January. See cut preceding page.

WHITE BERMUDA—The standard market variety: has in reality a light vallow color. Packet 10c: ounce 35c: 4


in reality a light yellow color. Packet 10c; ounce 35c; 4 ounces \$1.00; pound \$3.00.

RED BERMUDA—This variety has the same shape, size and mildness as the white; color, pale red. Packet 10c;

ACED BERMUDA—This variety has the same shape, size and mildness as the white; color, pale red. Packet 10c; ounce 35c; 4 ounces \$1.00; pound \$3.00.

CRYSTAL WAX—This is the pure white Bermuda variety, having a splendid waxy appearance. Never fails to create a great sensation wherever grown. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.00.

## ONION SETS (32 lbs. to bus.)



Red Weathersfield Onion

If sent by mail, add for postage at the rate of 1 lb. for 1 pint.

OUR ONION SETS are grown on the Lakes in Illinois, screened to one - inch mesh, clean, firm and small. The cheap Kentucky sets a r e trashy. large, watery large, wate weight -making a heavy loss to buyer. We can buy miscellaneo u s sets a great deal cheaper.

but truckers who plant for market will find them very ex-pensive in the end. We are large dealers in onion sets, and where large quantities are wanted we can make very close prices.

Onions as a Succession Crop-The Pearl in green bunches Onions as a Succession Crop—The Pearl in green bunches can be sold as early as Christmas: Bermudas a little later, and the other kinds still later. For a matured crop Pearl will ripen first, Bermudas will ripen second in order, and Yellow Danvers and White Silver Skin will ripen last: A succession onion crop, both for selling in green bunches, and for selling in their ripened state full size, can be had by planting in the fall early, and at the same time. Pearl, Bermudas and Yellow Danvers and White Silver Skin.

Bermudas and Yellow Danvers and White Silver Skin.

Culture—One quart to 40 ft. drill: 8 to 10 bus. to acre. Sow early in spring or Sept. or Oct., 4 ins. in row. ½-in. deep—rows 12 to 15 ins. apart. In all localities south of Va. or Ky. plant onion sets for big onions in Oct. and Nov., as by early autumn planting there is a gain in size and early maturing. Onions produced by this system can be placed in market long before those grown directly from the seed, and the highest market price received for early onions warrants the outlay. Gather for storing when the tops die; staying longer in ground will cause the hearts in the bulb to start growing. For Succession, Onion Sets, followed by cantaloupes June 1st, and by rape or mustard in September.

YELLOW DANVERS—The most popular main crop sort

cantaloupes June 1st, and by rape or mustard in September.

YELLOW DANVERS—The most popular main crop sort for spring planting. For many generations the Yellow Danvers Onion has been standard. Possibly this onion is more largely planted than any other onion. It carries a good color. Standard variety; flat-shaped, large in size. One of the principal main crop sorts for sets or large onions. Keeps well and is a most desirable market or table onion. Pint 15c; quart 20c; peck 90c; bushel \$3.00.

RED WEATHERSFIELD—A very pretty onion. round. Carrying a purplish red color, and is a fairly good keeper. This onion is possibly the standard variety in the Eastern and Western states. Its color makes it quite an attractive matter to the buyer. A quick-growing, dark red sort, desirable for sets or large onions. Uniform in size, shape, close-grained, of mild flavor. Pint 15c; quart 20c; peck 90c; bushel \$3.00.

WHITE SILVERSKIN—The best white onions for growing from sets in the spring. Mild flavor, and large yielders. Their whiteness and tenderness are attractive qualities to many housekeepers. It makes a good size onion from the sets. All of the little white pickling onions that are bought in the bottles are young white silverskin. Pint 15c; quart 25c; peck \$1.25; bushel \$3.75.

WHITE MULTIPLIER—36 lbs. to bushel summer. or 32 lbs. in winter. Plant from August to and through March. (Grown in Ga.) We are heavy contract dealers. (The U.S. seed trade supplied.) Grown like potatoes in a hill: yield enormously: mild flavor; called salad onions. Pint 20c; quart 35c; peck \$1.50; bushel \$5.00.

YELLOW BERMUDA (From Cold Storage)—An extra large onion, color yellowish white, shape flat: mild. fine flavor. Pint 20c; quart 30c; peck \$1.15; ½ bushel \$2.00; bushel \$3.75.

CRYSTAL WAX BERMUDA (From Cold Storage)—Pure. clear, waxy. white color, very mild and finest flavor. and most beautiful of all onions. Pint 20c; quart 35c; peck \$1.35; ½ bushel \$2.50; 1 bushel \$4.50.

WHITE PEARL ONION SETS—See Fall Catalogue.
ONION PLANTS—White Silver Skin, Yellow Danvers. Ready for shipment from November to April, f. o. b. Florida Grower. CASH WITH ORDER, 1,000, \$1.75; 5,000 to 10,000 at \$1.50 per M. Bermudas ready for shipment December to April, f. o. b. Florida Grower. CASH WITH ORDER, at \$1.75 per M. Bermudas ready for shipment December to April, f. o. b. Florida Grower. CASH WITH ORDER, at \$1.75 per M., 10,000 at \$1.50 per M.

### PARSLEY

Culture—For spring sceeding sow in February. March or early in April. Soak a few days an dthen sow in rows a foot apart, and cover about half an inch. Slow to germi-nate, sometimes two or three weeks in coming up. One ounce will sow 150 feet of drill. Plant parsley in Florida

ounce will sow 150 feet of arill. Frant paiste, in Libertary time.

For fall and winter use, sow in August or September, Fall and winter growing of parsley should prove very profitable for the South, owing to our mild climate. There is always a good sale at a remunerative price, both at home and in the Northern markets during the winter and spring. Ready in 85 to 110 days. For Succession Parsley, followed May 1st by collards or beans: July 15th by sweet potato



Champion Curled Parsley

CHAMPION MOSS CURLED—The best and most improved strain. Beautifully curled and crimped, and is the best for garnishing and flavoring. Makes an ornamental plant for edging walks. Packet 5c; ounce 10c; 4 ounces 30c; pound \$1.00.

PLAIN, or SINGLE—Very hardy, and stronger in flavor than the curled. Packet 5c; ounce 10c; 4 ounces 25c; pound \$5.00.

than the c

### PARSNIP

A most useful winter vegetable. The roots can remain in ground and be dug as wanted, or can be stored for use. Their nutritive and medicinal qualities are first-class, and they come in at a time when other vegetables are scarce. Should be largely grown, both by private gardeners, truckers and dairy men. Germinate in about 14 days. Better soak 24 hours. Ready in 120 to 160 days. Market August 20th to January. Plant August to April.

Culture—A rich, sandy loam, deeply worked, is the best. Sow in spring, in drills 18 inches apart. covering lightly. When 2 inches high, thin out to 4 or 6 inches apart. One ounce will sow 200 feet of drill. Five pounds to the acre. HOLLOW CROWN or SUGAR—Roots long and smooth. The best either for table or stock-feeding use. Packet 5c; ounce 15c; 4 ounces 40c; pound \$1.10.

## GARDEN PEAS

Culture—Inoculate with Mulford Cultures—for legumes: 1-8 acre 25c; 1-4 acre 50c. Peas succeed best in light. rich, loamy soil, manured the previous season. Plant smooth varieties in spring as soon as ground can be worked. in rows 3 to 4 feet apart. 2 inches deep, giving taller variéties more room between rows. The wrinkled varieties are tender and should be planted later than the smooth. For a succession, plant every two weeks. The dwarf varieties can be planted in rows 2½ to 3 feet apart. Peas grown as a market crop are rarely ever staked. But when taller varieties are grown for private use, it is a good plan to sow them in double rows and stake with brush. Should be kept clean and the earth worked toward them two or three times during the growth. Plant January to August—usually February 10th, also September. Ready in 50 to 90 days. Yield about 100 bushels per acre. Market April 25th to August. One and a half bushels plant an acrecone quart plants 100 feet of drill. For Succession English Peas, followed by bush beans. May to June, and by turnips or rutabagas in July and August: in October by beets and onion sets.

FIRST AND BEST, or PHIL-ADELPHIA EX-TRA EARLY-Perhaps the earliest pea cultivated; productive and well-flavored. Pro-


ductive and hardy, with a strong, vigorous

vine, which is light in color and uniform in growth. Pods straight, 2 1-2

inches long, round, light green in color and blunt. Seed

light cream col-or, round, and or, round, and slightly dented. Height of straw

If to be sent by mail, add for postage at the rate of 1 pound for 1 pint. Packets mailed free. Plant in Florida September to March.



First and Best Peas.

30 inches. Packet 5c and 10c; pint 30c; quart 50c; half peck \$1.75; peck \$3.00; bushel \$10.00.

ALASKA—Standard and the earliest of all the blue peas, proving to be not only several days earlier than most early sorts, but of a large size, and 10 per cent more productive. Popular with early market gardeners. Foliage light green, pods 2½ inches, straight, round, and retain fresh green color after picking. Seed medium small, slightly dented Height 31 inches. Packet 5c and 10c; pint 35c; quart 60c; half peck \$2.00; peck \$3.50; bushel \$12.00.

TELEPHONE --- One of the most productive of the wrinkled sort. Of excellent sugary flavor, pods large, containing 6 or 7 peas each. Rather late in maturing, but one of the best for main crop. Height, 4 feet. The juicy sweet peas you eat in a can are apt to be Telephone. Packet 5c and 10c; pint 35c; quart 60c; half peck \$2.00; peck \$3.50; bushel \$12.00.


AMEER—Called by some Mammoth Large Pod Alaska. Now used largely on the Carolina Coast. Pods longer and pea larger than Alaska and a trifle more dented, and bluish green color. Height 30 inches, pods 3 inches long. Packet 5c and 10c; pint 35c; quart 60c; half peck \$2.00; peck \$3.50; bushel \$12.00.



Gradus Pea.

GRADUS—A large wrinkled early pea with a pod nearly as large as Telephone, with large peas, tender, of good

quality and flavor. Quick to germinate, maturing with the earliest sorts, and with quick, warm, rich and favorable conditions, a good cropper. Foliage large and luxuriant, pale green. Podš 4 inches long, slightly rounded at the point. Seed large wrinkled, cream color tinged with green. Height of straw 36 inches. Luscious peas, 8 to 10 or more in a pod. The peas are of the highest table quality. Packet 5c and 10c; pint 40c; quart 75c; half peck \$2.50; peck \$4.00; bushel \$13.50.



Sutton's Excelsior.

CELSIOR — The finest dwarf pea in cultivation, private and market gardeners. ket gardeners. Adwarf wrinkled dwarf wrinkled pea in the front rank for earli-ness, with much larger and hand-somer pods than any other variety in this class.

Takes the place the Dwarf in the Dwarf class filled by Stratagem a n d Telephone in la-ter sorts, and by Gradus and Lax-tonian in the ear-ly class. Vines rugged and strong and require no support. An abunsupport. An abundant cropper, frequently producing pods in pairs. Pods about 3 ins. long, b r o a d, straight, well filled to the end. Seed pale green, wrinkled, medium large. Height of th 35c: aurt 60c: straw 15 inches. Packet 5c and 10c; pint 35c; quart 60c; half peck \$2.00; peck \$3.50; bushel \$12.00.

CHAMPION OF ENGLAND—Much prized by those who are fond of a large, tender and luscious pea. Hardy and vigorous in growth, foliage medium green. Pods 3 inches long, blunt, medium dark green in color, broad and nearly straight. Seed light green, very much wrinkled. Height of straw 48 inches. Second early; wrinkled. Sow thick. Packet 5c and 10c; pint 30c; quart 50c; half peck \$1.75; peck \$3.00; bushel \$10.00.

McLEAN'S PREMIUM GEM—Early dwarf; 1½ feet high; wrinkled pea; prime favorite. Packet 5c and 10c; pint 30c; quart 50c; half peck \$1.75; peck \$3.00; bushel \$10.00.

LARGE WHITE MARROWFAT—Vines hardy, vigorous, bearing leathery pods near the top. Resembling in habit and appearance the Black Eye Marrowfat. Foliage light green. Pods 3 inches long, blunt and of light green color. Seed large, smooth, white and slightly oval. Height of straw 48 inches. Main or late crop. Packet 5c and 10c; pint 25c; quart 45c; half peck \$1.50; peck \$2.75; bushel \$9.00.

BLACK-EYED MARROWFAT-Hardy, strong and vig-BLACK-EYED MARKOWFAT—Hardy, strong and vig-orous, bearing broad, thick leathery pods, 3 inches long, near the top of the vines, containing four or five large peas of indifferent quality for the table and but little used for that purpose since the introduction of the more desirab'e wrinkled varieties. Seed large, round, white, with a dis-tinct black eye. Height of straw 48 inches. Packet 5c and 10c; bulk price same as White Marrowfat.

## Pepper

-Give same culture as for Egg Plant, sowing in Culture—Give same culture as for Egg Plant, sowing in hot bed in February or March and transplanting outside in May, 15 inches apart, in 2 or 3-foot rows. When ground becomes warm, sow outside and transplant as above. Cultivate well. Chicken manure, liquid manure, or a good garden fertilizer, if worked into the soil when the plants are 6 inches high, will materially increase the yield. One ounce will produce about 1,000 plants. Ready in 95 to 130 days. Market June 1st to October 10th. Plant peppers in Florida September to January.

SWEET GOLDEN DAWN, GOLDEN BELL, or QUEEN—Bell-shaped, mild flavor, golden yellow. Packet 10c; ounce 75c; 4 ounces \$2.00; pound \$6.00.

BULL NOSE, or SPANISH MONSTROUS—A favorite for pickling or for mangoes; rind thick and fleshy. Packet 10c; ounce 75c; 4 ounces \$2.00; pound \$6.00.





PERFECTION PIMIENTO—The only canning pepper for making 'pimiento.'' Agricultural Department at Washington says that 'Perfection'' is the best of all ''pimiento' peppers. Slips skin when heated. Large. Smooth. Thick meat. Meat three times thicker than Bell peppers, and yields 50 per cent more edible product. Few seeds. Sweet flavor like an apple. Packet 10c; ounce 35c; 4 ounces \$1.00; 1 pound \$3.50.



Bull Nose Pepper.

CHINESE GIANT—Enormous size, thick, fleshy, form glassy scarlet. About 4 inches broad, 4 or 5 deep; fruit sets in clusters, flesh mild like apples. Slice, serve like tomatoes. Very few seed—hence high price of seed. Sometimes they are 14 inches around. Packet 10c; ounce 85c; 4 ounces \$2.25; pound \$7.00.

RUBY KING—Popular, large red pepper. Plants grow two feet high and bear a fine crop of extra large scarlet fruits. The flesh is quite thick, sweet, and so mild that the peppers may be eaten like an apple; fine for mangoes. Packet 10c; ounce 75c; 4 ounces \$2.00; pound \$6.00.

ONLG RED CAYENNE—Small, long tapering, very hot; fine for seasoning. Packet 10c; ounce 50c; 4 ounces \$1.50; pound \$4.50.

PEPPER PLANTS—Note: Pepper plants, in small amounts by mail, Chinese Giant, Ruby King, Large Bell, Pimiento, shipments from April to June. CASH WITH ORDER, 40c per dozen, postpaid; 3 dozen for \$1.10, postpaid.

paid.

pand.

PIE PEACH, VINE PEACH, or "GARDEN LEMON"—
Vines three or four feet long, bearing 8 or 10 yellow sweet fruits looking like lemons. Make fine pies, preserves, sweet pickles, and good for canning like peaches. Plant in sixfoot hills, four to hill. Price: Packet 5c; ounce 15c; 4 ounces 50c; pound \$1.50.

## Irish Potatoes

"The Potato"—By Frazer, 200 pages il-lustrated. Let us mail you this book. Postpaid 85 cents.

Irish Potatoes-Ten bushels per acre, or 1 peck to 125 hills, in drills 3 feet apart; 3 or 4 cuttings to one potato. Usually planted here from February 1st to April 1st. Produce 90 to 125 and up duce 90 to 125 and up to 200 bushels per acre, maturing in 105 days, say from May 25th to June 5th. Average yield per acre in Unit-ed States, 109.6 bush-els. One sack holds ten pecks.

Our Seed Potatoes are all specially grown for seed purposes in the best potato dis-trict in this country.

We do one of the largest businesses in seed potatoes in the South, our trade every vear experiencing year experiencing a constant and steady growth, resulting from the fact that our seed potatoes have acquired the very best reputation for quality, productiveness and satisfactory crop results.

ductiveness and satisfactory crop results.

Culture of Potatoes—Potatoes are usually planted in rows 3 feet apart, and the sets one foot apart in the row. It is always best to plant potatoes on land that has been heavily manured the previous season. Irish potatoes, turnips and oats follow each other well.

If ground is not rich enough, use a good application of commercial fertilizer, 1,000 pounds per acre. The following formula is one of the best: Ph. A., 7 per cent; Am., 5 per cent; Pot., 5 per cent. Do not use stable manure.

Spray the Irish potato with Bordeaux Mixture to prevent blight. Spraying four or five times pays well. When potato bugs are present, mix arsenate lead with the Bordeaux and kill them at the same time you prevent blight. See Insecticides page for directions. Bug Death, too, has no equal when it comes to destroying potato bugs.

For Succession Irish potatoes, followed by watermelons,

For Succession Irish potatoes, followed by watermelons, about June 1st, and by spinach, turnips and winter radishes in October.

shes in October.

Prices of Potatoes Fluctuate—Maine crop is exceedingly short this year, and the prices are very, very high.

"PRACTICAL POTATO CULTURE."—Is a 128-page book written by E. A. Rogers, giving in detail the State of Maine methods for growing potatoes where the average yield per acre is the largest of any state in the Union. There are 25 cuts of types of potatoes, together with illustrations showing the various methods, from preparing the soil to harvesting, storing, shipping. Price, 50c parcel post.

### Maine Grown Potatoes


HOULTON EARLY ROSE-The Rose still continues one HOULTON EARLY RUSE—The Rose still continues one of the most popular varieties in our list. Productive, of most excellent table qualities, and a satisfactory all-around early variety. The Northern-grown stocks which we offer are of extra quality and the best that can be obtained of this variety. Peck \$1.00; bushel \$3.50; 10-peck sack \$7.00.

EARLY RED BLISS TRIUMPH—An extra early potato, round in shape, pink skin, white flesh, and of handsome appearance. This seems to be specially adapted to Southern soil and climate, and is a great favorite with Southern truckers. Is also largely grown for second crop, and sold in Northern markets for New Bernuda Potatoes during the late winter and early spring. Pk. \$1.35; bushel \$4.25; 10-peck sack \$8.00.

peck sack \$8.00.

TRISH COBBLER—We have never sold a variety of potatoes of which we have received more uniformly satisfactory and enthusiastic reports from our customers, and we recommend it strongly as a most desirable and productive extra early variety of excellent table qualities; and it produces smooth, round, plump and handsome tubers, ready for market ten or twelve days earlier than Early Rose.

The tubers are a beautiful creamy white, eyes strong, well developed and slightly indented, which in potatoes always proves a distinctive mark of fine quality. This potato is by far the most popular potato today in America for the trucker, not only because it is productive, but because the white Irish potato is twice as easily sold on the market as a Bliss potato that is red. Pk. \$1.00; bushel \$3.50; 10-peck sack \$7.00.



Field of Irish Cobbler Potatoes.

Mountain

oing potatoes (which are cut



WHITE BLISS—A variety similar to the Red Bliss in shape, but having a white skin. A very popular and productive early variety. Pk. \$1.00; bushel \$3.50; 10-peck sack \$7.00.

GREEN MOUNTAIN—A large, handsome oval white potato. Medium late. One of the finest eating potatoes known to the trade. Shallow-eyed, fine texture, well flavored and a most prolific yielder. It is not susceptive to diseases, and is fast becoming the standard white potato for late planting in this country. Pk. \$1.00; bushel \$3.50; 10-peck sack \$7.00. this country. Pk. 5

SECOND CROP POTATOES.

Second crops are gathered in fall from Souther nsummer plantings, and kept kept Souther nsummer plantings, and kept over for spring plantings, and sold in competition with Northern seed potatoes. Are equal in every way to Northern seed. Keep longer in spring before they sprout; and are the best potatoes for putting on cold storage in spring for late summer plantings.

EARLY RED BLISS, or TRIUMPH-Peck \$1.25; bushel \$4.00; 10-peck sack \$7.50.

IRISH COBBLER-Peck \$1.00; bushel \$3.50; 10-peck sack \$7.00.

EARLY ROSE-Peck \$1.00; bushel \$3.50; 10-peck sack

## Irish Potatoes—Summer Planting

LOOKOUT MOUNTAIN POTATOES-A distinctive type LUCKOUT MOUNTAIN POTATOES—A distinctive type potato and sown only in summer for second crop. Make orders early in season; deliveries between June 1st and July 15th, not later—eash with order. Tubers often weigh 2 pounds. Plant six or eight bushels per acre. Harvest about November 1st. Potatoes will keep in ground all winter. If kept properly in the barn, there is often no shrinkage to June 1st—potatoes sound and unshaugher. The active age to June 1st-potatoes sound and unshrunken. The only sure fall crop, never fails to come up and make a crop-planted late June and July. No trouble to make 200 bush-The best for els per acre. Easiest keeping potato known fall and winter

market. Always have sprouts on them in July, and this insures their coming up. To keep Look-out Mountain Potatoes, put potatoes in a dry room, 3 to 6 inches deep, on platform, shelves or shallow boxes, or bank like "Sweets." Plant in threefoot rows, dropping

Selected Second Crop Seed Potatoes.

in rather large nieces), about Selected Second Crop Seed Potatoes.

pieces),

inches apart. Bugs do not trouble this fall crop.

Keep in the dark all the time. Keep perfect for the table, from November 15th to May 15th, and then spurs just in time to plant—more than eight months. No other Southern grown potato will do this. Best o nred clay land. Good money crop. We have three or four growers each who, make 1,000 bushels. Never plant before June 10th. Lookouts are never put on cold storage. Potato crop a failure; prices high.


Price—Sold measured bushels or 50 pounds to the bushel. Deliveries made between June 1st and July 15th, not later. Peck \$1.50; bushel \$4.50.

## Sweet Potatoes

"Sweet Potato Culture" -- By Fitz. Cloth, 60c, postpaid. Let us mail you this book.

Sweet Potato Culture—We set out the draws here in March, April and May, and set out vine cuttings during June and July. Usually the rows are 4 feet apart, and plants are about 18 inches in the drill. Average yield in United States per acre, 94.5 bushels. Standard weight 55 pounds per bushel. Are frequently planted in the fall in Florida and then mature in the spring, and are sold throughout the spring up to June. out the spring up to June.

For bedding use small potatoes whole, cut the large ones in half and bed with the eyes up.



Lookout Mountain Potatoes.

Our potatoes are Georgia grown. No part of America grows the sweet potato to the same perfection that Richmond County does. Yield, 175 to 200 bushels per acre; 200 pounds Acid Phosphate is a good fertilizer. Do not use nitrate of soda.

We begin digging July, and our truckers sell out their full crop. We take vine cuttings and reset them in the same ground, and get grown potatoes in October. In 1914 we planted from the vine as late as August 22d, and made a full crop, but the potatoes were not large; however, they were large enough to eat, and made fine seed potatoes for the next year. One party in Georgia who grows 40 acres in sweet potatoes, gets the best results in planting same June and July. For hogging, plant June or July, cuttings, and hog November and December. We set out vine cuttings June and July. After Irish potatoes, grow a sweet potato crop from cuttings. Sweet potatoes have been added to the army and navy ration. This opens an immense field for the Southern farmer and one that should be taken advantage of. Get U. S. Farmer's Bulletin and build you a sweet potato drying house that saves 98 per cent of the crop in place of 50 per cent by earth banking process.

NOTE-Be sure to contract for sweet potatoes, bulk or plants, in January or early February. Cash with order. We only sell sweet potatoes in two-bushel sacks.

VINELESS PUMPKIN YAMS-Leaves small and pointed, smaller than the Pumpkin Yam. Stems deep purple color. Vines do not run; grow erect; can be plowed and cultivated like corn; grows well between corn hills. The tubers are slightly lighter in color than Pumpkin Yams. The vines are never in the way in the matter of cultivation; potatoes easily gathered, bunching like Irish potatoes; sweet. Earlier, larger and more prolific than Pumpkin Yams. Have seen 300 bushels per acre. We sell only draws. See below.

SUGAR YAM BUNCH-New and valuable; an Augusta production. Grows in a bunch. A larger and earlier po-tato than Sugar Yams (running). More prolific than Pump-kin Yam. Very sweet and choice and mellow and a good kin Yam. Very sweet and choice and keener. We sell only draws—Augusta. See below.

PUMPKIN
YAMS — Known,
too, as Georgia
Buck, Red Yams,
and Dooley. Rather
late; universally
grown about here.
Three - fourths of PUMPKIN Augusta potatoes are Pumpkin Yam Pumplair are Pumpkin Yam. Pumpkin red in color. Seven potatoes brought to us this season at Augusta weighed 27½ pounds, or half-bushel. Georgia Experiment Station says: "Oblone periment Station says: 'Oblong, weighing 2.41 lbs.;



Pumpkin Yam Sweet Potatoes.

color, skin, cream pink; flesh pumpkin rad; quality rich, sugary; productive and improves with keeping. Leaf pointed. When parboiled, and then sliced, baked with some sugar, it makes one of the richest-looking dishes ever put upon the table." Bag, 2 bushels for \$4.50. When parboiled





EARLY TRIUMPH-Very early; canners favorite. Flesh



bright light yellow, oblong, very pro-lific, and three weeks earlier than the late potato. Very large. Smooth skin. Cook soft. Enormously produc-tive, and keeps late. Vines short, dense, vigorous. The leaf is pointed and indented; veins in leaves are pur-ple: good keeper; often weigh 3 lbs. Many banks when opened never show rotten one. We ave dug them

Early Triumph Sweet Potatoes. and we have set out from the vines on August 22d and made big potatoes October 1st. Bag, 2 bushels, for \$4.50.

NANCY HALL-Known also as Providence, also Norton. Almost a bunch potato, easily cultivated; leaf pointed; color is reddish, skin is reddish, stem ditto. Late July planting is reddish, skin is reddish, stem ditto. Late July planting from vines make good, large potatoes; elliptical like a beet in shape; a poor land potato. Round, smooth, very early—60 days after planting. Very good for table. Productive, good keeper. Grower says: "I plant 3½ feet rows and 14 inches in row. I made 200 bushels per aere Nancy Hall—yellow as gold, cook soft and sweet—good keepers." The most experienced growers in the country who have tested almost every other potato known, pronounce this potato as being the most delicious eating potato known. This is the leading and most called for and most to be desired potato in the South. Sprouts or draws are more numerous and tougher than other kinds. The Georgia Experimental Station reports 200 bushels per acre. A little later than Triumph. Bag, 2 bushels, for \$4.50.

TRUCKERS' EARLY PROLIFIC—In size as large as Triumph. Carries few small potatoes. Purplish vines. Color inside like Porto Rico; almost as deep as Pumpkin Yam. Vines short. Earlier than Porto Rico aud Pumpkin Yam. Vines short. Earlier than Porto Rico aud three weeks earlier than Pumpkin Yam. Makes two crops easily. Eats well and is our best keeper. Our best potato men here declare this potato to be our very best sweet potato, an dthey can nearly double Nancy Hall yield. Free from blight. This potato has pink skin like Nancy Hall outside. Planted here July 15, 1916, made potatoes weighing 2 pounds fully developed, the whole crop making 140 bushels to the acre. The writer regards this potato as the best "eater" of the whole lot. It is neither too soft or too dry. It has a distinctly individual flavor and differs from other potatoes, and is extremely palatable. Price: We sell only draws. See below.

WILLET'S EARLY RED SKIN, or RED BERMUDA—
(Not the old Negro killer)—Our experience covering about
ten years is that this potato is the earliest of all potatoes
in the fields. The beds themselves come off in the matter draws earliest of all and make far more draws than of draws earliest of all and make far more draws than other beds. With cut vines in August you can make big potatoes. A juicy yellow meat: smooth yam. More prolific than even Pumpkin Yam, and 25 per cent to one-third larger. Very early—makes good "leating" in June: the market-man's friend. Elliptical; very few small ones. Largely used by truckers about Charleston, who get two crops a season. A fine eater. Called on coast "Peabody." We market here in July, and replant vines. Fine keepers. have made crops from vines set September 1st. The principal Atlantic City Hotel potato in August. We sell only draws. See Potato Draws below.

PORTO RICO YAM-Known, too, as Golden Beauty. cut. New; deep yellow flesh; pink skin; fine quality; sprouts earlier than Nancy Hall, matures just as quickly; sprouts earner than Nancy Hall, matures just as quickly; very productive; large favorite in Florida. Grow quicker and larger than Nancies. Cook same color as Pumpkin. Fine keeper. Grows large. Georgia Experimental Station reports 277 bushels per acre. Cooks always soft, and even new potatoes are delicious and sweet. In Florida this is the leading potato, and has largely succeeded Nancies and other types. This is also a fine keeper. The potatoes now in greatest demand are the Porto Rico and Nancy Hall. Bag, 2 bushels, \$4.50.

GEORGIA SUGAR YAMS—The old-fashioned kind; not prolific, making only 60 to 100 bushels per acre, but the sweetest of all potatoes for home use. Tubers are medium size, oblong, light in color, cook soft and yellowish: leaves are forked with 4 or 5 slits; long vines; earlier than Pumpkin Yams, but later than early varieties. We sell only draws. See Potato Draws below.

FORTY TO THE HILL-In many cases these potatoes



Porto Rico Sweet Potatoes.

readily twenty to the hill in the field: prolific, next to Triumph: color than darker Triumph: skin yellow — be-tween Pump hekin Yam and Triumph. Largeleaf: purple veins: m a k e big vines: mature same as Pump-kin Yam as kin regards season; cook soft, very sweet.


keep well. No small potatoes, havea big end and a small end, all big enough for frying and

keep well. No small potatoes. havea big end and a small end, all big enough for frying and canning. Some weigh 2 pounds. We sell only draws. See Potato Draws below. FLORIDA EXTRA EARLY POTATO DRAWS—Nancy Hall, Porto Rico, Triumph—We list the above f. o. b. Florida. Delivery according to season. February, March and April. 1,000, \$2.25; 5.000 to 10,000, \$2.00 per M f. o. b. Florida, cash with order.

SWEET POTATO DRAWS, or SPROUTS, F. O. B. AUGUSTA—All varieties listed above. Send orders early. Entry of orders is in seriatim. Demand is usually more than supply Shipments from Augusta are usually in May and through early June (See above for Florida early Draws). No orders booked except for cash. Price, by Express, 1,000 to 2,000, \$2.00; 3,000 at \$1.85; 5,000 to 10,000, \$1.75 per M.

SWEET POTATO CUTTINGS—We ship these cuttings, 12 to 14 inches long, usually in June or July, both from Augusta and Florida, by express. Types: Pumpkin Yam. Porto Rico and Nancy Hall. Cuttings usually make 25 bushels more per acre planted in June, than draws, and just as big ones. For late potatoes, cuttings are best. Price, 1,000 to 2,000 at \$1.75 per thousand; 3,000 at \$1.65; 5,000 to 10,000 at \$1.50 per thousand, cash with order.

## PUMPKIN



Willet's King of Mammoth Pumpkin.

Culture—Plant April 15th to June, in hills 8 to 10 feet apart, mixing well-rotted manure in each hill, 5 or 6 seeds in each hill, and cultivate till vines get strong, when they should be thinned out, leaving 2 or 3 in each hill. When planted in corn, plant at the same time as the corn, in every fourth row, 10 to 12 feet apart in the rows. Do not grow near squashes or melons. Keep off bugs by dusting with Bug Death, Paris Green, or land plaster. One ounce will plant 20 hills: 3 lbs. one acre. Valuable, easily grown crop—usually in corn—15 to 20 hills make wagon load. For human or cattle food. Eaten green, too, like squashes. WILLET'S KING OF MAMMOTH PUMPKIN—The best grower of it in America says: "It is extra vigorous: shape

WILLET'S KING OF MAMMOTH PUMPKIN—The best grower of it in America says: "It is extra vigorous: shape oblong; fine orange color; size as large as 60 to 80 pounds: a good shipper; fine for pies and sauce, and gives good results to vegetable and market gardeners, and equally as good results to the farmer: a truly magnificent type of pumpkin." Price, 4 ounces 30c; pound 85c.

WILLET'S KENTUCKY FIELD PUMPKIN—One of the best and most productive varieties for the South. Can be kept all through winter and used as desired. Fine for table or stock. Flesh a rich golden yellow. 4 ounces 20c; pound 85c.


50c

STRIPED CUSHAW—Skin striped with mottled green bands of white. Rich yellow meat, tender and of fine flavor.

This is the old-fashioned Green Striped Cushaw, crooked neck, very prolific; the best keeper and undoubtedly the finest table sort known for fall and winter use. We grew one in 1917 weighing 30 lbs. One ounce 15c; 4 ounces 40c; pound \$1.25.


### RADISHES

Culture—Plant February 1st to May; August to October. Ready in 25 to 40 days. Market April to June 15th, and September 15th to December 15th. To be tender and crisp, radishes must be grown quickly. Commencing with the first mild spell in the spring, sow at intervals of ten days, in a light, rich, deeply-worked soil. May also be sown as a catch crop between rows of beets, lettuce, onions, etc. Radishes can be forced in hot-beds, but must have plenty of ventilation and moisture. For fall and winter use, sow Rose China winter or the Spanish varieties in August or September. One ounce will sow fifty feet; eight to ten pounds one acre. Many people cook the tops and roots together. For Succession, Radishes, followed by pepper or tomato plants about April 1st, and by lettuce in September. Plant radishes in Florida any time.



Early Scarlet Turnip Radish.

EXTRA EARLY SCARLET TURNIP—One of the earliest radishes and one of the best for forcing. Makes a very small top of bright red color, and is very attractive, both in color and shape, making it a good seller. Mild, crisp, juicy and tender. Packet 5c; ounce 20c; 4 ounces 60c; pound \$1.75.




Long Scarlet Short Top.

HALF-LONG SCARLET RADISH—A half-long, fine radish, well known. Packet 5c; ounce 20c; 4 ounces 60c; pound \$1.75.

LONG SCARLET SHORT TOP—A beautiful long radish, of a deep crimson, shading to white at the tip. Splendid for outdoor culture. Will keep tender longer than any other variety. Packet 5c; ounce 15c; 4 ounces 40c; pound \$1.25

FRENCH BREAKFAST—Of quick growth; crisp and tender. Color scarlet, except at tip, where it is pure white. Packet 5c; ounce 20c; 4 ounces 60c; pound \$1.75.



Scarlet Turnip White-Tipped.

SCARLET TURNIP WHITE-TIPPED—An attractive short variety; globe-shaped; bright rose carmine; with bottom and tip clear white and leaves small. Packet 5c; ounce 20c; 4 ounces 60c; pound \$1.75.

CHINESE ROSE WINTER—Best fall and winter variety. Packet 5c; ounce 20c; 4 ounces 60c; pound \$1.75.

LONG BLACK SPANISH—One of the latest as well as hardiest of radishes, an excellent sort for winter, oblong, black and flesh of firm texture. Packet 5c; ounce 20c; 4 ounces 60c; pound \$1.75.

DWARF ESSEX RAPE for SALAD

Culture—One ounce to 50 feet; drill thick in spring, rows 2 feet apart, or sow in August, September and October; 15 pounds to acre. Our seed are the best English and not the

pounds to acre. Our seed are the best English and not the cheaper German grown.

For the garden it practically can be sown and cut every month in the year. Excellent for fall or spring greens when boiled. Thin out when 6 or 8 inches high to 6-inch plants, and cook. When sown in fall for greens cut off tops when 12 inches high, 6 inches above ground and use. Tops grow out again and may be cut several times. Price, ounce, 5c; 4 ounces, 10c; pound 25c; 5 pounds at 22c per pound.

## SALSIFY, or OYSTER PLANT

One of the best and most popular winter vegetables. Boil and serve in sauce, or make into fritters; the flavor is like fried oysters.

ried oysters.

Culture—Sow in March or April in a rich, light, deeplyworked soil, in rows 18 inches apart, and thin out 4 to 6 inches. Do not use coarse or fresh manure. Cultivate often to keep down weeds. It is hardy and may remain out all winter. Can also be sown in May and June, provided we get seasonable weather or boards be used to get the seeds up and shade the young sprouts until they get established. Market September to March 15th. Ready in 110 to 125 days. Plant also September to October. Let plants remain in the ground till used. One ounce sows 50 feet of drill; 8 pounds, one acre. Germinates within 1 or 2 weeks.

SANDWICH ISLAND MAMMOTH—The new salsify grows nearly twice the size of the old sort, and is superior in quality. Packet 5c; ounce 30c; 4 ounces 75c; pound \$2.25.

in quality. \$2.25.

## SPINACH

Culture—Plant January 15th to April; August to November. One ounce to 100 feet of drill; 20 pounds to acre. For winter, sow in drills, 1 inch deep, rows 9 inches apart. In September and October thin out by using for table. For summer use, sow in spring. Less coarse than some other "greens"; largely used in the South. Southern truckers ship immense amounts North. For Northern mar-





ket plant in August. Yields 150 to 200 bushels per acre. Used as greens and helps to make a boiled dinner. Usually a winter crop and the ground occupied by it is then planted down to other crops. Germinates badly—takes 10 days. Ready in 60 to 70 days. Soak seed over night before planting: germinates within 1 or 2 weeks.

For Succession Spinach, followed by bush squash from April 1st to April 15th; and by bush or pole snapbeans for late crop from July 15th to August 1st.

NEW ZEALAND SPINACH (of the chenopodium family), also called New Giant. First cutting sixty days after swing, and continuous cuttings for 100 days thereafter. Totally unlike other spinach. Remains in edible condition ten




New Zealand Spinach.

times longer than other spinach. Whenever broken off, it sends out a fresh wide growth. The plant spreads five times as wide and rises about three times to height as ordinary spinach, thus affording fifteen to 'twenty times the volumeof edible material. Its foliage is thick, juicy, and succulent, dark green, and absolutely heat resistant; and leaves are covered with water globules, like an ice plant. Can be cut through hottest summer months, when other leaves are covered with water globules, like an ice plant. Can be cut through hottest summer months, when other spinach is unobtainable, and remains in cutting condition until frost. Plant spring and fall, one ounce to 100 feet drilled, and 10 pounds to the acre. All epicures announce this as being the choicest of all spinach. Is delicate as asparagus. Cooks tender like marrow. Fine for canning. Best to soak seed, plant shallow March or April; will stay green till frost, continuously edible all the while, and will then reseed itself if allowed to do so. One ounce 25c; 4 60c; pound \$1.75.

LONG STANDING—A deep green variety, with rather elongated, smooth leaves; seed round, stands a long time without running to seed. Packet 5c; ounce 20c; ½ pound, 50c; pound \$1.60.

BROAD LEAVED FLANDERS—A compact, broad-leaved

BROAD LEAVED FLANDERS—A compact, broad-leaved sort. Leaves are round and very thick, and of the best quality, not so early as Bloomsdale Savoy, but a desirable sort for main crop. Packet 5c; ounce 20c; ¼ pound 50c; sort for main pound \$1.60.




Bloomsdale Savoy Soinach.

BLOOMSDALE SAVOY—The variety most used in the East, and especially throughout the South for shipping. Leaves are large, round and thick, very much savoyed and rich deep green. One of the earliest varieties; seed round. Packet 5c; ounce 20c; 1/4 pound 50c; pound \$1.60.

## SQUASH

Culture—After frost is past, plant in a warm, well pulverized, rich soil. Plant April to Angust. Plant 8 or 10 seeds to the hill, the bush varieties 4 to 6 feet apart, the running sorts 8 to 10 feet. When well grown, thin out, leaving three of the strongest plants in each hill. Apply Bug Death or Paris Green to keep off bugs. Summer sorts, one ounce to 25 hills; 4 to 6 pounds tot an acre. Winter sorts, one ounce to 100 hills; 4 to 5 pounds to an acre. Ready 70 to 80 days. Market May, through fall and winter.



Mammoth White Bush.

MAMMOTH WHITE BUSH-This is of true bush growth, MAMMOTH WHITE BUSH—This is of true bush growth, nearly as early and double the size, as the Early White Bush, and produces large, thick fruits with scalloped edges—frequently 12 to 14 inches in diameter. Packet 5c; ounce 20c; 4 ounces 50c; pound \$1.25.

EARLY WHITE BUSH SCALLOP—Early, well known by all; ships well: a summer dwarf. Packet 5c; ounce 20c; 4 ounces 50c; pound \$1.25.

SUMMER CROOKNECK—Early; fruit yellow; hard shell: watery excrescence. Packet 5c; ounce 20c; 4 ounces 50c; pound \$1.25.

BOSTON MARROW—A fall and winter variety: large

pound \$1.25.

BOSTON MARROW—A fall and winter variety; large size, oval form, skin thin; when ripe, bright orange with a netting of light cream color; flesh rich salmon yellow. Packet 5c; ounce 20c; 4 ounces 50c; pound \$1.25.

HUBBARD—The most popular of all winter varieties; an excellent keeper. Is of large size, often weighing from 9 to 20 pounds. Color is bluish green, occasionally marked with a brownish orange. Flesh is fine grain, dry and excellent flavor. Arealso eaten in summer, being a better summer dish than White Bush. Make finest squash pies. Packet 5c; ounce 25c; 4 ounces 60c; pound \$1.50.

COCOZELLE, or ITALIAN MARROW—A very distinct variety; skin smooth; of a dark green or pale green in The fruit is best when 8 to 10 inches long; very

COCOZELLE, or ITALIAN MARROW—A very distinct variety; skin smooth; of a dark green or pale green in stripes. The fruit is best when 8 to 10 inches long; very popular among the Italians. They look like an overgrown cucumber. Sliced and fried, can't be told from Eggplant. Boiled like White Bush Squash, they are a drier, sweeter dish. A fine summer squash. Plant up to August. A charming new squash. Have long vines, and should be given 8 feet between hills. Packet 5c; ounce 25c; 4 ounces 65c: nond 8200. 65c; pound \$2.00.

## **Tomatoes**


"Tomato Culture." —By Tracy. 150 pages, cloth. Illustrated. Let us mail you this book. Postpaid, 60c. Culture—Sow in late February in hotbeds and transplant after frost three feet apart. Pinch off laterals and confine fruit to the stem. Tie to a stake, or for a large acreage use the V trellis system. For a fall crop are valuable for ripe or green fruit. Sow about June 1st for August 1st planting out, and for October crop. 1 ounce for 1,000 plants. Ready 90 to 100 days. Market May 15th through October. The V trellis system: Run a row of stakes in 'middles' and place a continuous rider on top of same, and from the

Ready 90 to 100 days. Market May 15th through October. The V trellis system: Run a row of stakes in "middles" and place a continuous rider on top of same, and from the rider run poles to base of tomato plants, and cutting back laterals, train tomatoes to grow. This makes a convenient arbor of the middles of rows. Plant in July for late crop. Plant Tomatoes in Florida September to January. HUFFMAN'S EARLIEST—New. Listed only by us. By many years of continual crossing, we now present the earliest tomato known to the trade. Stalk is about that of the Earliana, but is a week earlier, better color and better fruited; has no culls like Earliana; tomato round, dark red; small core and small seeded cells. Large shipments were made last year weighing over a pound each, 12 to a basket and 72 tot a crate.


Absolutely the earliest tomato known. It has been thoroughly tried out. Boggs, of Delaware, and Pedrick, of New Jersey, tomato experts, declare this to be the earliest tomato, ripening with them June 5th to June 15th, and earlier than Earliana. Ripe tomatoes in a latitude as high as Delaware by June 3d. Anyone familiar with the usual ripening time of tomatoes will see at once what a remarkable production, and what a valuable one, is this Huffable production, and what a valuable one, is this Huff-

man Tomato. It was produced near Augusta, Ga. It has been known here in a small way for some time three or four years. One trucker here marketed 46 Huffman Tomatoes from early June to August 15th from one plant. Packet 5c; ounce 50c; 4 ounces \$1.25; pound \$4.50.

SPARKS' EARLIANA—(Bright Red)—The Earliana is probably more largely grown for the earliest market than any other tomato of all the large, bright red varieties. In the tomato growing section of New Jersey, which practically controls the Eastern markets, it is grown almost exclusively. It is of very handsome shape, quite solid, and of fine quality. The fruiting season only lasts about four weeks, so that if marketed early the crop may be sold before the markets are glutted with the later kinds. Our truckers here believe this to be our best tomato. Grows big (12 ounces often) and prolific; three or four often in bunches. Smooth, round, pink; no ridges. Packet 5c; ounce 35c; 4 ounces 90c; pound \$3.00.



WILLET'S GOLDEN PONDEROSA—A new delightful delicate flavored tomato. Should be grown by every one. Weighs often two pounds. Immense in size. Exquisite individual flaxor unlike Red Tomatoes. Tender and delicious. When ripe, cut in half and eat with a spoon with powdered sugar. A decorative table effect is made with a mixed dish of Red and of this Golden Yellow Tomato. Packet, 5c; ounce 50c; 4 ounces \$1.25; pound \$4.50.




Sparks' Earliana.

LIVINGSTON'S FAVORITE—Large, smooth, productive, good shipper; does not crack open. Packet 5c: ounce 25c; 4 ounces 75c; pound \$2.50.




Huffman's Earliest.

GOLDEN QUEEN—Yellow flesh, superior, distinct flavor; beautiful fruit. Packet 5c; ounce 35c; 4 ounces 90c; pound \$3.00.



New Stone Tomato.

PONDEROSA—Very often 2 pounds; immense in size; a veritable curiosity. A large solid mass of meaty succu-



Ponderosa Tomato.

lent flesh to each tomato. Irregular fruited variety: vine tall and fruit very solid and purplish carmine color. Packet 5c; ounce 50c; 4 ounces \$1.25; pound \$4.50.



NEW EARLY ACME—Pinkish purple; heavy bearer; round, solid; bears till frost. Thin skin. Packet 5c; ounce 45c; 4 ounces \$1.25; pound \$4.00.

MATCHLESS—The finest and best of the new canning tomatoes. Really our finest tomato. Color same as Acme, but larger in size and better shipper and canner. The canner's favorite. Packet 5c; ounce 25c; 4 ounces 75c; pound \$2.50.

DWAPE GUARANTON

pound \$2.50.

DWARF CHAMPION—A dwarf variety; upright growth: ability to stand alone without trellising; fruit medium sized, smooth and of purplish carmine color. In largest use by truckers to save stakes and trellises.

45c; 4 ounces \$1.25; pound \$4.00.

TOMATO PLANTS—We can furnish, from April until June, f. o. b. growers in Florida or South Carolina coast, Earliana, Globe, Ponderosa, Stone. Also for August 1st delivery. 100 for \$1.00; 500, \$2.50; 1,000, \$4.00. No orders shipped unless accompanied by cash.

### STRAWBERRY PLANTS

## TURNIP and RUTABAGA SEED


Culture—Plant January to March; July, August, Setpember, October. Spring sowing should be put in early so that they will attain a good size before hot weather, otherwise will become tough and bitter. For spring sowing the Milans or other varieties are best. For regular crop, sow early sorts in July or August, later sorts during August, and salad varieties during August, September and October. Sow either broadcast or in drills. 2 feet apart, thinning out to 6 inches and roll the ground after sowing. Rutabagas should be sown in July and early in August, and earthed up as they grow. Ready in about 85 days. Market summer, fall and winter. Some sow 15 pounds of crimson clover and one pound ofturnip seed mixed per acre in late summer time; gather turnips early in winter and grazerimson through winter, and in spring get a fine crop of hay. We import tremendous amounts of highest grade foreign seeds, and are heavy contractors of American-grown types, and heavy contractors, too, especially of Southerngrown types. One ounce for 100-foot drill. Sow 1½ pounds to the acre in drills, 2 pounds broadcast; salad turnips, 3 pounds per acre. Plant turnips in Florida any time, fall and winter.

WHITE-FLESHED VARIETIES.

EXTRA EARLY PURPLE TOP MILAN—The earliest of all flat turnips. The roots are clean, smooth, flat and handsome. The flesh is pure white, tender and sweet. Packet 5c; 4 ounces 75c; pound \$1.75.

EXTRA EARLY WHITE MILAN—Similar to the above, except that it is white all over. Packet 5c; 4 ounces 75c; pound \$1.75.

pound \$1.75.



Purple Top Globe.

family garden; sweet and tender. Packet 5c; 4 ounces 40c; pound \$1.25. EARLY RED, or PURPLE TOP-(Flat strap-leaved) (Flat strap-leaved)
—Flat, white with
purple top; fine
grained and tender.
The most popular
of all varieties and
the best seller.
Packet 5c; 4 ounces
65c: pound \$1.50.
EARLY MAM-

EARLY WHITE FLAT DUTCH— (Flat strap-leaved) —Exactly like Ear-ly Red or Purple Top, except that it

is pure white. One of the best for the

MOTH RED TOP WHITE GLOBE-Makes large globe-shaped roots, white with purple tops. A big yielder; fine tops. for table, market and stock feeding. An Augusta favorite.

for table, market and stock feeding. An Augusta favorite-Packet 5c; 4 ounces 65c; pound \$1.50.

POMERANIAN WHITE GLOBE—Extra large, round, white: fine for table and stock; a big yielder. Packet 5c; 4 ounces 60c; pound \$1.35.

WHITE EGG—A quick-growing, egg-shaped, smooth, pure white variety with small tops. Flesh sweet, firm and mild. Packet 5c; 4 ounces 60c; pound \$1.35.

LARGE WHITE COWHORN—A very productive quick-growing turnip of excellent quality, fine grained and very sweet. Often used as a soil improver. Packet 5c; 4 ounces 65c: pound \$1.50. pound \$1.50.



WHITE LARGE NORFOLK GLOBE-Makes large, round white roots, excellent for table or stock; also quite largely used for winter salad. Packet 5c; 4 ounces 60c; pound \$1.35.

GREYSTONE TURNIP -English favorite. Is darkish in color. Extra large turnip, and an extra hardy turnip, among all of the white turnips. Top is purple; Cow Horn Turnip. the white turnips. Top is purple; flesh exceedingly firm; an excellent and perfect keeper among all of the winter turnips. Prime favorite. New here. Packet 5c; 4 ounces 40c; pound

\$1.25. YELLOW FLESHED VARIETIES PURPLE-TOP YEL-

LOW ABERDEEN—A splendid keeper. Flesh is vellow, very solid, tender and sweet. Hardy and a good yielder; fine stock turnip. Packet 5c; 4 ounces 60c; pound \$1.35.


LARGE AMBER, or YELLOW GLOBE—Of large size, globe-shaped, solid yellow flesh. Fine for table and stock; a fine keeper. Packet 5c; 4 ounces 60c; pound \$1.35.

GOLDEN BALL, or ORANGE JELLY—One of the sweetest and best yellow turnips; is firm and of most excellent flavor. Packet 5c; 4 ounces 60c; pound \$1.35.



Seven-Top Turnip.

SALAD VARIETIES. SALAD VARIETIES.
SEVEN-TOPS—Seed grown in Georgia. (United States trade supplied.) Named because of the habit of stooling or branching into seven tops. Makes great amount of salad or greens. Does not make big roots. We are Southern headquarters for Seven-Tops. Packet 5c; 4 ounces 65c; pound \$1.50.



Improved Purple-Top Yellow Rutabaga.

GEORGIA FROST KING, or SOUTHERN PRIZE-GEORGIA FROST KING, or SOUTHERN PRIZE—(The United States seed trade supplied.) Differing from Seven-Tops, which simply tops, the Southern Prize has large, white tubers growing sometimes from 2 to 3 pounds in weight. The coming turnip for the South. Not winter killed. Large, white turnip, that is excellent lasting through winter till late spring, when other turnips are pithy. This turnip's root is both large and tender, and finely flavored; superior foliage to other white turnips; it also provides foliage or greens as luxuriant and branching as Seven Tops. Packet 5c; 4 ounces 65c; pound \$1.50.

### RUTABAGA OR SWEDE.

RUTABAGA OR SWEDE.

IMPROVED PURPLE-TOP YELLOW—The old standard variety; largely grown for table and stock. A large yielder and good keeper; hardy and solid. Packet 5c; 4 ounces 65c; pound \$1.50.

BON AIR, or GOLDEN NECKLACE RUTABAGA—The largest rutabaga i nexistence. Strictly American. Packet 5c; 4 ounces 65c; pound \$1.50.

LARGE WHITE, or RUSSIAN—Flesh is white, firm and sweet; grows large; fine for table and stock. Packet 5c; 4 ounces 60c; pound \$1.35.



## WATERMELONS

An important melon seed test was made for us by the South Carolina Experimental Station. This test showe dthat Augusta, Ga., grown seed produces melons 10 to 15 per cent larger than seed from Florida or Western melon seed; and that while Georgia seed made two large shipping melons to the vine, Florida and Western seed produced 5 to 6 small melons per vine. Georgia seed, too, produces sweeter melons. Colorado, Kansas, Oklahoma melon seed produce here often, yellow, hard, cankered centers in melons—centers that do not mature. NOTE—We know individual Georgia melon truckers who have each lost \$3,000 to \$5,000 from using cheap Colorado melon An important melon seed test was made

meion truckers who have each lost \$3,000 to \$5,000 from using cheap Colorado meion seed, and the still cheaper Florida meion seed. We are the only seed house in America, we believe, who refuse to handle this Florida and Western watermeion seed —seed that can be bought by jobbers at 12 cents a pound

cents a pound.


All melon seed listed below are grown at

All melon seed listed below are grown at Augusta, Ga. United States seed trade supplied. We re in the largest and very best melon shipping district in the United States. Augusta inaugurated in 1867 melon shipping business Northward. Our seed are taken from 20-pound melons and above—8 to 10 melons to one pound of seed. We sell the large truckers who would not dare use the 12c and 15c contract melon seed as supplied to United States seed trade from Florida and West


who would not dare use the 12c and 15c contract melon seed as supplied to United States seed trade from Florida and West.

Culture—Plant in spring 10 seed to hill and thin out to two. One packet, to 30 hills, and 4 ounces to 100 hills—there being about 200 seed to the ounce. The truckers' usual plan for field melon is to plant 6 seed to hill and thin out to two. Plant melons in Florida January and May. Watermelons sometimes grow 1½ pounds per day in June. Some plant hills 10x10 feet, and some 8x12 feet. The guano often used per acre is 200 pounds cotton seed meal, 100 pounds acid phosphate, and 100 pounds kainit; 400 melons, or one-half of a car per acre, usually obtained. Ripen from June 15th to July 3d. The truckers about here plant about 1½ pounds per acre. We usually plant Spanish peanuts or Velvet Beans in middles. Plant March 15th to April 25th, and June 15th to July, after grain. Watermelons are largely infected now with anthracnose or spots. To prevent anthracnose, spray vines thoroughly with Bordeaux Mixture 30 days before maturity of crop. For stemend rot, rub with Bordeaux Mixture the freshly cut stem on the melon, as melons are being loaded on car.

WATSON—See Cut. The melon is almost seedless, some not having one-third as many seed as other melons. The biggest Florida shippers are planting Watson heavily. Weighs 30 to 60 pounds, one grown at Augusta, 103 pounds. Our seed are the choicest. Originated near Augusta a few years ago; very prolific—six carloads on ten acres often made. Shape long; color dark, deep green; no stripes; large—two melons to the vine; no ends; no necks to rot; better shipper than Rattlesnake; tougher rind; flesh deep red; seed white, smeared with yellow. The finest Watson grown this year were planted after oats and weighed 60 and 75 pounds here at Augusta. A large Georgia grower says: ''I've grown all the melons; Watson is best of all. Will ship further, and keep in commission house longer than any melon. Have kept them till Christmas.'' Ninety per cent of the melons now shipp



Augusta Rattlesnake Watermelon.



Watson Watermelon.

bers of Augusta-grown seed. Packet 10cc; 4 ounces 30c; pound \$1.00.

"JUNE 10th"—Known as Augusta Round White. Known, too, as "Sheep Nose." Matures here June 12th to 15th. All others mature about July 1st. Best earliest home market melon known. Not a good shipper. Short vines, but heavy bearers. Plant thick. Tender rind. Flesh light red. Sweet, brittle, good flavor. Shape round. Color whitish. Melon 15 to 20 pounds. A great acquisition among melons. Bears continually during season. This melon is grown here exclusively by all our market men for the earliest home market. Only listed by us. Packet 10c; 4 onness 30c: pound \$1.00. "JUNE 10th"-Known as Augusta Round White. Known, the earliest home market. (4 ounces 30c; pound \$1.00.

AUGUSTA SUGAR LOAF—A long gray or greenish white melon, with crisp, red flesh, with as thin rind as Rattlesnake. Grows to an immense size—a whole market wagon load running often to 60 pounds each. Medium early—ripens about July 3d. Originated around Augusta. It's a beauty to look at and a delight to eat. Never has gourd ends. No better eating melon known. The cut of Watson would do for Sugar Loaf. Same shape, but Sugar Loaf is green-white or gray, whereas Watson is deep green. Packet 10c; 4 ounces 25c; pound 90c.

Watson would do for Sugar Loaf. Same shape, but Sugar Loaf is green-white or gray, whereas Watson is deep green. Packet 10c; 4 ounces 25c; pound 90c.

GENUINE AUGUSTA RATTLESNAKE—See Cut. Called, too, "Stripes" and "Gypsy." This melon seems to deteriorate the second year when grown elsewhere than in this county. It originated here in Augusta, and is one of the most advertised of all melons. This seed should be had each year from this county. This was the original melon shipped North in 1867, which so whetted the Northern appetite for watermelon. It is an elongated gray, with green stripes; good size with maximum of 50 to 60 pounds; seed white, with black ears; flesh crisp and excellent; a choice home melon; ships with careful packing. Medium early—ripens about July 3d. Packet 10c; 4 ounces 30c; pound \$1.00. Ours are the highest type of seed.

FLORIDA FAVORITE—This has long been a prime favorite for home consumption. Has dark skin, light green stripes and crimson flesh; exceedingly sweet; early; ripens about June 28th. Packet 10c; 4 ounces 25c; pound 90c.

EXCEL MELON—See Cut. A cross between Watson and Blue Gem. Long blue melon with dark green stripes. Cuts deep red. The heaviest bearer of all the melons. A better shipper than Watson and practically as good as Kolb Gem. Much larger melon than Watson. It is no trouble to grow them 40 to 60 pounds each in weight. Keeps well. Seed look mixed—some black, some white with black border. The melon has an attractive color, excellent flavor. The shape, color and size are all better than the Watson. In 1914 the seed sold for \$3.00 per pound. There is no doubt this will be a coming shipping melon of the South. In South Georgia is largely supplanting Watson. Must not be picked when seemingly grown, but must be allowed to stay on the vine a week to mellow and sweeten up, else meat is not crystalline. Fine seller; always run 45 to 65 pounds. Melon is grayish; looks much like Sugar Loaf. Packet 10c; 4 ounces 30c; pound \$1.00.

CAROLINA BRADFORD—Known as Hoke Smith McGnire Tink

CAROLINA BRADFORD—Known as Hoke Smith, McGuire, Tinker and Pearson. Long a favorite in the section of South Carolina where it has been grown. The melon grows to a large size; rind dark green with darker stripes; fleek and and wearly the trader with sections. flesh red and remarkably tender and sweet; an excellent melon for home use; medium early: ripens about July 3d. Large, often 70 pounds. Rind tough. Packet 10c; 4 ounces 30c; pound

Packet 10c;

Color glossy deep green. Seed dusty white, brown tips. This is the great Texas Eating Melon. Thin rind. Sugary sweet flesh. Not a shipper. Packet 10c; 4 ounces 25c; pound 90c.

NEW HOLMES—Shape, large round like Eden, but longer; color dark green, with very dark stripes; seed black; very prolific, matures as early as Eden. Mr. J., with 30 years' experience as a grower, and shipper of thousands of cars, writes us: 'Now selling car after car New Holmes at \$175 per car f. o. b. my station, while Watson, Kolb Gem and Eden are bringing maximum of \$150. New Holmes grows large, perfect in shape, longer than Kolb Gem, and has a thick. are bringing maximum of \$150. New Holmes grows large, perfect in shape, longer than Kolb Gem, and has a thick durable rind, stands shipping to any pint. About 750 Holmes melons fill a car 36 feet long, 8 feet wide, 4 feet deep. I regard it as the finest melon I ever saw, and I have raised thousands of cars. Packet 10c; 4 ounces 25c; pound 90c. SPANISH MELON—The favorite watermelon in Spain, and might be tried out in a Home Experiment way. The Consul of U. S., Valencia, Spain, thinks highly of it. 4 ounces 30c; pound \$1.00.

KLECKLEY SWEET—Melts in the mouth

4 ounces 30c; pound \$1.00.

KLECKLEY SWEET—Melts in the mouth. No pulp left. Oblong, of medium size and sweet, with but few white seeds firmly set near the rind. Vines strong growing, prolific and numerous to the vine: melons not large—about 20 pounds; rind too thin for shipping. So popular is this home-eating melon that the supply each year of seed is exhausted and the market is bare of seed before season is out. Rind dark green: flesh bright searlet and ripens to within half an inch of the rind. Quality of the meat is rich and sweet, hence its name. For the home market or family garden it is universally known as being without a superior. Ripens about July 3d; medium early. A favorite in Northwest. We have fine Georgia-grown seed. All Northwestern seed seem to be mixed with citron seed. Prolific, 2 to 3 to vine. Packet 10c; 4 ounces 30c; pound \$1.00.




Excel Melon.

ALABAMA SWEET—Shape, long to oblong. This excellent shipping melon is the leading sort grown by Texas growers and some other Southern melon growers' associations, and extensive individual growers North and Northwest. The rind is dark green, marked with a still darker green mottled stripe, and while thin, it is very tough, making the melon a first-class shipper. The flesh is bright red. fine-grained, sweet and luscious, entirely stringless and very firm. The seeds are white, slightly tipped with brown, and are firmly set in small cavities near the rind. Packet 10c; 4 ounces 25c; pound 90c.

EDEN—Round: striped; cuts rich red: 1,000 to 1,100 to car. Large Northern demand. This melon by shippers is thought to be better than Kolb Gem. Bluish cast melon and elongated; larger than Kolb Gem; far better eater and seller than Kolb Gem. Seed white. Medium early; ripens about July 3d. Planted in South Carolina largely. Packet 10c; 4 ounces 25c; pound 90c.

BLUE GEM, or GLOUSSIER, or BLACK BOULDER, or ICE BERG—As good a shipping melon as Kolb Gem: quality better and flavor sweeter; a far better keeper; somewhat longer and heavier than Kolb Gem; very dark bluishgreen rind, small grayish stripes, bright red flesh; seed black; as good a shipper as Kolb Gem, while quality of meat is far better; will keep longer than any known melon; medium early; ripens about July 3d. 800 to car. Packet 10c; ounce 25c; pound 90c.

THE JONES—Rind dark, flesh bright red; almost round in shape; rind trifle thicker than the above melon; 65 to 70 pounds frequently size of this melon. Originated near us some years ago, and is one of the very best. Medium



Kleckley Sweet Watermelon.


A grower at Augusta, this early: ripens about July 3d. earry: ripens about July 3d. A grower at Augusta, this season, grew Jones melons weighing 80 pounds. Good for home markets, but they break in shipping. Has a thick rind and is better than all other melons for rind preserving purposes and pickling. Packet 10c; 4 ounces 25c; pound 90c.

TRIUMPH—Has given almost universal satisfaction for shipping and market purposes. The rind is dark green color, with indistinct stripe: flesh deep crimson, ripening up evenly and of very fine quality. The largest of all melons—have weighed 120 pounds. Late, ripens about July 10th. A favorite in its home state, Florida. Packet 10c; 4 ounces 25c; pound 90c.

is used for making sweet pickles and preserving. At Augusta, 1915, these melons averaged 15 or 20 these meions averaged 15 or 20 to the vine, averaging 15 pounds to the meion. Some ran as high as 31 pounds. Need no cultivation whatever; and aside from their use for preserving and for sweet pickles, they are as fine for stock as is the Kansas Stock Meion. Will stay on the ground in winter and not rot. They are a most valuable farm eron. Hard

in winter and not rot. They are a most valuable farm crop. Hard, firm, white meat. Packet 5c; 4 ounces 30c; pound \$1.00.

KANSAS STOCK MELON—See Cut. Vines and culture same as watermelon. Resembles Citron and Apple Pie Melon, but is larger, weighing 30 to 40 pounds. Grow on poor soil best. Light green and striped in color. In large use in Kansas for hogs, cows and poultry. Will keep through the winter. Makes 15 tons food per acre, or 20 tons. If a few melons are left in the field, they will reseed themselves for the next season, coming up and growing without cultivation. Cattle turned in on a field of same, say in October, will fatten on it without other food and



Carolina Bradford Melon.

without water as long as the melons last. A party here in Augusta made 107 melons of about 20 pounds each, on 27 hills, on the poorest of sandy worn-out land, without a particle of cultivation except the mere planting. Parties here



Kansas Stock Melon.

like it better than the Pumpkin, for the Pumpkin is not prolific, requires rich land, and they require storing away. Horses, cows and hogs eat this melon as chopped up, with intense avidity. The meat is as solid as a pumpkin. We kept one melon last season for eight months in the store and cut it June 1st, and it was perfectly sound; it would have kept a year. Meat is a light yellow with a pleasant odor. Packet 10c; ounce 20c; 4 ounces 50c; ½ pound 75c; pound \$1.25. Use ½ pound per acre.

pound \$1.25. Use ½ pound per acre.

APPLE PIE MELON—A novelty which will be appreciated. Vine, fruit and culture quite similar to a watermelon, and are easily grown on any good soil. Each vine produces from 5 to 15 fruits and one of the large size will make as many pies as a half bushel of apples. The flesh is white, solid throughout, and of excellent quality for making pies, sauce, preserves, etc., and resembles apples in flavor. They keep nice and fresh all winter, so they can be used any time and any surplus can be fed to the livestock. It will pay to raise them for this alone, as they can be kept and fed all winter. Is a big, very hard and solid melon, weighing usually 20 pounds, of a light yellowish green color. It can be used for every purpose that apples are used for except eating raw. They are good keepers, remaining sound until the next summer. Packet 10c; ounce 25c; 4 ounces 50c; ½ pound (per acre) 75c; pound \$1.25.

### HERBS FOR FLAVORING

LEEK—The oblong bulk or stalk has the flavor of an onion, and is used principally in the winter for flavoring soups and stews. Packet 5c.

SAGE—One of the most popular perennial herbs, possessing some medicinal properties, but used principally for flavoring and stuffing, being more extensively used for this purpose than any other herb. Packet 5c.



Bene, or Sesame.

TANSY—For making bitters. Packet 5c.
THYME—A perennial, used both medicinally and f culinary purposes. Sow early in the spring. Packet 5c.

## SPRING FLOWER SEED

"Practical Gardening" -- By Hunn & Bailey, Cornell Uni-



California Poppy.

versity. Standard edition. The most complete book published on flower gardening, and quite complete on vege table gardening. 250 pages. Let us mail you this book. Price 65c postpaid.

AND MEDICINAL USE.

Culture—Soil for herbs should be carefully prepared and well cultivated, as the plants are for the most part delicate and easily choked out by weeds. Sow early in the spring, in drills 16 to 18 inches apart, and transplant as soon as the plants are large enough.

To Preserve the Plants for Use During the Winter, the plants should be cut when in bloom and wilted in the sun and thoroughly dried in the shade, and then kept in jars or bottles in order to preserve their seasoning and medicinal qualities.

ANISE—An annual, cultivated principally for its seeds, which have a pleasant taste and smell. The leaves are also used for seasoning, garnishing and medicinal purposes. Packet 5c.

BENE (Sesame)—Hardy annual. Its rich, oily seed make oil and nutty food for putting ni bread, cakes, candies and sausage. Plant in waste places and woodland lots in spring. Each 5-foot plant produces 30,000 seed. Greedily eaten by birds and poultry. Cattle do not eat the plant's foliage. Greatest known attracter and feeder of birds in fields, parks and game preserves. Its sudden bursting pods give the magician his 'Open Sesame.' Every farmer who wishes to attract and feed birds should sow Bene in all waste places. Bene reseeds itself. This reseeding is a great help to those who plant it and who wish a return of it year after year. Our seed Southern grown. Imported seed rarely germinate, and come dwarf. America imports yearly thousands of tons from China, Turkey and India. All ripening seed scatter. It is a BENE (Sesame)-Hardy annual.

minate, and come dwarf. America imports yearly thousands of tons from China, Turkey and India. All ripening seed scatter. It is a pretty plant, growing five or six feet, and always looks fresh and tender. It yields about 500 to 700 pounds per acre. It is grown just about like Cotton and cultivated. Plant is 6 feet tall. See cut. The till or gingeli of British India and largely eaten as a food, especially in sweet meats. The poor even eat it after the expressage of the oil. Packet 5c; 4 ounces 20c; pound 50c; 5 pounds 40c per pound.

CATNIP, or CATMINT—A hardy perennial, well known as a valuable mild nervine for infants. Can be sown either in the fall or spring in drills 20 inches apart. Packet 5c.

CARAWAY—Cultivated for its seed, which is used in confectionery, cakes, etc. The leaves are sometimes used in soups. Can be sown either in the spring or fall, but fall is the best, as the plants will give a large yield of seed the following season. Packet 5c.

CORIANDER—A hardy annual, cultivated for its seed, which has an agreeable taste and is used in confectionery and to disguise the taste of medicine. Gather on a dry day, bruising the stems and leaves as little as possible, for when injured they have a disagreeable odor which they impart to the seed. Packet 5c.

DILL—An annual, cultivated for its seed, which has an aromatic odor and a warm, pungent taste. It is used for flavoring soups, stews and pickles, being particularly desirable for use in cucumber pickles, as it heightens the flavor. Packet 5c.

SWEET FENNEL—A hardy perennial. Leaves largely used in soups, fish sauces, garnishes and salads. Packet 5c.

LAVENDER—A hardy perennial herb largely used in making cough syrup and lozenges. Packet 5c.

LAVENDER—A hardy perennial herb largely used in making cough syrup and lozenges. Packet 5c.

Our specially selected list of Flower Seeds, adapted to this latitude, which have proven successful after careful tests:

AGERATUM—Blooms all the summer; 2 feet; annual. Packet 5c.

ALYSSUM — (Sweet Mad Wort)—Pretty for vases; little plants. Packet 5c.

ASTER VICTORIA— (Mixed) The best Aster; 18 inches. Packet 5c.

BACHELOR'S BUTTON— Corn Flower.) Packet 5c.

BALLOON VINE—(Love in a Puff.) Annual; climbing. Packet 5c.

Packet oc.

CALENDULA — (Pot Marigold.) 1 foot. Packet 5c.

CALIOPSIS—2 feet. Packet 5c.

CAMPANULA — (Canterbury Bells.) Packet 5c.

CANDYTUFT—(Iberis.) For edges; 1 foot. Packet 5c. CARNATION—1 to 2 feet. Packet 10c.

COCKSCOMB-(Celosi.) Border plant and for pots.

COSMOS-4 to 6 feet. July till frost.

feet. July till frost.
Packet 5c.
CHINA PINK, or
INDIAN PINK—Double and showy. Packet 5c.

CYPRESS VINE— (Ipomoea Cyclamen.) Climber: star-shaped flower; 10 feet. Packet. 5c.

et 5c.

DAISY BELLIS—
Very popular; makes beautiful b or ders.
Packet 10c.


DAISY SHASTA— Perennial, propagates by roots as well as seed. Flowers keep for two weeks; from 1 to 4 inches in diameter, 2 feet tall. Very handsome. Pkt. 10c.

DIANTHUS, OR PINKS-2 feet. Pkt.

5c.
DOLICHOS—(Hyacinth Bean.) Annual climber; flowers
freely; pretty seed
pods: 10 to 50 feet.
Packet 5c.

FORGET-ME-NOTS—(Myosotis.) Little border; perennial, 6 to 10 inches. Packet 10c.

Sweet Peas.



Sweet William.

FOUR 0'CLOCK—(Or Marvel of Peru.) 2 feet. Packet 5c.



GAILLARDIA—Bouquets, or house decorations; 2 feet. Packet 5c.

GOLDEN GLOW—
(Rubdeckia L. F. P.)
Perennial; 8 ft; blooms
July to September;
deep yellow; effe; ctive
for clumps or landscapes. Plant seed in
early spring; also propagates by shoots.
Packet seed 10c.

GOURDS-Mixed gourds. Packet 5c.

HOLLYHOCK— (Athea Rosea.) Majestic; hardy; perennial. Packet 5c.

Zinnia.

JAPANESE MORNING GLORY—(Ipomeoa Imperialis.) Climbing; handsomest of al Morning Glories. Packet 5c.

LARKSPUR-Hardy, annual and showy. Packet 5c.

MARIGOLD—(Tagetes.) Tall, hardy, annual. 1 to 3 feet. Packet 5c.

MIGNONETTE—(Reseda.) Sow any time. Fragrant. Packet 5c.

MOON FLOWER—(Ipomoea Grandiflora.) Climber, white flowers 5 to 6 inches diameter, fragrant evening. Packet 10c.

NASTURTIUM—Dwarf or Tall; one of best annuals and the most popular of all flowers. Easy culture. Assorted colors. Packet 5c; ounce 15c; pound \$1.00, postpaid.

PERIWINKLE—(Vinca.) Summer garden, winter house, 2 feet; large pink and white. Packet 5c.

**PETUNIA**—Blooms early summer till frost. Effective,  $1\frac{1}{2}$  to 2 feet. **Packet 5c.** 

PHLOX DRUMMONDI—(Flame Flower.) Brilliant summer flowering annual; 1 foot. Packet 5c.

**PORTULACA**—(Moss Rose.) For edging or rock work; thrives anywhere;  $1\frac{1}{2}$  feet. Packet 5c.

POPPY—(California Single.) Desirable, wide color range, 2 to 3 feet. Packet 5c.

 ${\bf POPPY} - ({\bf Extra~Large~Double.})$  All colors; usual growth 3 to 5 feet.  ${\bf Packet~5c.}$ 

 $\begin{array}{lll} \textbf{PANSY} & -\text{The} & \text{world's favorite: perennial: sow August} \\ \text{and September.} & \textbf{Packet 10c.} \end{array}$ 

RICINUS—(Castor Oil Bean.) Ornamental leaved: annual; 8 to 10 feet. Packet 5c.

SALVIA SPLENDENS—(Flowering Sage.) Perennial; scarlet; 3 feet. Packet 10c.

SUNFLOWER-CHRYSANTHEMUM—Flower double: tall, 7 feet: large yellow flowers, look like Chrysanthemums, new. Packet 5c.

 ${\bf SUNFLOWER\text{-}RUSSIAN}\text{---} {\bf Eight}$  to ten feet, large. Packet 5c.

SWEET PEAS—(Willet's Special Mixed.) The very best mixture possible to obtain. Packet 5c and 10c; 4 ounces 40c; pound \$1.25.

SWEET PEAS—Straight varieties which are specially seleteed according to results they have given after careful testing. Emily Henderson (early white); Blanche Burpee (extra large white); Blanch Ferry (pink and white); Modesty (delicate pink); Apple Blossom (bright pink); Catherine Tracy (pink, light at edges;) King Edward (scarlet); Captain of the Blues (bright blue and purple); Countess Randor (light blue and lavender); Emily Eckford (delicate lavénder); Black Night (dark maroon); Hon. Mrs. Kenyon (primrose yellow); America (striped white and pink). All above Sweet Peas price at: Ounce 25c; 4 ounces 60c; pound \$1.75.

 $\begin{array}{llll} \textbf{SWEET} & \textbf{WILLIAM} & \textbf{(Dianthus, Barathus.)} & \textbf{Hardy perennial; 1 foot.} & \textbf{Packet 5c.} \end{array}$ 

VERBENA-Annual. Packet 5c.

WALL FLOWER-Perennial. Packet 5c.

WILD CUCUMBER VINE—The newest and best addition to climbers. Packet 10c.

ZINNIA-(Double.) Resembles Dahlias: Packet 5c.

## WILLET'S FLOWERING BULBS

AMERICAN GROWN BULBS FOR SPRING PLANTING. ELEPHANT EARS—(Caladium Esculentum.) Plant in -(Caladium Esculentum.) Plant in early spring. 10c each; 1 dozen, \$1.00.



Elephant Ears.

DAHLIAS—Plant early spring until middle of summer; all leading varieties, 15c each; 4 for 50c; 1 dozen \$1.25.

GLADIOLI-Plant early spring and summer. 4 for 20c; dozen for 50c; 50 for \$1.50.

CANNAS-Plant early spring and summer. All colors. Each 10c; dozen

75c.
TUBE ROSES—Plant in early spring. 1 dozen 25c; 25 for 40c; 100, \$1.50.
For prices and description of all bulbs for fall planting, such as Hyacinths, Narcissus, Tulips, Catalogy (Catalogy) planting, such as Hyacinths, Narcissus, Tulips, etc., see our Fall Catalog.

## EVERGREEN LAWN GRASS

Willet's Evergreen Lawn Grass will form a rich, deep; green, velvety lawn in a few weeks' time. It is composed of various grasses that grow and flourish during different months of the year, so that with proper care and attention, a beautiful green lawn can be kept all the year round. The grasses used are those which years of experience have shown to succeed and do best in our Southern soils and climate. Sow at the rate of 60 to 75 pounds per acre, or for small yards, one pound to 10x10 feet. Lawn grass seed can be sown either in the spring or fall. When sown in the spring it should be put in as early as practicable, although it can be satisfactorily seeded as late as the month of April. Do not use stable manure—makes weeds and miscellaneous grasses. Use especially prepared fertilizers as listed below. Price, 1 pound 35c; 5 to 10 pounds 30c; 25 to 50 pounds 25c.

## "DUNHAM ROLLERS"

Used especially for lawns, puttings greens, golf grounds. Hand or horsepower. All weights, plain cast iron, or water tight rollers, or for holding sand for weight. Give weight and size wanted, and we will price.

## STERLINGWORTH PLANT FOOD CONTAINS NITROGEN, AMMONIA, PHOSPHORIC ACID AND POTASH.

AND POTASH.

Takes place of liquid manure. Starts plants at once into healthy and vigorous growth, and makes them grow and bloom luxuriantly. These tablets drive troublesome insects and worms from the soil. They are odorless, ponpoisonous, uninjurious, and are clean and easy to handle. If your plants are not doing well, try Sterlingworth Plant Food Tablets, and see how quickly they are benefited. Trial size box, sufficient for 10 house plants for 3 months, 10c, postpaid. Large size box, sufficient for 35 plants for 3 months, 25c, postpaid.

## **FERTILIZERS**

### FOR FLOWERS, LAWNS, ETC.


The Fertilizers listed below are specially rec	ommer	ided
for Flowers, Lawns, etc.:		
Pulverized Sheep Manure	1bs. \$	2.50
Pulverized Cow Manure100	lbs.	2.50
Bone Meal, 1 lb., 5c	lbs.	4.00

Ladco Ground Limestone—We are Augusta Agents for this best of all Ground Limestone; used for sourness or acidity of land, and now being used in tremendous amounts in our light soils, clay soils and in our swamp lands. Let us mail you a bulletin of Limestone's uses—absolutely necessary where land is acid, or where Peanuts are to be grown. Helps largely to increase crops. Price, 30 tons, car; loose in the car, \$1.50 per ton, f. o. b., North Georgia. We have at Augusta, freight rates to all Georgia and Carolina railroad points, and can make delivered prices.

		SARTI	IEN WARI	E I	LOWER	POTS.	
6-inch,	10c	each;	dozen				\$0.90
8-inch,	15c	each;	dozen				1.25
10-inch,	25c	each:	dozen				2.25
12-inch,	40c	each:	dozen				4.00
14-inch,	50c	each:	dozen:.				5.50
Get s	pecia	l priće	es on larg	rer	amounts.		:

LAWN MOWERS.

Anyone wanting a Lawn Mower will find it cheaper in the end to buy the best. While we offer cheap Lawn Mow-



ers, we advise all of our customers to buy the Pennsylvania or the Great American. These will last a lifetime, with little care. If parts wear out these can be replaced at small cost, and the machine be as good as new. While the cheaper mowers take more time to replace broken parts and get in condition than to buy a new machine.

Pennsylvania Plain Bearing-8-inch wheel, 4 blades 16 inches. .\$11.50 Pennsylvania Ball Bearing—10½-inch wheel, 5 blades 17 inches.....eat American Ball Bearing—10½-inch wheel, 5

13.00 | 14.50 | Stream | 15.50 | Stream | 15.5 Pruning Shears-No. 1, each..... .50 No. 4, each.....Rockdale Pruners, each..... 25 in 25 foot lengths, at 15 cents a foot.

### SPRAY NOZZLES AND SPRINKLERS

DI MIL HORELED MAD DI MIMILEDING.	
"Just Right" Spray Nozzles, each	
"Shower Bath" Spray Nozzles, each	
"Rainfall" Spray Sprinklers (new), each	1.25
"Zenith" Sprinklers, each	
"Pluvius" Sprinklers, brass, each	1.35

## FIELD AND FARM SEEDS

## AMERICAN INDIAN CORN FOR FIELD, SEED.

AMERICAN INDIAN CORN FOR FIELD SEED.

Make 1918 the greatest of all Corn years! No man who makes an abundance of Corn, Oats, Wheat, Velvet Beans, and Hogs, will find himself at winter's time in any other than good condition. Make early corn plantings. Also follow oats and wheat with corn (for June plantings use Mexican June), thus making two good money crops on the same land in the year.

By the side of every corn stalk, plant in late spring, or early summer, a legume—Velvet Beans, Cow Peas, Soy Beans, Beggar Weed—for turning under: also peanuts in corn make a good money crop. Where the above legumes are turned under follow in fall, 1918, with grains and use no guano, save acid phosphate.

are turned under follow in fall, 1918, with grains and use no guano, save acid phosphate.

Our Seed Corn—We do not handle Western seed corns. as they are not good in the South—dangerous for seeds or feeds. Alabama Experiment Station savs: "All varieties of corn falling below 20 bushels per acre were early Northwestern kinds. These have repeatedly proved unsuitable for our climate, making small yields and a poor quality of grain." Our corns are all Southern grown, and from the best localities brought to us in carload lots from the

original growers. The danger of feeding Western corn has enhanced the value of Southern corn by 10 to 20 per cent. Quality of Willet's Corn Seed—We sell thousands of bushels of Corn Seed. We have better and finer seed than ever before offered. We have, besides, the finest electric cleaning machines for all our grains.

Bisulphide of Carbon—For the keeping of corn, peas and all grains in barns and warehouses. Pound 60c; 5-pound can for \$2.50. For grain, pour directly into the mass in several places, allowing 15 pounds to each 1,000 bushels. Cover closely to confine the fumes. Called 'high-life.' One pound saves ½ ton of seed. For weevils and any insects in grain that is to be stored away. One pound for 70 bushels. Use in tight closed corn crib, in keeping corn, 1 pound to 80 bushels of corn. Explosive; keep fire and pipes away.

1 pound to 80 busness of corn. Explosive, acc in an pipes away.

Culture—Plant 6 quarts to acre. Usually planted in the South from March 5th to June 25th. Our best growers around Augusta are making now uniformly 40 bushels to the acre. Plant 5-foot rows 12 inches in drill. These same growers six or eight years ago were making only 10 to 12 bushels. A good fertilizer consists of 250 pounds



Acid Phosphate and 250 pounds cotton seed meal per acre. Never plow corn deep. Average yield in United States, 25.8 bushels per acre. Plant field corn in Florida January and February. We warn farmers against planting seed corn taken from fodder-pulled stalks—such seed decreases next corn crop by 10 to 25 per cent. We warn the farmer, too, against fodder pulling; it decreases quantity of corn in pounds, decreases chemical and feeding qualities and causes 10 per cent of corn to rot.

EARLY DENT CORNS—Our Early Dent Corns are Southern grown, and from the best habitats for this corn. Dents are called Hundred-Day Corns. Northwestern Dent Corn is much cheaper, but by experiments has proven to be worthless for planting in the South. For early farm corn, nothing takes the place of the Dent. It comes on for the farmer in the nick of time; for feeding or meal, 100 days from planting. from planting.



WILLET'S IMPROVED GOLDEN DENT—We offer some 2,000 bushels of this specially improved Yellow Dent Corn. The type is better than we have ever before offered, ears are especially large, length 10½ inches and 17-rowed, grains large, wide, deep and of deep, dark yellow color. The most valuable Yellow Corn today known. Our earliest field corn. Meal can be had from it the latter part of July, being thus valuable to farmers. The sowing of Dent Corn increases each year. Its earliness makes it invaluable. ing of Dent Corn increases each year. Its earliness makes it invaluable. Buy fresh seed each year. One quart 30c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, \$3.75 per bushel.

IMPROVED WHITE DENT—
Along with our extra heavy and choice stock of improved Yellow Dent, we are offering the heavies stocks of a choice variety of selected White Dent this year. This is the main crop for feeding purposes grown in Virginia; oftentimes 60 to 90 bushels on good land, very large

This corn is similar in every way to the Yellow Dent, except the grain is white. Some prefer this on ac-count of the meal. This corn is quite popular among some gardeners for roasting ears. One quart 30c; peck \$1.25; bushel \$4.00; sack, 2½ bush-els, \$3.75 per bushel.

Willet's Improved Golden Dent Corn.

WILLET'S PROLIFIC GOLDEN BEAUTY CORN—
New and listed only by us. We have produced this corn
through many years of crossing the Louisiana Yellow Creole, Marlboro and Georgia Six-Ear. The product is one of
the best yellow corns in the South today, and the most
prolific. Is a small ear corn, color of the richest yellow,
ears a little larger than Georgia Six-Ear; very similar to
Marlboro. Very hard and prolific; very very sistant to drought
and almost weevil proof. Is
very high in feed value. Grower
claims will feed longer than
any white variety. There has
been a great demand for a
number of years for a hard,
yellow prolific corn. We think
we have succeeded in producing
this and now offer same to the
trade. Have only a limited
amount of this variety to offer.
Price, 1 quart 30c; peck \$1.35;
bushel \$4.25; 2½ bushels at
\$4.00 per bushel. \$4.00 per bushel.

\$4.00 per bushel.

GARRICK — A white corn now supplanting Marlboro in South Carolina, and winning most of the farmers' corn prizes. (South Carolina today being the most advertised corngrowing state in the United States.) Won the Marlboro County contest in 1908—yield per acre on five acres in 1909. Our grower got in 1909, 500 bushels on five acres. Young Usher, of South Carolina, who won the South Carolina premium, 1909, and was given a trip by U. S. Agricultural Department to Washington, D. C., free, planted Garrick. A fancy specialist corn grower, Augusta, says: "Yield is enormous. I believe Garrick will be the most popular variety of corn in the South." An Augusta grower made without any special cultivation, 700 bushels on 12 acres last year; another grower in 7-foot rows and 12 inches to the row, made 65 bushels per acre, and a good crop of cu-



cumbers in between the rows. Two to five ears. Stands drought. Planted after cucumbers here this year, 25 acres acres made 1,500 bushels. One quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.

WILLET'S WHITE WEEVIL-PROOF PROLIFIC CORN —New and only listed by us. Agricultural Department, Washington, has been working for a number of years on a



Willet's Weevil-Proof Corn.

white weevil-proof corn. They first tried to get a hard resistant corn; this failed. Second, to get a thick, heavy long shuck, to completely cover the small, often open end of the ear where the weevils enter, and many other insects attack the corn. They have succeeded in this, and it has proved a tremendous success against weevils. The corn (named above) now allows the growing of corn where weevils have largely heretofore made it impossible. This corn has a small ear, size of Marlboro; a red cob; grains long. Very prolific. In South Carolina in 1913 it won many prizes for single ear, best ten ears, and heaviest yield per acre. We have only about 500 bushels of this new weevil-proof corn to offer. A weevil-proof corn has long been wanted, especially for South Georgia and Florida. An Augusta big corn grower says: "Not large stalks. Shucks long and cover ends. About three ears to stalk. Most prolific corn I ever raised." Shucks that extend beyond the tips of the ears and that close tightly about the silks are weevil-proof, both in field and storage. (All other corn before storing had better be shucked.) Price, I quart 30c; peck \$1.35; bushel \$4.25; 2½ bushels at \$4.00 per bushel.

WILLET'S IMPROVED MARLBORO PROLIFIC—We have increased the size of grain. A beautiful white prolific corn. Medium early, well adapted to both field and table purposes, just flinty enough for milling most beautiful hominy and meal. From practical experience and field test-out, Marlboro Prolific is one of the best of all prolific varieties; yields often from 2 to 4 ears to each stalk. Some of the largest yields of corn ever made in South Carolina were made from Marlboro, and it has probably won the largest and most premiums. Grains and ears are some larger than Cockes. Quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.

THOROUGHBRED BIG ROCKDALE CORN-THOROUGHBRED BIG ROCKDALE CORN—Our grower has been breeding for eighteen years this corn out of big eared Shaw. He has now a big improvement over Shaw. It is among all the big-eared corns the modern 'thorougherd.' Ears are about 12 inches long with large diameter. Grains white and big and fill out the extreme tip end (long shuck). Ears often 1½ pounds. Hardy, flinty grain. The ideal corn on rich bottom land in Georgia or black lands of Southwest. Have seen one ear shell out one quart. Very prolific. An amazing corn. Price, 1 quart 25c; 1 peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.


WHATLEY'S PROLIFIC CORN-New. Agricultural Collegt at Athens for three years test in succession makes this corn to lead all. One of the prolific many eared corns. Runs two to three ears to stalk, and seemingly an improvement over all. Ready for milling ten days to two weeks before the Six-Ear corns. Has a larger stalk which grows off quicker and has a deeper root system and withstands drought better. Ears are 5 to 8 inches long in grains, 5-8-inch long, 3-8-inch wide, hardy, creamy white. Makes unsurpassed meal. Cob dark red. More prolific than Six-Ear corns. Grains are cream white, not flint; fine meal. Augusta trucker, 1917, beginning its marketing about August 5th for roasting ears, averaged 3 ears to stalk. Good root; shells easily. We average 65 bushels. A great Augusta favorite. Made Augusta, 1917, 75 bushels per acre, averaged 3 ears to stalk. Ears bigger than Six-Ear Corn. Price, quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.

MOSBY PROLIFIC CORN—Adapted to all soils. Early. Favorite in Miss. and Ala. One to 2 big ears—8½ to 9 inches, 14 to 16 rows: Weight ear about 14 oz. Small cob. Shelling perfect. A refined corn, making a maximum of grain with minimum of waste growth. Kernels white. Wedged shape, with creased cap. Price, 1 quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.

WILLET'S PRIDE—This corn has been grown for the last ten of fifteen veers in this vicinity. It is one of the corn to lead all. One of the prolific many eared

WILLET'S PRIDE—This corn has been grown for the past ten or fifteen years in this vicinity. It is one of the best field corns we have ever listed. Quite a number of growers call it poor land corn. Is a wonderful corn, stands growers call it poor land corn. Is a wonderful corn, stands more drought and adverse seasons than any we have ever tried. Extra deep, long grains; medium sized ear, very small red cob. Our grower the past season averaged 47 bushels per acre on his entire crop. One grower near Augusta averaged 70 bushels on ten acres. We can recomend this corn to any farmer. Price, 1 quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 bushel.

\$1.25; bushel \$4.00; sack,  $2\frac{1}{2}$  bushels, at \$3.75 bushel. COCKE'S PROLIFIC—Flinty white, heavy. Stood highest test at Georgia Experimental Station for several years. Our breeder in North Carolina has made a specialty of this corn for 10 years. He has increased its usual length of grain, set its habits to 2 ears, increased the width of the blade, and reduced the height of the stalks, which makes it a more desirable corn than the usual Cocke's Prolific. Out of 32 varieties North Carolina Experimental Station for eight years ranked as having the highest average. It averages about 175 ears for 100 plants. Nothing better for ensilage. In Virginia grows 15 feet, often 3 or 4 ears to stalk: grains are flinty and glisten like silver; medium cob, large ear. Cocke's is considered the most prolific corn in Virginia. One quart 25c; peck \$1.25; bushel \$4.00; sack,  $2\frac{1}{2}$  bushels, at 3.75 per busñel.




Whatley's Prolific Corn.

GEORGIA SIX-BAR—This corn is sold elsewhere under numerous names. In North Carolina Experimental Station stood out of 100 varieties in 1903, first in 1904, and first in 1907, making about 77 bushels per acre. Average length of ear, 7 inches. In one lot, 20 acres, in North Carolina, not a stalk furnished less than three ears. Twenty acres produced 2,041 bushels, averaging 127 bushels to the acre. Largely grown about Augusta, and one of our most productive varieties, small ears and cob, long grains. A prize-grower 1917 got 102 bushels from one acre. White flint corn. Turns out remarkably well when shelled. Ears filled to the end. A most excellent keeper. One grower from our seed this year made 1,000 bushels. The cob is absolutely insignificant. An Augusta grower made on 22 acres 98 bushels of corn per acre. One grower in South Carolina who aerated his land by seven or eight deep plowings before planting, on three acres of Six-Ear corn, made actual weight 116 bushels to the acre. Horses like it more than other corn. One quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.

SHAW'S IMPROVED—Introduced some eight or more

sack, 2½ bushels, at \$3.75 per bushel.

SHAW'S IMPROVED—Introduced some eight or more years ago. One offthe largest eared corns grown in this section, ears average from 9 to 12 inches long, 16 to 20 rows, deeply set from butt to tip, grains white and almost perfect in shape. Shelling 85 per cent. The stalk is large, very strong and storm-resistant owing to its deep rooting. Heavy in foliage, with generally two good ears. This is one of the most popular big-eared corns planted today, having an average yield of about 80 bushels per acre. Quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.



Willet's Marlboro Corn.

RED COB—The great Tennessee corn; known in Virginia as "Columbia Beauty"; large ears; medium early. Most highly regarded in Virginia and Tennessee. A large white grain, not flint, medium red cob. Largely used in sandy soil and in the swamp. Almost wholly drought resistant. Has made 20 bushels in this county in sandy soil where other corns made 5. The best all purpose corn, and adapted to all lands that grow corn. This corn is the principal corn grown in the renowned corn lands in Ornageburg and Barnwell Counties in South Carolina—called, though, sometimes by other names than Red Cob. It is a prime favorite in all the coast counties in South Carolina. Can be planted March to July at Augusta. Georgiagrown, fully climatized. Ninety ears of this corn at Augusta, 1915, weighed 79 pounds, which corn was made without guano. One quart 26c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.

HICKORY KING—A very popular and productive white corn, especially for high land; is in great favor with those who have planted it. It produces on good soil three or four average sized ears to the stalk. The grain is large very broad and beautifully white, making the finest quality meal. The cob is often so small that large sized grain will cover the end of it. The biggest grains and the smallest cob of all corns. Matures in 115 to 125 days. Fine corn meal corn. One Augusta farmer claims the past season our seed to have made 2,000 bushels of this corn, and on some parts of his plantation 80 bushels to the acre. In Virginia, Hickory King is regarded as the best poor land corn. Down in Mississippi, on the contrary, no other corn in the rich lowlands has been found so productive and useful. One quart 25c; peck \$1.25; bushel \$4.00; sack, 2½ bushels, at \$3.75 per bushel.

VIRGINIA ENSILAGE—Makes a larger growth and more fodder than other sorts. The universal Ensilage and fodder corn. A great Virginia favorite for corn and fodder. Known in Virginia as "Eureka." Aside from its magnificent ensilage, it is also a very prolific corn; ears are 12 to 14 inches, and on rich land in Virginia it grows 12 to 16 feet high. It has been known to produce 142 bushels per acre. Often grows here 15 feet. Gloriously big white ears. A tall remarkable silo corn; largely exported to Germany. Yields heavily of corn, too. One quart 25c; peck \$1.25; bushel, \$4.00; sack, 2½ bushels, at \$3.75 per bushel.


BRAZILIAN FLOUR CORN—Soft pearly white. Grains used in Brazil for flour. Will make fine "raised lightbread." Grains good size. Stalk tall, 10 to 15 feet high, wide blades and quick grower. 80 to 90 days. Plant early or till July 10th. Stools heavily. Each grain makes about three stalks and each stalk two or three ears, one grain making 15 ears; 6 short rows in Augusta making 300 ears. Sometimes an ear appears on top of stalk. Used largely for roasting ears, for flour grinding, and for barn use, too. A most useful corn, but little known here. Price, quart 40c; peck \$1.50; bushel \$5.00.

Price, quart 40c; peck \$1.50; bushel \$5.00.

MEXICAN JUNE CORN—(Georgia grown, see cut.—We sell only the tall, not the dwarf—the dwarf being a mixed corn. Grains silvery white and soft. Plant not before June 1st and up to July 15th. Grows 12 to 15 feet high. Full eared; large blades; fine ears. No other corn can be planted so late, nor grow so tall, nor make such an amount of late forage. You can have roasting ears September till frost, while remaining stalks give fine green forage for cattle. Pull in December. Till then does not harden on stalks—keeps green and soft. We planted as late as July 15th and matured before frost, made 65 bushels to the acre. Our crop this year was planted June 16th. Yielded 65 bushels to the acre. A party here last wear planted 1st of June, eight acres on rock land, Tall Mexican June Corn; on three acres he got 130 bushels shelled corn, and he put the five acres into silo, which after settling, etc., made 90 tons net silage, thus reaping 16 tons silage per acre. Cultivated three times. Gatered about November 25th. A customer who has been growing 100 acres in Mexican June for seven years, says: "I plant as late as August and often have roasting ears as late as December." For second crop, few



things are better than Mexican June, giving a fine corn things are better than Mexican June, giving a nine corn grain crop and a fine forage crop besides. Oftentimes per-fectly green middle of November. We have improved the quality of our corn to the place where it will produce two large ears to the stalk, and each ear averaging from 600 to 700 grains. Never pull the fodder. The cob is sappy; let



Mexican June Corn.

it remain on the corn stalk until December. Will stand any drought. Made good hard corn here this year planted July 30th. Quart 30c; peck \$1.35; bushel \$4.00; sack, 2½ bushels, \$3.75 per bushel.

#### POP CORN

WHITE RICE—This is probably the most popular of all pop corns. It pops pure white; the quality is excellent. Packet 5c; 1 lb. 25c; 5 to 10 lbs. at 20c; 25 to 50 lbs. at 15c; 100 lbs. at 12c per lb.

GOLDEN QUEEN—A large-cared and hardome yellow(

15c; 100 lbs. at 12c per lb.

GOLDEN QUEEN—A large-eared and handsome yellow (grains are large, pop perfectly white and are exceedingly tender. About 6 feet high, and yields three or four ears. Packet 5c; 1 lb. 25c; 5 to 10 lbs. at 20c; 25 to 50 lbs. at 15c; 100 lbs. at 12c per lb.

POP CORN FORAGE—Pop corn is usually thought of as only a "popping" proposition, but it is, however, one of the best combination spring forages known. Earlier than other corns for forage, and is usually planted in three or four-foot rows, about six inches in the row, several grains to the hill. In June it is full grown, and has an abundance of ears of corn in the milk. It is marvelous to know the amount of forage that such a field planted in pop corn will make. Can plant up to July 4th. Stools heavily. The grain, corn and fodder make a perfect ration. Plant one peck to ½ bushel per acre.

POP CORN AND COW PEAS MIXED—Mix one-fourth pop corn and three fourths peas. The best and cheapest hay. Plant with pea planter. Gather when the corn is in the ear. Makes a balanced ration. Cures more easily than peas with sorghum. Get prices.

BROOM CORN—Improved Evergreen. Grows about 8 feet high, stands up well. Free from crooked brush. Fibre long and fine. Will not get red in the field before it is cut. Strictly a green variety of brush. One acre produces about 500 pounds of brush, and 30 or 40 bushels of seed. Plant in the spring like corn, the same cultivation, though somewhat later in the season. A tremendous crop in the West. Plant in drills 3½ feet apart, leaving six inches in the row, 20 pounds to the care. Get Agricultural Department at Washington to mail you a complete bulletin for preparation for the market. This crop has been tremendously profitable in the past few years. Price, one pound, 25c; 10 pounds at 20c; 100 pounds at 16c per pound.

### **High-Bred Cotton Seed**

#### The Leading Early Types of Cotton Grown in the South Today and Description of Each

Ask for Carload Wholesale Prices!

#### IN COTTON SEED FOR PLANTING PURPOSES WE ARE LEADERS

WILLET'S EARLY COTTON SEED FOR BOLL WEEVIL

WILLET'S EARLY COTTON SEED FOR BOLL WEEVIL STATES.

(Free of Boll Weevil.)

FUMIGATED COTTON SEED—As an extra precaution, and to make it absolutely safe, we are fumigating in the most approved and scietnific manner, each sack of cotton seed as sent out by us into all non-infected territory. Each bag will carry the tag from our Ga. Entomological Department, showing said fumigation.

HIGH SPRING PRICES—The unheard of Oil Mill Seed prices will sweep shortly all Cotton Seeds off the market and leave no Planting Cotton Seeds for Spring planting! Buy of us, then, your Planting Cotton Seed, now! High prices of seed, too, will bring great temptation to sellers to send out for planting seed ordinary mill seed.

THE BOLL WEEVIL MAN'S safety is in the planting only of 90 and 100-day Cotton Seed. We specialize in Early and Anti-Boll Weevil Cotton, car lots (wire for price), and less, without which cotton lint would fetch today 50 cents a pound, and the world would be half naked! We are largest shippers—export and home use—of varied type cotton seeds in the-United States. We list 25 types.

We are responsible, skilled, scientific cotton seed experts of 25 years' experience. We are well known in Boll Weevil areas and by the varied foreign governments now growing cotton. Our seed are "'doubly attested''—the grower's and ours.

QUALITY OF OUR COTTON SEEDS—We buy our seeds

QUALITY OF OUR COTTON SEEDS—We buy our seeds of originators, or from scientific growers from seed bought from originators, in carload lots. We know our growers; we know what is genuine seed of each type. When you buy of farmers or miscellaneous shippers you have no guarantee whatever. Our Planting Seed come almost exclusively from the State of South Carolina from the facet of th whatever. Our Planting Seed come aimost exclusively from the State of South Carolina from the finest Cotton Specialists and Cotton Planting originators in the South. We sell sacksd, 30 pounds to the bushel; Sea Island 42 pounds; 1,000 bushels to the car; at some points 1,200 bushels constitute a car. Wire for car lots delivered f. o. b. you

WILLET'S \$450.00 COTTON ELECTRIC CULLING MACHINE—Takes out black, slick seeds, runty and all light weight seed, which seeds sprout first and are left to grow at chopping out time. We get 25c extra per bushel for culled seed. This extra 25c per bushel, or acre, should increase your out-turn 15%, or 15 bales on the 100 bales. Ultimately all cotton seed will be culled. Some farmers say that they would pay \$5.00 a bushel for culled seed rather than not get them. WILLET'S \$450.00 COTTON ELECTRIC CULLING MA-

For this paltry 25c extra cost you should get per acre an extra 150 pounds of cotton in the seed. Our \$450 Culling Machine culls both big and little boll cotton seeds.

#### WILLET'S CULLED COTTON SEED

Pay 25c a bushel extra to the below prices, and buy

OUR COTTON PLANT CUTS—Our cuts are not misleading, abnormal pictures made from plants on highly fertilized land, grown in 4-foot trenches, manured up to the top and plants watered. Our cuts are the normal plants on

and plants watered. Our cuts are the normal plants on average land.

AN OUTRAGE, AND A WARNING—Hundreds of cars of supposedly "early cottonseed" have been sold in the past in the boll weevil districts by oil mills, who simply ship out their miscellaneous scrub stock. We also warn against much of the miscellaneous farmers' seeds of unknown types as advertised in the agricultural papers, grown by unscientific growers, uninformed as to what constitutes true type, and who are ignorant of the absolute heredity of their own seed. It is better always to come to scientific growers and shippers.

#### Varieties We Recommend for Boll Weevil States

Three-quarters of a million bales of these cottons were ginned in 1913 before September.

EARLY SMALL AND MEDIUM BOLL VARIETIES—Willet's Perfection Early Cotton, Kings, Simpkins, Toole, Hites, Broadwell Double-Jointed, Money-Maker, Covington-Toole, Council Toole, Bates.

EARLY BIG BOLL VARIETIES—Express Willet's Ideal Big Boll, Triumph, Cleveland, Rowden.

EARLY LONG STAPLE VARIETIES—Durango 1½, Webber No. 82 1½, Hartsville No. 11 1½, Express 11-8, Dix-Afifi Wilt-Resistant 1½, Keenan 1½-inh.

WILT-RESISTANTS—Dix-Afifi 1½, Lewis No. 63 7-8-inch, Council Toole 7-8-inch, Covington-Toole 7-8-inch.

BOLL WEEVIL NOTES—Plant above cottons early. Plant only cottons that set fruit early and rapidly and mature them quickly.


Write Clemson Agl. College, Clemson, S. C., for Prep.

Write them quickly.

Write Clemson Agl. College, Clemson, S. C., for Prep.
Bulletin 164, Mexican Boll Weevil and Regulations. The
early frost this year reduced cotton crop one million bales.
This shows the absolute necessity of growing the early
types, such as are named in this catalog.

COTTON SEED TESTING—A test for germination is to cut the seed with a knife and examine and taste the kernel; if same is yellowish gray and tastes mealy and oily, seed is good. Always test your seed.

COTTON CULTURE—Break 8 or 10 inches deep with 2-horse plow, and harrow with smoothing harrow; plant with corn planter; rows 3 1/4 to 4 feet apart. Chop out



Small,, Medium and Big Boll.

when cotton is up, spacing in rows 14 (14 inches under Boll Weevil conditions is recommended by Washington) to 20 inches apart in the drill, 1 or 2 plants to the hill, according t the land. Some plant 18 inches in drill, 2 to hill. The "close spacing" plan is now largely used for early cottons is single stalk, 6 to 12 inches in row—hedge row fashion. Cultivate with cultivator shallow and level, about every 10 days, breaking crust and leaving a dust mulch to retard loss of moisture. Do not disturb roots. Manure on side late in season. Give wide spacing to long staples. Under boll weevil conditions, plant one-third corn, one-third cotton and one-third oats.

SYNONYMS—There are perhaps 25 cotton types stand-

SYNONYMS—There are perhaps 25 cotton types standard (see tthis catalog). These cottons sail around in agricultural journals and elsewhere under thousands of names. Bewareof synonyms or alias. It is always a deception, and most often a fraud.

"CAROLINA COTTON GRADER"-Eliminates in cot-


most often a fraud.

"GAROLINA COTTON GRADER"—Eliminates in cotton seed all black and runty and lightweight seeds—thus increasing the cotton crop about 10 per cent, and giving, too, next year, a much higher grade of seed. It will pay even the one-horse farmer to buy one of these \$50.00 machines. Hand Power. Good for big and little seed. We know them all; this the only practical and perfect Hand Cotton Seed Grader on the market. We are local agents; make large sales of them.

WILLET'S SPECIAL "EXPRESS COTTON"—(Lint, 1.1-8 to 1.3-16.) New. Our most valuable of all Anti-Boll Weevil Cottons. Bred by government. The two Miss. Exp. Stations report first pickings of Express 400 pounds more than any other cotton, and that it is the best cotton in Miss. Delta and boll weevil lands. Ira W. Williams, government expert in cotton breeding, writes that Express Cotton is earlier than Kings or Simpkins. Felix Williams, employed by Ga. Com. of Agl., writes that Express yields as much seed as the very best. The lint is 1.1-8 to 1.3-16, and in Miss. 1¼, which gives it 4c or 5c a pound premium. Bolls are fairly large. Gives us extra earliness, productivity and lint length, and with anthracnose resistant qualities, Express is a triumph in cotton breeding and is proving a priceless gift to the boll weevil countries. A state college experiment made at Waynesboro, Ga., 1916, showed Express to be the earliest of 9 cottons as tried out; and from one acre first pickings made on September 7th, and made in 4-foot rows, a 400-pound bale of lint was made. First pickings, 1,914 lbs. Tenn. Exp. Sta. says earliest and most prolific cotton known. Miss. Exp. Sta. says our earliest cotton. Price: One bushels \$2.25; 5 bushels \$3.00; 25 to 50 bushels \$2.85; 100 bushels \$2.75.

#### MEDIUM SIZE BOLLS, SHORT STAPLE.

WILLET'S SPECIAL TOOLE—(Short Staple.)—Early; for boll weevil lands. Of King's type; low bush; shapely. Hybrid of Kings and Peterkin; originated at Augusta. A few days later than Kings; but is taller, more prolific, more limby, lint longer, bigger bolled than Kings. In Georgia 81% is picked by September 7th. Can plant two stalks 10 hill, 18 inches in row. Gins 40 to 42%. Bolls weigh 87 to pound. Height 3.63 feet. Small seed. Recommended and distributed in boll weevil sections by the United States government. So prolific; is it that it is the best-known cotand distributed in boll weevil sections by the United States government. So prolific is it that it is the best-known cotton today in the South! For ten years tremendous shimments have gone into the Southwest. We have a fine list of experienced growers. Three-fourths of Augusta territory use Toole. One Louisiana grower made 1,001 bales on 1,000 acres. Willet's Toole, in many cases, made 1½ bales to the acre this year. A variety test Ga. Entomological Dept., Waynesboro, Ga., as made 1916, gave Toole first picking September 7th on one acre was 1,080 lbs.; second picking 795 lbs.; and the total two pickings 1,875 lbs., with a fair picking not enumerated for the third picking. Comparatively out of nine cottons as tested, Toole stood second in the summary of the first and second pickings. The Toole we have is almost absolutely immune to anthracnose and boll rot. The government expert at Port Gibson, Miss., leading authority today on early anti-boll weevil cottons, says that the best two cottons are Kings and Toole, Kings being slightly earlier, but Toole being more prolific. Pre-eminently the prolific cotton for the South. Planted June 10th, Augusta, made 20 bales on 12 acres; another 45 bales of cotton on 23 acres, and one man made 22 bales to the plow. Here at Augusta, 1914, 107 bales of Toole were made on 100 acres. At recent test Alabama Experimental Station of 32 varieties, Toole stood first also at Ga. Experimental Station, 1906; first at South Carolina Experimental Station, 1906; three gin tests showed 40 to 42 per cent at gin. Large amounts sold in Texas for planting after Irish potatoes. Texas reports it does not shed with them as badly as others. 1,250 pounds gins out a bale 505 to 510 pounds. At Augusta ginned out by November 1st, 80 bales. 500 pounds each, from 80 acres. Alabama Experimental Station reports 81 per cent picked from fields by September 7th—only a few days later than Kings. Magnificently



Toole Cotton.

productive. Comes early and holds on fruiting until late. Fine results on poor land. Stands drought and negro usage. Very stocky, limb close with short boll joints, often me dium size, seeds small. Matures a heavy crop early, reacts quickly, and hurries for a full top crop. Stalk, beautifully shaped, in cut, is from ordinary field; shows over 100 bolls. We have a photograph showing 32 open bolls on one limb—seven bolls being in one solid cluster.

We have furnished a large number of carloads of Toole cotton seed to the various United States Agricultural Experiment Stations in the Southwest, because, as they say. Toole is not only early, but it is exceedingly prolific; and is especially valuable on the rich bottom lands of the Southwest because the stalk of Toole does not grow too large. Price: One bushel \$2.75; 5 to 10 bushels \$2.50; 25 to 50 bushels at \$2.25; 100 bushels at \$2.15. Get prices delivared in ear lots ered in car lots.

WILLET'S SPECIAL KINGS—(Short Staple, 7-8-in.)
—(Syn., "Sugar Loaf")—Small stalk, spreading limbs, pyramid shape. Planted at Augusta June 20th, past season made bale per acre.

The government experts at Port Gibson, Miss., leading authority today in the world on early anti-boll weevil cottons, says that the best two cottons are Kings and Toole, tons, says that the best two cottons are Kings and Toole, Kings being slightly earlier, but Toole being more prolific. The earliest cotton in the United States. 103 bolls make 1 pound cotton seed. About 38½ pounds lint to 100 pounds seed cotton. Carolina growers report 40 per cen., -2 per cent open by September 1st. Average about 3 feet high. Kings opens in Texas, July 15th; in Georgia several weeks later. Prolific—the writer makes 1½ bales per acre. The writer planted Kings cotton last year, June 30th, and it had blooms in six weeks. It had no rain from the first of July to August 15th, yet many stalks showed at least 250 bolls open and matured. Turned out better than any other



cotton on the place. For three years we have gathered over a bale to the acre on a certain 20 acres of land without fertilization except that received from winter vetches sown in fall and cut May 1st. Boll is medium; seed very small and green-like. Often makes very fine top crop. Invaluable for planting after wheat, oats, beardless barley, and Irish potatoes. Wherever a short growing season is necesary, Kings is above all others. The salvation of all bool weevil lands. Kings makes its crop before boll weevils



Willet's Special King Cotton.

have become (through their cycles) numerous. Boll weevil states should come here every year for these and other seed in preference to weevil infested seed. The old name of this cotton was "Sugar Loaf." named on account of its pyramid shape, and with about 20 per cent of blooms showing red spots on them. This is the Kings as is annually sold today. Our Carolina growers, whose crops we control, which we call Willet's Special Kings, have bred this cotton so as to now show often 80 to 85 per cent blooms with red spots. Largely immune to anthracnose, only 1 per cent. We offer this Carolina Kings stock, f. o. b. Augusta. Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25 to 50 bushels at \$2.35; 100 bushels at \$2.25. Get delivered prices on car lots.

WILLET'S PERFECTION EARLY COTTON—(Short Staple.) New, only listed by us. Bred by one of the most scientific growers in Augusta territory. Was bred from



Perfection Cotton.

Toole; and for six years the breeder has been selecting his seed for earliness, productiveness and a large size boll. We

can say this is one of the most prolific early medium boll cottons we have ever seen. Each year there is, in early anti-boll weevil cottons, a betterment and an evolution. This year it is "Willet's Perfection Early." Seed are the prettiest most uniform and homogeneous known. Its points of superiority are: It is practically as early as Kings, one of the most prolific, larger boll than Toole, less costly to pick than Toole, better lint and smaller seed—all strong, advantageous points. We predict for it a wide circulation. Our grower is the originator. There is only a limited amount of seed to be had, and we advise every one to try a small amount. Our grower this year got Ic a pound premium for Perfection lint, and actually made a 500-pound bale from 1,100 pounds cotton-in-the-seed. Bushel at \$3.25; 5 to 10 bushels at \$3.00; 25 to 50 bushels at \$2.75; 100 bushels at \$2.50.

WILLET'S SPECIAL SIMPKINS EARLY PROLIFIC—(Short Staple.) Early for boll weevil lands. A selection from King's cotton. Resembles King's very much in growth and shape. Equally as early. Some growers make a bale and a half to two bales per acre. Certain exploiters have advertised this cotton as being ten days earlier than King's and have made big money on it. This is wholly untrue, and is unjust to buyers. King's and Simpkins open at same time

Our grower says: "The superiority of this cotton consists in its extreme earliness and heavy fruiting. Has long limbs which come out at the ground: has close joints and small seed, and yields 40 per cent lint at the gin. Received first premium at North Carolina State Fair, 1905, 1906 and 1907, for the best stalk, best seed, best yield per acre, and best bolls." He adds that one grower in Louisiana who planted 1,200 acres in it in a completely infested boll weevil district, made 509 pounds lint per acre with Simpkins, and made only 200 pounds with some later cotton.

The N. Car. Exp. Sta. writes us that Simpkins and King's cottons are of the same general type; Simpkins cotton, is a strain of King's. The Exp. Sta. tests indicate that King's seed and good Simpkins seed are about of equal merit. We offer fancy Carolina stock, f. o. b. Augusta. Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25 to 50 bushels at \$2.35; 100 bushels at \$2.25. Get delivered prices on car lots.

WILLET'S SPECIAL HITE'S PROLIFIC—(Short Staple.) An Augusta origination. One of the most prolific cottons in existence, also early, probably week later than




Hite's Prolific Cotton.

Kings. Easy to pick: superior lint fine staple. Weed inclined to be somewhat of dwarf nature, an open growth



with forked leaf admitting the sunshine. Long tap root, resists drought. Three to four branch limbs at or near ground branching out; other limbs all the way to the top. They are all laden down with bolls. If proper space is given usually spreads out as wide as it grows high. Medium size boll, 80 to 85 to the pound of seed cotton. Gins from 40 to 43 per cent of lint. While not entirely double, jointed cotton, you will find several limbs on each single plant with two bolls growing opposite each other, as many as 10 to 16 bolls in 10 to 14-inch space. With proper preparation, cultivation and fertilization, Hite's Prolific Cotton will produce from 1½ to 2 bales per acre. Well suited to all soils. Clemson College pronounces this cotton absolutely free from anthracnose, which is a great consideration. See cut, 2 pages forward, which represents an average stalk from a field of 17 acres. Notice particularly that it is fruited to the entire top. No better recommendation for this cotton can possibly be had than the test at the Ala. Exp. Sta. at Auburn, in 1911. Out of 29 varieties and strains of cotton, Hite's leads them all. It was the most productive variety, making net \$5.22 per acre more than the next most prolific, and \$33.14 more than the least productive variety. In these tests cotton was planted on April 25th on sandy upland soil and fertilized at the rate of 400 pounds per acre, consisting of Acid Phosphate, Nitrate of Potash and Nitrate of Soda. The past season in South Carolina, out of a test of 27 varieties, Hite's cotton was more immune to the red spider than all other varieties, being open growth and admitting the sunlight. Price: One bushels 22.75; 5 to 10 bushels at \$2.25; 100 bushels at \$2.25; 100 bushels

WILLET'S SPECIAL BROADWELL'S DOUBLE-JOINT-ED—(Short Staple.) Very early; for boll weevil lands. Originated in Georgia. United States Agricultural Department says: . "A strain of King; seeds very small, green



Broadwell Double-Jointed Cotton.

or brown gray; flowers often have red spots; 100 bolls to the pound; lint 13-16-inch." Bolls medium; limbs under and close to the ground. The originator has a certificate from his gin company showing that he gathered in 1905, 12 bales of 400 pounds each from four acres. Very early; has the King cotton red spot in bloom and is close kin to King. The originator writes: "The cotton was awarded the first prize in the Georgia State Fair for years 1905, 1906 and 1907. I have averaged three bales to the acre on my entire crop. I have made two bolls grow where one has been growing before; the limbs grow in pairs from the

main stalk, and two bolls grow side by side on limb. There is not so large a percentage of red spot in the white bloom as obtained in King's cotton. It has a more vigorous stalk, and is not so dwarf as is King." In spite of all claims made by grower, we believe this cotton is practically what King's or Simpkins is. Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25 to 50 bushels at \$2.35; 100 bushels at \$2.25. Get delivered prices on larger amounts.

at \$2.25. Get delivered prices on larger amounts.

MONEY MAKER—(Short Staple.) For Boll Weevil lands. Sometimes called "Little Green Seed." Seed small to medium, mostly green, some green to white, some brown, with a few naked black. An early cotton, the growing type of whose form is small like that of King and Toole. Not a heavy foliage maker. About one week later than King. Can be platned close. Short-limbed, deep root, resists drought and storms. Has been sold for four or five years and tested. Growers have reported 43 per cent at the gin, and from one to three bales per acre. Some extravagant claims have been made by various growers as to the outcome in the field. Especially recommended in boll weevil districts and warm Mississippi bottoms and other moist warm bottom lands. Price: One bushel, at \$2.75; 5 to 10 bushels at \$2.50; 25 to 50 bushels at \$2.25; 100 bushels at \$2.15 Get delivered prices on car lots.

BATES: BATES' VICTOR: BATES' BROWN SEED—

BATES; BATES' VICTOR; BATES' BROWN SEED—
(Short Staple.) This cotton is known by all of these names. It originated in South Carolina. It yields 42 to 46 per cent of lint at the gin per 100 pounds of cotton seed. These seed are possibly our smallest cotton seed. Exceedingly homogeneous; look all alike, with rarely a black seed. It is very similar in out-turn and in every way to Toole cotton. Some people erroneously call it ''50 to 50.'' It is of the Peterkin type. It was exhibited at the Paris Exposition. One stalk at the Augusta Exposition in 1891 in the writer's possession, showed 681 opened, well-developed bolls on it. It takes over 100 bolls to make one pound of seed cotton. Seeds are brown. Possibly not quite so limbly as Toole. Stalks fruit well. Medium early cotton. One bushel \$2.75; 5 to 10 bushels at \$2.50; 25 to 50 bushels at \$2.25; 100 bushels at \$2.15.

### The Earliest Big Boll Varieties LENGTH OF LINT 1 TO 11-16 INCH.

MEBANE'S EARLY TRIUMPH—BIG BOLL—(Short Staple.) Early for boll weevil lands. Largely storm proof. Largely immune to anthracnose—only 70 per cent. Originated in Texas. Immense boll, 46 to 50 bolls making one pound of seed cotton. Earlier than most big boll cottons. Seed fuzzy, medium in size, brownish and greenish white, with some green seeds showing its hybrid character. This



Mebane Triumph Cotton.

variety has been especially satisfactory in regions infested with the boll weevil, and is there sold in large amounts and at high prices. Its lint percentage is often 40 to 42. This seed was distributed by the Agricultural Department, and excited great interest and general approbation in Texas. The demand for this seed will be heavy this year.

The originator says: "This cotton has a strong thrifty, deep-rooted stalk that resists drought well. Has long limbs with short points. Begins to form bolls near the ground



and close to stalk. Bolls are large, mostly five-lock. Produces large, well-developed bolls at top of stalk and end of limb to the end of the season. Fifty of the largest bolls make a pound. The cotton stays in well after opening. It is one of the earliest big boll cottons. 1,300 to 1,500 pounds seed cotton made 500 to 600 pound bales. Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25 to 50 bushels at \$2.35; 100 bushels at \$2.25. Get special delivered prices on car lots. See cut.

WILLET'S SPECIAL CLEVELAND BIG BOLL—(Short Staple.) Early; for boll weevil lands. It has large bolls and good fiber, which measures often from 1 inch to 11-16 inches. No other cotton has same Experimental Station records, standing practically first, seven years with them. Three-fourths out in field September 20th, and all out October 5th. Earliest among the big bolls. A picker can gather 100 bales of Cleveland cotton while he gathers 71 of small bolls. Seed are light, though large. Kernels fit loosely. Here at Augusta, 1914, 32 bales of Cleveland, weighing 500 pounds each, were made on 22 acres.

The United States Agricultural Department says: "Onite

The United States Agricultural Department says: "Quite early in maturity, 50 per cent five-locked, seeds largely fuzzy, light brown gray, bolls 58 to 60 to the pound; origin, Mississippi."


Large boll, namely, 53 ner pound. Cleveland carries less foliage than other big boll cottons. It is desired above them all in the Mississippi and Louisiana bottoms. It is practically free from anthracnose, suffering less than most big bolls. We have one grower making this year 200 bales on 100 acres. We knew Cleveland this year that turned out 40 per cent lint. We know growers near Augusta this year who made two bales on Cleveland cotton seed.

The stalk is branching in growth with five or six primary limbs; the first limbs are long and begin near the ground, an essential feature in early cotton; 1,300 pounds per acre had been gathered from it this year by September 11th, on strong bottom land. One of the best varieties for all parts of the South, whether the boll weevil be present or not.

Another Experiment Station says: "Plants large and low spreading, rapid grower, heavy foliage, bolls are nearly round, mestly have five locks; 45 to 50 bolls to the pound; lint of the best quality, 1 to 11·16 inch. Free from disease. 1,210 pounds make 500-pound bale; yield at gin 40 per cent. Seed are medium size with a few black seed. One of our choicest big boll cottons. One Augusta grower, 1914, sold 200 bales of Cleveland cotton. The shipper, in shipping it, found that 60 per cent of it ran to 11·16 inch lint length. The growers of Cleveland everywhere should insist that they be given a premium for the extra length over 1 inch. Cleveland is a trifle earlier than Toole. Two-thirds of Cleveland runs 1 1·16 inch. South Carolina mills and the Augusta market pay a premium for Cleveland Cleveland, in 120 days, is half picked out. Georgia Entomological Department, at Waynesboro, Ga., in experiment, 1916, picked out 1,120 pounds of Cleveland from one acre first pickings made September 7th; total from two pickings, 1,740 pounds. See cut two pages forward.

Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25

Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25 to 50 bushels at \$2.35; 100 bushels at \$2.25. Get special delivered prices on car lots.



Bank Account.

ROWDEN EARLY BIG BOLL—(Short Staple.) Early for boll weevil lands; lint 1 to 1 1-16 in. It originated in Texas. Big boll, 50 bolls making one pound seed cotton. Bolls are pointed. Quite storm-resistant. Locks mostly five; hang together, and picking with it is quite easy. Lint percentage is above medium; maturity medium. It is one of the prime favorite varieties in the boll weevil region of Texas. Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25 to 50 bushels at \$2.35; 100 bushels at \$2.25. Get special delivered prices on car lots.

WILLET'S IDEAL BIG BOLL—(Extra early short staple.) The originator has been crossing and selecting for earliness the Ideal Big Boll varieties for a number of years. It is a hybrid of Cleveland and Poulnot, crossed with the earliest varieties. After his cross was made, this cotton was selected for earliness and prolificness for seven years before being placed on the market. This hybrid is strictly of the Cleveland type and quality, and possesses some advantages over Cleveland. To be "better than Cleveland" is strong language! But we do not use these words recklessly. We know of no other big-boll cotton as prolific and early as the Ideal. Tested in rows by all the big boll varieties this year, it proved the earliest and most prolific. We offer this as the latest word in early big boll cottons. There is only a limited amount of seed to be had at any price, and for a few years will be very high. This will be a leader in the boll weevil states within a few years. Gins 8 to 40 per cent of lint. Staple runs 1 1-16 inch very strong. Tests at Augusta this season with some three other types of Cleveland (Redding and others), certainly show it to be a better cotton than Cleveland. It has less foliage. Is here a week earlier, and is better fruited than Cleveland, and the same lint—1 1-16 inches. Grows considerably faster than Cleveland and fruits faster. This is a good deal more of a cluster cotton than the Cleveland, and can be planted closer together. See cut 3 pages forward. Price: One bu. \$3.25; 5 to 10 bus. at \$3.00; 25 to 50 bus. at \$2.75; 100 bus. at \$2.50. Get special prices on larger amounts.

### Varieties We Recommend for Wilt-Infested Land

NOTE—In fields infested by Wilt, plant no cotton except wilt-resistant types. To plant other cottons means a loss of 60 to 95 per cent of the crop. Wilt is a seil fungus that through the root ducts gets up into the plant's sap ducts, and growing, fills these ducts and prevents plant from getting water; the plant slowly wilts and dies. No other remedy here except a wilt-resistant cotton, and DixAffi is an absolute remedy and by far, in all respects, the best cotton on wilt lands, and wilt lands are increasing by 10 per cent each year in the country and causing a loss often of 50 per cent of crop. Black root, or Root Knot, is a different disease, and caused by microscopical eel worms in the soil that attack cotton and a large number of other plants. The only remedy is to plant land two years in velvet beans or Iron Brabham cow peas in summer and follow with grains in the fall.

DIX-AFIFI—Early Long Staple. Wilt Proof, bred by Ga. Ent. Dept., being a cross of Dixie Wilt Cotton and Egyptian Cotton. Has a lint of 14-inch, carrying a premium of 10c or more per wound—38c in Oct., 1917, on this crop. At Waynesboro, Ga., a test was made by the Ga. Ent. Dept., 1916, and Dix-Afifi gave September first picking, 1,110 pounds; second picking, Oct. 10th, 570 pounds, total two pickings, 1,680 pounds per acre. This same test. 1917, at Waynesboro, gave 1,394 pounds seed cotton first picking. In a letter to a man in the weevil territory, Mr. E. L. Worsham, State Entomologist, wrote, fall 1916: "Probably there is no better cotton for you in your section than Dix-Afifi. It is very resistant to wilt and root knot, and fruits as early as King." This statement of Mr. Worsham, that the cotton is early, and as early as King, and the result of Sept. 10th first picking at Waynesboro being 1,110 lbs., shows a remarkable earliness for this cotton. This cotton, therefore, carries earliness, wilt resistance, and premium in the matter of lint. As regards prolificness our grower made 10½ bales, 1916, on 9 acres. N. C. H. says: "I lost 50 per cent of cotton crop through wilt. In 1917 with Dix-Afifi I do not find three dead stalks on plantation." Augusta grower says: "I sold in Sept., 1917, Dix-Afifi at 36c lb.; late in Oct. 38c lb.; on Sept. 6th 1 picked seven bales from 15 acres half picked out." It is one week later than Express. Seed are small—some white, some black (Egyptian). It is absolutely resistant to wilt and carries superiority over all other anti-wilt cottons. Seed in great demand and scarce. Price: Bushel \$2.55. to 10 bushels \$3.00; 25 to 50 bushels \$2.85; 100 bushels \$2.75.

COUNCIL TOOLE—Anti-Wilt. In order to improve the old style Covington Toole as an anti-wilt, our Ga. Ent. Dept. has for the past three or four years been making selections and has been breeding a cotton that is the more wilt-resistant and also more prolific. Council Toole has been put on the market by them as being the best Toole type wilt-resistant cotton. This cotton is like Toole in every respect



except that it has been bred into absolute wilt-resistance. Our grower grows about 6,000 bushels and gets the finest results and has been growing it under the supervision of the Ent. Dept. of this state. Price: One bushel \$3.25; 5 to 10 bushels at \$3.00; 25 to 50 bushels at \$2.85; 100 bushels at \$2.75.

COVINGTON-TOOLE WILT-RESISTANT—Toole cotton, which is the principal cotton grown in the Augusta territory, and seems so well adapted to sandy lands, has been bred into a magnificent wilt-resistant cotton. Owing to the fact that very many people are wedded to Toole on account of its earliness and its productivity we-consider this Wilt-Resistant Toole as a most valuable addition to the cotton world. We know one lot of 125 acres near Augusta that had been abandoned for cotton planting on account of wilt this past season, as planted to Wilt-Resistant Toole produced as fine cotton as there was in South Carolina. One field of 10 acres wilt land made, 1913, one bale cotton at Augusta on 10 acres; with Wilt-Resistant Covington-Toole

gin. This cotton is absolutely wilt-resistant. Bred by Mr. A. C. Lewis, of Ga. Ent. Dpt. Has a high record for productivity. In bulletin No. 40, Ga. Brd. Ent., at Vienna, Ga., out of 16 cottons stood first, 1,829 pounds seed cotton per acre; at Lumpkin, Ga., out of 21 cottons it stood third: at Hawkinsville, Ga., out of 10 cottons it stood first. All these tests made in 1914 and on wilt lands. First pickings, Waynesboro, 1917 test, 1,394 lbs.; total pickings 2,038 lbs. For a short staple, productive and fairly early, absolutely wilt-resistant cotton, Lewis' 63 probably stands at the head. Price: One bushel \$3.25; 5 to 10 bushels at \$3.00; 25 to 50 bushels at \$2.85; 100 bushels at \$2.75.


\$3.00; 25 to 50 bushels at \$2.85; 100 bushels at \$2.75.

WILLET'S IMPROVED DIXIE WILT-RESISTANT—
—(Short Staple.) Credit of originating is due Mr. W. A.
Orton, of the Department of Agriculture, Washington. Late, not adapted to boll weevil land. This is a medium size plant, and is now quite prolific. Bolls small to medium, about 85 to make a pound of seed cotton. Good staple length 7-8 to 15-16 inch and strong per cent of lint, 38 to 40. Some growers say they prefer it to most any variety, although they have no will on their lands. Price: One bushels, \$3.25; 5 to 10 bushels at \$2.85; 5 to 10 bushels at \$2.85; 100 bushels at \$2.85; 100 bushels at \$2.85; 100 bushels at \$2.75.

100 bushels at \$2.75. Get delivered prices on car lots.

EXTRA E A R L Y LONG STAPLES— BIG BOLL (13-16 TO 11/4-INCH STA-


NOTE - The only




Field of Dix-Afifi Cotton.

it made, 1914, a dandy crop. The earliest of all anti-wilt cottons, and is, therefore, an excellent wilt-resistant cotton for boll weevil lands. Price: One bushel \$2.85; 5 to 10 bushels at \$2.60; 25 to 50 bushels at \$2.35; 100 bushels at \$2.25. Get delivered prices on car lots.

LEWIS' 63 WILT-RESISTANT-(See Cut.) Dut.) A cross Bolls medium. between Dixie and Dillon wilt-resistants. Bolls medium. Earlier than Dixie. Short staple—lint 7-8—38 per cent at



Lewis' 63 Wilt-Resistant.



Stalk of Dix-Afifi Cotton.

weevil areas. Grown in South Atlantic States, they are equal to Mississippi Delta type, and are earlier and more prolific and have larger bolls. Long staple cottons are in





tremendous demand and carry a higher premium as compared with short as compared with shown. Staples, than ever-known. This higher premium will continue always in the future. There is a will continue a.... the future. There is a tremendous and an increasing demand for all contents. The early carly creasing demand for astaple cottons. The early new big boll early staple cottons are not related to Allens, Florodora, etc., 1½-in. cottons, which are late and can't be raised in boll weevil lands. On Oct. 24,

1917. On Oct. 24, 1917. market price of staples wereas follows in Charleston: 1 3-16, 36c; 114. 39c; 1 3-8, 42c; 11½. 45c; and Sea Island 72c. A large dealer in Savan-nah, Ga., says that these early 1½ cottons will soon supplant all Sea Is-lands in boll weevil

nah, Ga., says that these early 1½ cottons will soon supplant all Sea Islands in boll weevil lands.

WILLET'S SPECIAL "EXPRESS COTTON."
—(Lint 1 1-8 to 1 3-16.)

New. Bred by government. In use in Mississippi for three years The seed until this year unobtainable. The two Miss, Exp. Stas. report first pickings of Express 400 pounds more than any other cotton, and that it is the best cotton in Miss. Delta and boll weevil lands. Ira W. Williams, expert in cotton-breeding, in charge of Thomasville, Ga., Demonstration Farm, writes that Express Cotton is earlier than King's or Simpkins. Felix Williams, employed by Ga. Com. of Agl., writes that Express yields as much seed cotton as the very best. This cotton up to date has been resistant to anthracnose, which adds heavily to its value. Besides this, the lint length is 1 1-8 to 1 3-16, and in Miss. 1 1-4, which gives it 3c or 5c a pound premium. Bolls are large. Giving us extra earliness, productivity and lint length, Express is a triumph in cotton breeding and will prove a priceless gift to the boll weevil countries. A state college experiment made at Waynesboro, Ga., 1916, showed Express to be the earliest of 9 cottons as tried out; and from one acre first pickings made on September 7th, and made in 4-foot rows, a 400-pound bale of lint was made; same experiment 1917, gave first pickings 1.404 pounds seed cotton. Tenn. Exp. Sta. says earliest and most prolific cotton known. Miss. Exp. Sta. says earliest and most prolific cotton known. Miss. Exp. Sta. says earliest and most prolific cotton known. Miss. Exp. Sta. says earliest and most prolific cotton known. Miss. Exp. Sta. says our earliest cotton. In Burke Country, Ga., three bales of Express cotton were picked out by August 18th by one man. G. P. K., Ga., says: "The best of all boll weevil cotton. Earlier than King's; in boll weevil lands it is the 'obligatory' cotton to grow. While it turns out less at the gin—about 31 per cent—yet I ret an extra early crop, and get a premium for my lint." Express sold Augusta Oct.

DIX-AFIFI 14-INCH—(See Cut.) Very early, good for boll weevil lands, 14-inch staple Egyptian equivalent, bringing 10c a lb. premium, prolific and while wilt-resistant and our best wilt-resistant cotton—see just above for full particulars of this cotton under "Wilt-Resistant Cottons." One bushel \$3.25; 5 to 10 bushels \$3.00; 25 to 50 bushels at \$2.85; 100 bushels at \$2.75.



Express Cotton.

"Dur-DURANGO 11/4-INCH—U. S. Government says: "Durango is a newly acclimated Mexican variety, bred at first



Webber No. 82.





in Texas, but now proving to beadapted to a wide range of conditions in other states. Durango is distinctively earlier than Webber 114 inch or Columbia 114, and has given betthan Webber 1¼-inch or Columbia 1¼, and has given better results than all other long staple varieties in the irrigated sections of the Southwest, and in the upland districts of the Southeast. Augusta grower says: "Earlier than twebber 49'; earlier than Cleveland one week to 10 days." J. C. L., Augusta, says: "Great success for two years with Durango and averaging one bale to acre." J. B. W. says: "Have never seen cotton fruit so and make so fine a crop." W. B., Ga., says: "Will make as much and is as early as any cotton in the country." Price lint Oct., 1917, 39c to 42c. A Va. grower got on 10 acres an average of 1,930 lbs. cotton in seed per acre and some of his cotton ran 1 3-8 and averaged 1 1-4-inch. Even as far north as Norfolk, Va., it has been grown on a commercial scale for the last five years, about 1,600 acres being planted in the season of 1916. Durango is very prolific, frequently outyields short staple varieties, and often shows a higher out-turn at the gin, the percentage being usually above 30, often 32 to 34. This lint attains a length of 1¼ inches under favorable conditions; has a distinctive, strong inches under favorable conditions; has a distinctive, strong


above 30, often 32 to 34. This lift attains a inches under favorable conditions; has a distiquality of staple, and has found a ready market, with substantial premiums above the regular prices for short cottons. Some 20.000 bales have been grown in the Imperial Valley of California this season outyielding short staples. Its earliness gives it extra advantage under boll weevil conditions. Boll is large, 60 to a pound; 50 per cent five-locked. L. E. B., Ga., says: "Durango brings 38c, is extra early, prolific, yields with any staple cotton known to me. Carries large bolls, and makes picking easy. Our seed come from the largest Virginia grower (800 acres)—this high Virginia latitude in itself giving the cotton a quick-growing season. Price: One bushel \$3.25; 5 to 10 bushels \$3.00; 25 the cotton a quick-growing season. Price: One bushel \$3.25; 5 to 10 bushels \$3.00; 25 to 50 bushels \$2.85; 100 bushels \$2.75.

"WEBBER 82", 11/4-inch" (See cut.) The most productive of all Webber strains. The leading staple cotton in S. C. today. 10 per



Keenan Cotton, 11/4-Inch.

cent more productive than old style Webber. Our seed from pedie than old style Webber. Our seed from pedie reed seed. Large bolls. Yields lint often of 1 3-8 and has fetched 1917 fall 38c to 41c. Lints 33 3-4 to 34 1-2. Fairly early. We began picking this cotton in August. Many regard it as the most productive cotton in S. C., and its extra lint and the contraction of the contr price has greatly stressed this cotton.



Webber No. 82 Lint.

S. C. is known as making the largest high-grade strong fiber of all big boll staple cottons. We saw on one stalk of Webber 82 this year 195 big bolls. Price: One bushel, \$3.00; 5 to 10 bushels \$2.85; 25 to 50 bushels \$2.75; 100 bushels \$2.50.



Cleveland Cotton.





WILLET'S SPECIAL HARTSVILLE No. 11 11/4-INCH—Early Big Boll. Has been in use in S. C. 15 years. Sometimes gives lint 1 3-8. Lint fetched fall 1917 38c to 40c. A strong staple and fine spinner, practically stormproof and stands weather conditions better than most cottons. Our seed from pedigreed seed. It was bred at Hartsville, S. C. Price: One bushel \$3.00; 5 to 10 bushels \$2.85; 25 to 50 bushels \$2.75; 100 bushels \$2.50. Get special delivered prices on car lots.

in diameter, 1% inches in length. 60 bolls to the pound. Price: One bushel \$3.00; 5 to 10 bushels at \$2.85; 25 to 50 bushels at \$2.75; 100 bushels at \$2.50. Get special delivered prices on car lots. See cut preceding page.

### Extra Long Upland Staples LATE MEDIUM BOLLS.

NOTE-Since boll weevil lands can not grow these late




Willet's Ideal Big Boll.

2.5

WILLET'S SPECIAL "KEENAN" 1½-INCH—A hybrid of Egyptian and Jones' Big Boll (a famous old thread-making cotton). Remarkable in that it is two weeks earlier than other 1½-inch cottons, and only ten days later than King's. Full 1½ to 13-8-inch lint; 85 per cent five-locked. Large white homogeneous seed. One of our growers of 100 bales made 1½ bales per acre. Bolls large, 19-16 inches

1½-inch cottons successfully, there is a great scarcity of them, and a big demand, bringing sometimes 50 per cent over middling prices. Have been selling for 42c to 45c a pound through Oct., 1917. They should be largely grown in 1917. England spinners in the fall of 1915 sent a large body of men to Washington to urge the growing of these cottons in the United States.

ALLEN'S IMPROVED LONG STAPLE—Runs full 11/2 to ALLEN'S IMPROVED LONG STAPLE—Runs full 1½ to 15-8 inches. Considered by the mills as the most desirable staple cotton raised in the United States. Sea Island excepted. Plants tall, branching pyramidal. Seeds fuzzy white, small; 80 to 90 bolls per pound. Should be grown largely outside of boll weevil areas in 1918.



Allen's 11/2-Inch Anti-Wilt Cotton.

Fall River, Mass., mill recently wrote us concerning this cotton, that it was the best they had ever seen from Mississippi; that it was as long as average Sea Island, and was good enough for thread. Bids on this cotton from Mississippi at the opening of the fall season of 1912 were as high

as 30 cents per pound. No better Allen's Silk than ours. Price: One bushel \$3.25; 5 to 10 bushels \$3.00; 25 to 50 bushels \$2.25; 100 bushels \$2.75 per bushel, Augusta.

FLORADORA LONG STAPLE—Lint fully 13.8 to 1½ inches. Has been tremendously advertised. Lint fetched 42c in 1917 fall; should be grown largely outside of boll weevil areas in 1918. A South Carolina cotton. Yields one to three bales per acre reported from almost every cotton-producing state. Rapid, vigorous growth, branching freely and fruiting heavily; matures 15 per cent by September; bolls often five-locked. Easily gathered; will not fall out. Common saw gins answer for delinting. Twelve bales sometimes made to plow. One bushel \$3.25; 5 to 10 bushels \$3.00; 25 to 50 bushels \$2.85; 100 bushels \$2.75 per bushel.

#### SEA ISLAND COTTONS.

SEA ISLAND COTTONS.

SEA ISLAND—(Gossypium barbadense L.)—42 poundsbushel. Extra long staple; lint 15-8 or 13-4 to 2 inches.
Seed black and lintless. Plant ½ bushel to the acre in
row—5-foot rows, 3 feet drill. The famous Sea Island cottons of the South Carolina coasts are known all over the
world. We get our seed there. While planted sometimes
75 miles in the interior, yet seed must come regularly from
coast or lint grows much shorter. Roller gin is used, lint
slipping the seed. Product of this cotton is usually twenty
350-pound bales on 25 acres. Tall bush; yield about 30
pounds lint per 100 pounds seed. This lint usually brings
about three times the price of short staple. Our Grower git
last year 72e pound for this lint, showing its ligh quality.
Highest priced cotton lint in the world. A sample of this
lint shown in the city in 1911 proved 2 inches in length,
and was declared by experts the finest Sea Island ever in
Augusta. It is almost indistinguishable from silk. We do
not use seed from South Georgia or Florida—the lint being
shorter and inferior. The United States Government recommends Sea Island growers to concentrate on uniformity
of 17-8-inch length. South Georgia and Florida Sea Island
cotton lint fetched fall and winter 1916, 52c per pound,
and counting the seed fetched about \$285 per bale. This
cotton is being largely grown in 1917 in every possible spot
unaffected by boll weevil, and where Sea Islands can be
grown. This cotton can only be grown in certain far-South
localities and can not be grown under boll weevil conditions. Seemingly it will be extinct in several years. Price:
One bushel \$3.50; 5 to 10 bushels \$3.25; 25 to 50 bushels
\$3.10; 100 bushels \$3.00. Get special prices on larger
amounts.

#### OTHER COTTON TYPES.

Besides the above cottons we can supply Peterkin, Bank Account, Cooks, Columbia, Herlong, Russell, Truitt, Mort-gage Lifter, Poulnot, Poor Land, Christopher, Half and Half Dongola, Texas Oak, and Trice. State amounts you want.

## Forage and Miscellaneous Field Seeds

MAKE EVERY IDLE ACRE GROW FORAGE CROPS. "Leguminous Crops in North Carolina."—Write for this valuable bulletin to North Carolina Department of Agriculture, Raleigh, N. C.

Green Legumes Turned Under—Five tons of green of the varied legumes, as turned under, will yield in pounds nitrogen, and worth (at 20c per pound) in dollars, for soil nutriment, as follows, viz.: Cow Peas, 37 pounds nitrogen worth \$7.40; vetch, 55 pounds, worth \$11.00; crimson clover, 46 pounds, worth, \$9.10; vetvet beans, 54 pounds, worth \$10.80; Soys, 65 pounds, worth \$13.00; alfalfa, 74 pounds, worth \$14.80, and Burr Clover, 85 pounds, worth \$17.00.

#### COW PEAS

(VIGNA UNGUICULATA.) (60 POUNDS BUSHEL.)

Use Mulford's Cultures for Legumes. One acre size, \$1.50, postpaid; 5-acre size for \$5.00 f. o. b. Augusta. Also

\$1.50, postpaid; 5-acre size for \$5.00 f. o. b. Augusta. Also ½-acre size, 50c, postpaid.

One of the greatest soil improvers. The greatest economy crop of farmers. Use our Soil Inoculating Bacteria for Cow Peas.—See inside front cover.

There is an enormous increased use each year for Cow Peas, Velvet Beans and Soy Beans. The South must abolish her Northern hay bill, and also her guano bill; she must make two crops on her land in place of one per annum. All of the above can be accomplished by using Cow Peas, Soy Beans or Velvet Beans. In grounds rich in nitrates, will make big vines, but few peas. Yield in peas 10 bushels (in corn) to 15 bushels (drilled) per acre.

Freight on Cow Peas.—Freight on Cow Peas, Velvet Beans and Soy Beans takes a "D" grain rate in Southern Classification car or less.

GEORGIA COW PEAS.—Augusta is the largest pea shipping point in America. This house is one of the largest

pea jobbers in the South. We ship from November 1st to July 15th. Plant from early spring to July 15th. Drill, broadcast or between hills in corn. Broadcast 1½ bushels, drill 3 feet rows 16 bushel, or in corn rows ½ bushel per acre. Early planting makes vines, late planting makes peas. Makes an overllent mixture

excellent mixture to plant with Soy Beans, Sorghum, Kaffir Corn, Ger-man Millet and Japanese Millet. "Hog' April plantings in July, June plantings in September and October.

United States seed trade supplied. Their best habitat is about us. The South's best friend. The clover of the South. Contains more nutriment as hay than clover or alfalfa. Grow in poorest soil. in poorest soil.
Invaluable for



hay, peas and soil cow Pea Plant.

renovator. Georgia Experimental Station made, per acre, 25,256 pounds green hay, or 5,000 dry. For hay, cut when peas are forming and cure as clover. South Carolina Experimental Station says: "The best legume for the



South. Their full importance to Southern agriculture has not yet been realized." Georgia Experimental Station says: "They stand at the head of all soil renovators." Large yearly increase in use, and extending now to Northern States. Augusta often gathers by July 15th, a crop of New Era, Ramshorn, Iron and Brabham Peas. A big winter-gathering money crop. Cow Peas have long been a leading crop in the South for hay and pasture, and the green peas are staple human food throughout the summer season. In winter the dried peas are just as good food as white Navy Beans. Navy Beans.

PEAS IN A BUSHEL—Count out as follows: Unknown, 143,000; Whipps, 157,000; Clay, 161,000; B. I. White and Ramshorn, 159,000; Peerless, 165,000; Miller, 207,000; Iron, 230,000; New Eras, 234,000; Brabham, 236,160; 230,000; Little Lady, 301,000.

The Four Best Peas—Out of 220 types, Cow Peas tested by United States Agricultural Department, they say the four best are: Whippoorwill, Iron, Brabham and New Era.

FALL AND WINTER SOWING OF COW PEAS-Iron, Miller and Brabham can be fall or winter sown along with grain. Sow peas before breaking land. Break land deeply, then drill oats, barley or wheat; or harrow same in. Peas will come up in the spring. In mowing the grain in the spring, pea tops will be cut; this will make the peas spread out and produce more largely.

IRON, also called FLINT—A small, hardy, grayish-yellow, glassy or shiny pea, known sometimes as Buckshot. Exploited widely by United States Agricultural Department as being immune to root knot caused by eel worms. This pea is, therefore, an invaluable addition to the pea world; is small and one bushel of it will go as far as one and a half bushels of the larger peas. It is tough and hard, and, therefore, largely weevil proof in the barn and in the pod in the field. They ine is resistant to cold; Iron and Brabham pea vines will stay green until frost; can be "picked" six or seven times, and vine then cut for hay. Peas in pods in fields will remain undamaged until late picked. This is possibly the most valuable field pea today in the world. Being a root knot resistant pea, this pea, in preference to others, should be planted in all peach orchards and in the Sumatra tobacco fields of Florida. Earlier than Unknown. After rains often bears a second and sometimes a third croo. Does not shed till peas are matured; therefore, superb pea for green cured hay cut with pea thresher. Planted here July 1st, in drill, grew 28 inches high and 36 inches broad in row; branches were 4 to 5 feet long, were immune to rust. Matures in about 100 davs. 'April plantings Augusta matures crop about July 20th, and ripe peas can be gathered, the vines can be cut for hay, and by cultivating the stubble, the stubble will grow out and make the second crop of ripe peas for gathering before frost. No other pea will do this. Quart 25c. Larger amounts, get price. IRON, also called FLINT --- A small, hardy, grayish-yelprice.

BRABHAM—New, First listed by us. Known as "Speckle Rio" — 60-day two-crop pea. A hybrid of Iron, has the earlines of the Whippoorwill, and the wilt resistant to will tas Iron. A small, hard speckled pea about the sizeize of Iron and New Era. Will make two crops. Ag-BRABHAM-New. First size of Iron and New Era. Will make two crops. Agricultural tests at Washington, yield from Brabham 20 per cent more hay than Iron and 27.1 bush els of seed as against 15.6 of Iron. A Florida grower says: "Brabham peamade the finest lot of er says: "Brabham pea-made the finest lot of vines I ever saw." Thi is practically the New Era pea, combined with the wilt resistant qual ity of the Iron pea. As the New Era in the mid-dle portion of the United States has taken the place

dle portion of the United States has taken the place wholly of the Whippoor will, so when stocks can be had, the Brabham, on account of its wilt resistant qualities, will supplant in turn the New Era. This is the most valuable pea today in America. On account of its size, one bushel will go as far as one bushel and a half of the larger peas. Vigorous, prolific seed, hard, and retains vitality. Hold leaves better than others. Can be planted with fall grain, will lie in the ground all winter, and will germinate next spring. A Florida grower says: "My 20 acres of Brabhams made an astonishing amountof vines which were cut for hay, and from the stems a second crop came which made a full large crop of peas." Sown here in ensilage corn, at laying by we cut corn with binders in August. We cultivated peas

in knocked out middles, peas meeting in 5-foot rows. The originator reports the U. S. Department of Agriculture as saying: "This pea makes more vines than any known pea." Pods white and 6½ inches long, about 18 peas to the pod. Brabham peas and Abruzzi Rye furnish an almost complete all the year proposition for hogs for "hogging." Iron and Brabham pea vines will stay green untifrost; can be "picked" six or seven times, and vine then cut for hay. Quart 30c. Larger amounts get price.

cut for hay, Quart 30c. Larger amounts get price.


MILLER—Called, too, "Smiley"; also "Guess." A favorite pea here at Augusta. A small, hard pea, as hard and practically the same size as Iron. Prolific in vine and most economical pea to sow, because one bushel, on account of its size, will go nearly as far as 1½ bushels of Big Blacks, Unknown, Clays or Whippoorwills. Peas look mixed, but they are not. There are always some few small red and black peas to be found in Miller. A fine runner, and on account of economy in size is a great favorite and much desired. Can be planted with fall grain and will germinate next spring. Quart 25c. Larger amounts get price. price.

price.

PEERLESS—Formerly known as "Running Speckled." Pea is hard, does not stain, and color is lighter and more shiny than Whippoorwill; pea is longer, too, and very slim. Large, long, yellow hull average 12 inches in length. Does not rot so easily as Bush Whips. State College, Agricultural Department, Athens, Ga., reports: "Maturity, Peerless, October 1st; Whippoorwills mature August 20th. A running pea with same large growth as Wonderful. Stood at the head of the list in point of hay yield, making 2.64 tons of hay per acre as compared with Irons, 2.40; Whippoorwill, 2.36; Wonderful, 2.27. Heavy foliage and large stalks, and is entirely a different pea from the Bunch Whippoorwill." Unknown except in Georgia, where it originated. Today Georgia grows it largely as the best forage pea. It must not be confounded with Whippoorwill peas. Some say one quart to the stalk. Easily threshed. Fine for eating green-shelled. Quart 25c. Larger amounts get price. get price.

get price.

WHIPPOORWILL, or SPECKLED, or SHINNEY, or BUNCH SPECKLES (two-crop peas)—Out of 220 varieties of Cow Peas tested by the U. S. Agricultural Department, they say that he best four are: Whippoorwill, New Era, Iron and Brabham. Old variety; bunch pea: upright; yellow pod, thick and rots easily, brown spotted pea. Earliest of all peas; liked in the North; not much vine to it; grown principally for the peas, of which it beas heavily. Mature middle of August. Mottled chocolate in color. Pea is darker and shorter than Peerless. On account of extreme earliness and before advent of New Era universally used in Northern latitudes and of tremendous use even today. Whippoorwill Cow Peas are now largely planted in the middle of cotton rows in mid-summer; and the vines are turned under



Field of Brabham Peas Planted July 20th, Meeting in Four-Feet Rows.

and next season cotton is planted where peas were. Quart

and next season cotton is planted where peas were. Quart 25c. Larger amounts get price.

TAYLOR—Also called "Big Speckled," "Gray Goose," "Blue Speckle," "Java," and "Whittle." A great favorite in North Georgia. The largest seeds of all cow peas. Seeds resemble Whipps, with lighter color. Larger growth of vines and far better than N. C. Black Cow Pea. Very early, a favorite in Maryland and Delaware. The main stalk has two to four runners coming from the vine and run in all directions; can be planted eight feet square and yet will cover the ground. Best to plant in May. Pods 10 to 14 inches. One correspondent says: "Picked as

many as 93 pods from one stalk; heavy yielder in vine and peas." A favorite as eaten green-shelled. Quart 25c. Larger amounts get price.

Larger amounts get price.

NEW ERA—Two weeks earlier than Whippoorwill, and one-third smaller. A bunch pea, erect. Ripens six to eight weeks, recommended where early maturing cow peas are wanted. Universal pea now used in Missouri in wheat stubble after wheat from the middle of June to the middle of July; has supplanted the Whippoorwill.'' Experiment-Station, Arkansas, says: "New Era made 45 bushels per acre peas; Whipps, 27 bus.; Unknowns and Clays, 6 bus.'' New Era has 246 peas in an ounce, Whipps 137 peas in an ounce; hence, 40 pounds New Era will plant as much land as 60 pounds Whipps or Unknown; one-half bushel in a drill plants an acre. Introduced near Augusta, Ga., seventeen years ago. Three crops were made one year at Georgia Experimental Station. Together with Lrabham and Iron, this is the most valuable pea today known in America; often gia Experimental Station. Together with Erabham and Iron, this is the most valuable pea today known in America; often matures in 60 days; bluish color; smallest seeded of all the cow peas, most easily handled by machinery, as in Missouri. April Augusta planting mature crop by July 10th. Vine hold color after pea ripen. Plant never fall down. New Era are seven weeks, two-crop peas, earliest pea grown. Quart 30c. Larger amounts get price.

THE GROIT—For several years has been the favorite pea at U. S. Agricultural Department. A new pea and only a small amount can be had for this year's use. A cross between the Whippoorwill and the New Era. Much confused with New Era. A little larger in size than New Era and in habits and looks is much alike, but somewhat superior in growth and fruits more heavily. Upright in growth, two tons of feed per acre as far North as Michigan. Mature in Michigan fully, and far ahead of any variety that matures so far North as this state, maturing more vines and seed, and holding leaf better. 1916 one party who made 1,000 bushels Groit peas in Louisiana, wrote us in November that this was the only pea that made much more than seed in his section this year. Planted here July 11th showed vine full of green pods September 1st. Quart 30c. Larger amounts get price.

UNKNOWN, or WONDERFUL, or BOSS—Finest combi-THE GROIT-For several years has been the favorite

Larger amounts get price.

UNKNOWN, or WONDERFUL, or BOSS—Finest combination pea for heavy vines and stock peas. Stands at the head as per U. S. Agricultural Department as "largest growing and most vigorous cow pea." Erect vines; late maturing; pale buff color peas. Seed large in size, and have a peculiar hump. Long, light pod. Good hay-maker. Immune to rust. Mature in about 110 days; vining, big leaf and stem; later and more vigorous than Clay. Old favorite in Georgia, Florida, North Carolina, Louisiana and Virginia. Quart 25c. Larger amounts get price.

CLAY, also called CLAY BANK—An old-time variety grown in many sections and especially in Tennessee. Makes a growth of vine similar to the Unknown pea, largely called for in the cane fields of Louisiana. Large growing, seed sparingly. Same color as Unknown. Smaller, flatter, longer. Quart 25c. Larger amounts get price.

Quart 25c. Larger amounts get price.

RED RIPPER—As large a growth as Unknown. Red seeded, very scarce and hard to find. Seed dark red. Same size as Whipps. Late. Excellent in corn. Light seed yield, but heavily in hay. Sometimes called wine pea; being large and soft, it is used for shelling green in the pod. Quart 25c. Larger amounts get price.

N. C. BLACK—Seed large, entirely black, a North Carolina favorite. Clay lands make heavy vines, sandy lands fruit heavily; very early. Quart 25c. Larger amounts get

MIXED COW PEAS—Iron Mixed, Clay Mixed, Whipp Mixed, Miller Mixed, Running Speckle or Peerless Mixed, etc. Few Georgia farmers grow unmixed peas of one type, In mixed peas, if the soil or season is not favorable to one type, then it will be favorable to some other of the type. They are cheaper than straights. Small peas, as found in all mixtures, go farther than big peas of any one type. For forage and hay purposes mixed Earlies or mixed Late peas are generally used in preference to either single Early or single type Late pea. Quart 25c. Larger amounts get price.

price.

TILLMAN PEA—Called by the U. S. Government Early Brown. A very small pea carrying a small upright vine, which is very prolific in peas, but of little value as hay. It is earlier even than the Whippoorwill by three weeks, and in South Georgia, where the white fungus attacks the late peas and destroys the leaves, this pea can always be grown. Peas are soft and are badly attacked by weevils. Being distributed 1917 by U. S. Government. Quart 30c. Larger amounts cet price. amounts get price.

#### **COW PEAS**

THE BEST FOR TABLE USE.

Use Mulford's Cultures for Legumes—One-acre size, \$1.50, postpaid; 5-acre size for \$5.00, f. o. b. Augusta. Also  $\frac{1}{4}$ -acre size, 50c, postpaid. Get Farmers (U. S.) Bulletin No. 690.

The varieties named below are not only valuable as for-ageand soil-improving crops, but the dried peas are readily salable at much higher prices than ordinary cow peas. The dried peas named below are largely used all through the South, and in other sections of the country, as table peas.

The demand for them is constantly on the increase. To make a money crop, as wel las to improve the soil at the same time, these varieties are valuable and desirable. Also sold quite largely on our Southern markets in a green state during the season. Truckers and market gardeners find them a profitable crop to grow in this way.

them a profitable crop to grow in this way.

RAM'S HORN, CALIFORNIA EARLY BLACK-EYE—
Sometimes called Six Weeks Peas. Grown here now as a
money food crop in immense amounts. Do not mature at
once—keep on bearing—keep picked. To furnish protein
and a good balanced ration, our Southern people who live
so largely off starchy foods, this pea should be adopted in
the South to serve just as the White Yankee Bean serves
and is so uniformly eaten in the North. Is a 60-day Blackeye Pea, originally from California. Planted in April makes
two crops. Larger in size of peas and growth of vines
than the usual Blackeye, and quicker to mature. The vine
is exceedingly large, and the peas are exceptionally fine
yielders. For table use the peas are more attractive and
larger and sweeter than Blackeye, and curved up at both
ends, sugary, and skin is a little rough. The best Blackeye
pea known, and for table use this new pea will prove of
immense value. Quart 40c. Larger amounts get price.

BROWN EYE—Medium to large; white with brown eyes;

BROWN EYE—Medium to large; white with brown eyes; universal table pea; good eater; largely used in the South; rots easily in the pod; medium late. Quart 35c. Larger amounts get price.

LITTLE LADY—Bunch; has a delicate vine; very prolific bearer; the finest of all the white table peas; very sugary. The daintiest, smallest and most highly prized of all the white peas for the table. Quart 45c. Larger sugary. The daintiest, smallest and all the white peas for the table. amounts get price.

CONCH, GENTLEMAN, SEMINOLE, or EVER-BEARING PEA—A small, pure white table pea, delicate and delicious. Profuse bearer. Planted in April begin bearing late in June, and vine bears continuously until frost. Pods brittle. The pods can be eaten green like snap beans, or the pods can be shelled for green peas, or dried peas can be saved. The more the pods are pulled from the vines, the more quickly and the more largely the successive crops come on. Plant 4x4 feet, two plants to the hill. Will run in every direction about 8 feet and cover prone all the ground. Vigorous growth. Two quarts should sow an acre, and one quart will make enough seed for a family to consume at the table from June till frost. In large use in Florida—originally came from Seminole Indians. Quart 50c. Larger amounts get price. CONCH, GENTLEMAN, SEMINOLE, or EVER-BEARING amounts get price.

amounts get. price.

CANADA FIELD PEAS—Small, round, smooth, whiteseeded pea. Used for commercial purposes or sown with
other grains for feeding purposes. Height of straw 48
inches. Resembles a small extra early garden pea. Takes
the place in the far North and Canada that the cow pea
does in the South. Not so resistant to hot weather as cow
pea, but is very resistant to cold weather—in fact, it will
stand most any temperature. Valuable hay and forage
plant for the Southern farmer, because it grows at time of
year when cow pea will not tthrive. Plant in the South
any time from September until March. Sown alone, broadcast like cow peas, at the rate of a bushel to a bushel and
a half to the acre, and will afford fine grazing within 90
days after sowing, or allowed to mature will produce a
valuable crop of hay of high feed value. Canada field peas
and Burt oats: Sow bushel of each in February; oats hold
up peas. Combination makes a perfect forage. Cut when
oats just begin to turn. It makes large outturn. Makes
the very best of hay. Are also fine for the table; can be
used for such until the crop is cut. Price fluctuates.
Price: January 1st: Peck \$1.75; bushel \$6.00.

#### SOY, or SOJA BEANS. (GLYCINE HISPIDA) (60 lbs. to Bushel)

Use Mulford Cultures—for Legumes—One-acre size, \$1.50 postpaid; 5-acre size for \$5.00, f. o. b. Augusta. Also 1/4-acre, 50c postpaid.

Weare agents for the Gordon Harvester which, drawn by horses, picks and threshes the beans, and leaves in the field the stalks. Price, \$145.

Soys carry more varied uses than any other plant, and leads all other crops in the production of digestible protein—exceeding corn 100 per cent. After threshing must not be sacked or piled until thoroughly dry. One of the most valuable and important forage and feed crops for Southern formers. Corner superiority over cove peess and carry wide valuable and important forage and feed crops for Southern farmers. Carry superiority over cow peas, and carry wide uses in forage, pasturage, hogging, soil venovation, hay, cash crop, oil, oil cake and canning (dry peas). Resist drought and cold better than cow peas. Sow at corn sowing time. For green manuring, broadcast. For hogs, broadcast last cultivation of corn. Sow spring or summer. Sorghum, Sudan or Cow Peas all make good mixtures with Soys. Yield 20 to 30 bushels per acre—far more than cow peas. For seed, drill ½ bushel in 3-foot rows. For hay or green manure, broadcast 1 to 1½ bushels per acre, or drill. Vines can be cut and seed beat out with flail. Can sow after oats for hay and make 2 to 2½ tons per acre. Broadcast at last corn plowing, in corn, and then will lie on ground up till February for hogs. Fine for hogging. For forage cut the vines when the beans just begin



yellowing, save and feed this combined ration of Beans and Vines. Largely used for sowing with cow peas, to hold the vines up off the ground, so as to enable them to be cut and cured to better advantage. Where sown with cow peas, sow at rate of half a bushel of Sojas to one bushel of cow peas. The combination is excellent. Soja Beans, forage and beans are very nutritious, containing more oil and fattening properties than any other similar crop. The only crop that furnishes a balanced ration in one crop. Not necessary to feed corn, cotton seed meal or any oil foods whatever when feeding Soja Beans. On rich land Soys grow 6 feet and on sandy poor land 3 feet high. Each pod carries three beans and there are 225 to 400 pods per stalk. pods per stalk.



Soy Beans, Showing Productiveness.

Do equally well on light and heavy soils. A most desirable land improver. The yield is heavier in beans and vines than cow peas. Soy Beans are easier raised, more productive, carry more nitrogen, hay is easier saved and beans are easier threshed, and require only half as much seed as cow peas. As a source of protein, there are few things better. The pressed oil is not only edible, but is our best linseed paint oil substitute, also a solvent for cresol; the parched beans our best coffee substitute. The pressed cake is, in Europe, for cattle food, the greatest rival of our cotton seed meal. 25 per cent Soys and 75 per cent wheat flour makes fine biscuits. Being a bushlike plant, Soy Beans do not interfere with the cultivation of other crops, when sown in the middles. Always inoculate seed. In tremendous use for grinding—2,000 pounds Soys make 1,650-pound cake and 30 gallons oil.

MAMMOTH YELLOW SOY—The most popular of all the Soy Beans. More largely planted than all other varieties combined. It has produced in North Carolina and Tennessee in large areas an average of 40 bushels per acre. Light frost, which kills cow peas, does not affect this bean. It is a medium late variety and usually a sure crop. Growers at Augusta pronounce inoculated Soys as making more pea forage per acre than cow peas, and say that it is a far better forage as a feed. The immature green bean seeds make a delicious cooked veegtable akin to green peas, and are canned with great ease.

ned with great ease. Canning factories are ex-pected to take hold of America can compete with growing Soy Beans successfully with the Orient. For canning Yellow Mammoth Soys are used exclusively. Quart 40c; peck \$1.50; bushel \$5.00. this proposition largely. America can compete

BROWN SOYS—A own bean about as brown as large as a cow pea, that has white tracings over it. They mature about like the Yellow Mammoth, but are more prolific, making a larger growth of vines and a better yield as regards the bean. Many North Carolina farmers broadcast brown soys in corn, and say they get better yield of beans and forage than with other types. Quart 40c; peck \$1.50; bushel \$5.00.

HOLLYBROOK SOYS—Grow 25 to 36 inches. The branches are nearly as long as the main stem. Leaves are large. Pods thickly set on the stems and branches. Seed medium in size, of a deep lemon yellow, and very shiny. It yields well in beans. A heavy forage yielder and silage maker. Sow thickly, as the individual plants being large, tend to become top heavy. Hollybrook will mature in 90 days. The pea is smaller than Mammoth Yellow, has a pinkish tinge; is inclined to be a dwarfish bean. The bush is podded right down to the ground. Hollybrooks are two or three weeks earlier than Mammoth Yellow, but are not good yielders in beans and vines, comparatively. Quart 50c; peck \$1.75; bushel \$6.00.

MAMMOTH EARLY BLACK TARHEEL—Black, notably free from disease and insect enemies and entirely immune to the wilt that affects cow peas. Valued because it makes a creditable yield hay and beans in shortest growing period. The Tarheel Black Soy Bean is earlier than the Mammoth Yellow, and gives much more prolific growth and larger foliage. It is a better yielder of seed. For hay purposes it is a far better proposition than the Mammoth Yellow. Early, ready to cut in 90 to 100 days. Beans 20 per cent larger than Mammoth Yellow. Yield heavy. Popular in North Carolina. Price: Quart 40c; peck \$1.50; bushel \$5.00. MAMMOTH EARLY BLACK TARHEEL-Black, notably

MIXED SOYS AND COW PEAS—For hay and forage; etter than single soys or single cow peas. Mix half and better than single soys or single cow peas. Mix half and half, and broadcast, 1½ bushels mixture per acre. Cure as pods begin yellowing. Makes more hay far more easily cured, and is a better ration than cow peas alone. In curing, the upright plant of the soys keeps the trailing cow pea vine off the ground; and as a ration, the beans of the soys, as eaten with hay, gives double value. No better hay earth, and no hay more easily cured than this mixture. Get prices.

#### VELVET BEANS

VELVET BEANS

VELVET BEANS—Culture and Uses. (60 pounds to bushel.)—We are largest dealers and contracting growers in all types Velvet Beans. For seed purposes, plant all Velvet Bean types early. No forage crop known improves soil like Velvet Beans. Powerful mulch crop for orchards. Good for Louisiana cane fields. Cheaper legume crop than cow peas. Vines form a mass 3 or 4 feet high and run 20 feetor more. The U. S. Agr. Dept. says: "The most rank legume cultivated for forage, and one of the most valuable known plants. Smothers weeds and civilizes the soil better than any other crop." Corn and stover at N. C. Exp. Sta. was increased the following year \$18 an acre, following after Velvets as turned under. Nothing equals Velvet Beans for cattle for winter grazing. The South in the future will be the center of the cattle industry. Plant in corn (corn holds the beans up); gather corn in November and turn in cattle as soon as frost falls. In two years poor land broadcasted to beans and corn will produce 35 bushels of corn per acre. One ton beans in pod, shells 20 to 22 bu. beans. Yields per acre 1 to 1½ tons beans in the pod. Beans in pod for horses and hogs are usually soaked till soft 24 hours, and for cows 36 hours before feeding. Some plant when corn is 5 inches high, 2 beans in the row, beside each corn stalk; and some plant when corn is knee high, in corn middles; while some plant when corn is knee high, in corn middles; while some plant two rows of corn close together and then in a 7-ft. middle, one row of peanuts and then one of velvets. As a feed, one acre in Velvets will produce more protein in Georgia than one acre in alfalfa in Nebraska.

\*\*Cotton efter Velvets will increase one-third: 25 acres of alfalfa in Nebraska.


\*Cotton after Velvets will increase one-third; 25 acres of Velvets will graze 100 cattle 30 days. Some break velvet pods in two, soak 24 hours and plant. Velvets are worth



Sov Beans Neck High.

two to four times cow peas for forage and turning under for seed purposes. Velvet Beans are not subject to root knot nor weevils, notably free from disease and insect enemies and entirely immune to the wilt that affects cow peas, and are annual legumes. Two velvet rops following two oat crops will rid any land of nematode worm. Plant in melon fields. For hay, broadcast thick one bushel Velvets after oats, or till July 1st. Cut before frost. Cattle after frost (not before) turned in will eat vines, ripe beans, and unripe frost-bitten beans even though partly

will eat vines, fige beans, and unripe frost-bitten beans even though partly rotten; they clean up the whole business. The big bunches of pods are easily gathered, and finely ground (hulls and beans) make a cheap, perfect ration. Rank growers, furnishing a world of stock feed for grinding, or grazing, and also for turning under for soil fertility. Thousands and thousands of tons are being harvested for grinding up beans in the pod to feed to stock. The dairymen are using it in place of bran and cotin place of bran and cot-ton seed meal. Many dairy-men admit steam in sev-eral places through the bottom of a vat and in an hour two tons beans in the pod can be thoroughly cooked. Velvet Beans can be pastured from frost to be pastured from frost to early spring. The corn stalk is their best support. 700 pounds of Velvet Beans in the pod can be gathered by hand a day, and these bunches can be piled up in the field and afterwards hauled to the



DIXIE VELVET BEAN HULLES—(Also hulls cow peas and other commodities.) Dixie Huller No. 5, 3-horsepower, weight about 650 lbs. Capacity 80 to 100 bus. per day. We have been selling this machine for 12 or 15 years with the highest satisfaction. Price \$100.


SEMINOLE BEAN AND PEA HULLER—New. Weight 300 lbs.; height 3 ft., 9 ins.; floor space, 2 ft. by 3 ft. Carries wide range of work. Capacity about 100 bu. per day. Hulls from the smallest pea to the largest bean.

TO DISTINGUISH WHITE VELVET BEANS—Chinese are white, plump, large. Lyon bean is flat, squarish and size of Sievas. Yokohama bean is smokey, dull white, dented, oval.

100-DAY SPECKLE VELVET BEAN-Introduced and 100-DAY SPECKLE VELVET BEAN—Introduced and named by us. Originated in Georgia, sometimes called the Georgia Velvet Bean. Bean resembles late Speckles, but is larger, and lighter in color. A most valuable extra early Velvet—vines and beans worth double cow peas. One Augusta vine this season showed a length as trained on a string of 30 feet, carrying in some cases 20 pods to the bunch, pods usually contain four beans and are 2 5-8 inches long. Plant spring or summer. Can plant after oats, and use in time before fall oat planting time, as a quick September grazer, or for turning under for soil manuring.

These beans in the hull are being largely ground up alone, or in connection with corn in the shuck, making a perfect ration Southern cattle food. Plant 3 feet apart in corn middles in 5-foot rows; or alternate with corn in the row.

Read above, Velvet Bean Cultures and Uses. Some make 1½ tons beans in the pod per acre. This bean is attracting wide attention and seems to solve for all sections the Velvet Bean question. Were fully matured and threshed for seed purposes in middle North Carolina in 1915. One bunch at Augusta, 1915, showed 24 pods with 112 beans. These beans hull out 60 pounds of shelled beans to 100 pounds of beans in the pod. The big bunches are easily gathered.



100-Day Speckle Velvet Beans and Pod.

Yield 15 to 20 bushels shelled beans per acre. Planted in corn usually make more bushels of shelled beans than corn. Has the following advantages over the cow pea: Its seed cost is 75 per cent less; it is not attacked by weevils; it makes two or three times more vines than do cow peas: it is a larger and better soil renovator, and a larger and better fall grazing matter; its pods are ground up (pods and beans); it is gathered more easily than the cow pea, for a man can gather 600 pounds a day, and each acre ought to turn out about one ton of beans in the pod worth \$20. The meal is 19 per cent protein, 5 per cent fat, and 51 per cent carbohydrates. The bunch of 100-Day Speckle Velvet Beans, as shown in the photo, was taken when green. The bunch carried 36 pods and weighed green 2½ pounds. Price: Quart 25c, peck \$1.00; bushel \$3.00.

OSCEOLA VELIVET BEANS—See two cuts. Only listed by us. A new hybrid from the Florida Experiment Station. Planted ni Florida in May, were reaped in late September. The leaves shed about October 1st, and this makes the bean pod and the corn ear gathering easy. Bean picking is less costly by \$2.00 a ton. Will make 25 per cent more beans than will the 100-Day. Blooms mostly purple. Where beans in the pod for grinding up are wanted, this without doubt is the coming bean and will be in enormous demand. The leaves fall about October 1st, and mulch the ground very heavily. At August athe Osceola was fully developed green, August 22d. On some bunches there were 21 pods. The vine out-turn is about the same as 100-Day. No fuzz on hull; cattle eat it better and it does not sting the pickers in picking. Does not pull down corn as badly as other types. Plant 24 inches in row with corn. Our cut shows 216 pods to the one stalk of corn. One single bunch weighed 1% pounds green, and carried 23 pods, 5 beans to a pod.

About as early as 100-Day, and about 3 weeks earlier OSCEOLA VELVET BEANS-See two cuts.

and about 3 weeks earlier than Chinese. Shatters than Chinese. Shatters more than fuzzy varieties. The beans are speckled like the 100-Day, but twiceas large, being the size of the Lyons. The size of the pod is the same as or the pod is the same as the Chinese, and twice as large as 100-Day. Pods are 5 inches long, carry-ing usually 5 big beans. The bunches often carry The bunches often carry as many as 25 pods, and are often double-jointed, in many cases having two bunches to the joint. Big podded, big seeded, big forage out-turn, and with earliness — the Osceola Bean is the latest wonder of the Velvet Bean world. Price: Quart 30c; peck \$1.25; bushel \$4.00. CHINESE BEANS—(See

\$1.25; bushel \$4.00.
CHINESE BEANS—(See
Cut.)—First listed by us.
Medium early, white.
Month earlier than Florida Speckled and more free
of caterpillars and frost,
and one month later than
Yokohamas and 100-Day
Speckles. Rankest grower
of all the Velvet Bean




Chinese Velvet Beans.

tribe and of more value in soil improvement. From Flori-China. da Experimen-Station 'It is tal says: a heavier cropper than the other velvet beans and ripens usually about a month earlier than either the Fla. or Lyon. It consequently gets out of the way by frosts. Has the good habit of growing vigorously at the start.

Planted fourfeet apart in corn rows,

corn rows, these beans produce large amount soil humus, and soil nitrogen, and winter cattle grazing forage. Make 20 to 25 bushels shelled beans per acre. One bunch at Augusta fair 18 inches long, showed 40 pods. Chinese Velvet Beans planted with Mexican June Corn, here at Augusta, after oats, good yield of corn was made, and more forage for stock than any other crop ever tried on the land. Beans did not mature, but the frostbitten, immature beans were greedily eaten with the vines by cattle. Chinas make a world of forage for grazing after frost.

Prof. S. M. Tracey (U. S. Agricultural Department) says: "Best of all Velvets." Beans are large as Yokohamas, but white, not gray, and ends are almost square; as big as butterbeans. Cattle men now plant in separate fields One Hundred Day Speckles and Chinese, and get continuous grazing September to February 1st. At Augusta, with several inches of leaf mould in many places on ground, and as tall as the corn, and running 20 feet or more, Chinese made an impenetrable mass in the whole field, and it required four-horse plow to turn under. The pods are smooth and easy to pick. A man can pick 600 lbs. a day. China Beans in corn cut altogether is the most excellent thing yet known for silos. The feed content is excellent and the out-turn is tremendous. Price: Quart 30c peck \$1.35; bushel \$4.00.



Osceolas on One Stalk of Corn.




Osceola Velvet Beans.

LATE FLORIDA SPECKLE VELVET BEAN—(Mucuna Deeringianum.) Called "Florida Speckled." The oldest and latest maturing of all Velvet Beans, and largely planted in Florida. Matures from 15 to 30 barrels of beans in the hull per acre, which shell out about % bushel per barrel. Blooms till frost. Mature seed in 7 to 8 months in South Georgia and Florida. A big yielder—vine and pods. Late. Bean is speckled and round. Vine runs 20 feet. Makes 15 to 20 bushels shelled beans per acre. Price: Quart 25c; peck \$1.00; bushel \$3.25.

LYON BEAN-(Macuna Lyoni.) Florida Agricultural Station says: "More vigorous growth, rapid, and vine stronger than Florida Velvet Beans." Our Florida grower says: "Lyon Beans will make as much cattle feed as Florida Speckle and stock prefer them, and always choose them in the fields, as the dust does not collect on the pods as on the wooly podded Velvets. Bloom white, other Velvet Beans purple. There are 4 to 6 beans to the pod. Seeds are white and not round, inclined to be flat. Bean bunches often grow 2 feet in length and 40 to 50 pods to a bunch.' Earlier than Florida Speckles, easier to pick and also to hull, makes more vine, and is a softer bean for cattle to eat. Beans smaller than Yokohamas and Chinese, white, flat, resemble Sievas. From the Philippines. The Florida Exp. Sta. says: "Is usually about a month earlier than the Florida. Its general behavior is similar to the Florida Velvet Bean. Price: Quart 25c; peck \$1.25; bushel \$3.75.

YOKOHAMA BEAN or SMOKY-(Stizolobium Hassjoo.) From Japan. A crop can be obtained two months earlier than by using the Florida Velvet Bean." Yokohama can be made to grow a prolific crop of vines and beans for hav-making, by planting thick, say 2x2 feet. Grows well on soils too light and sandy for other legumes. Pecan orchard people find the Yokohama Velvet Bean of special value in that this bean can be planted very late and can be gathered and used or turned under before nut gathering time. Will mature heavy crop of seed in 100 days from planting, so can be grown successfully as far north as South Carolina and Arkansas, while moderate crops have been matured as far north as Virginia and Missouri. Makes excellent grazing for cattle and hogs from about August until field is cleared. Plant same time as cotton, one peck per acre. Vines must be given a support. Corn stalks are good. The growth of the vine is not as heavy as that of either the Florida or Lyon bean, but yield of seed is larger. Matures before either of the others is ready for grazing. Run often 10 to 12 pods to the bunch, and with 5 or 6 large beans to the pod. Vines 10 to 12 feet; pods are covered with white hairy matter. Seeds are ash-colored. often blackish at ends, oblong and flat, like butterbeans. Larger than Lyons. These beans make an immense crop beans. Pods are almost double the usual size. Should make 20 bushels seed per acre. Price: Quart .25c; peck \$1.25; bushel \$3.75.

#### *SORGHUMS*








Head Early Orange.



Goose Neck Sorghum.



Head Red Top.

SORGHUM—(Andropogon.) 50 pounds to the bushel. The Sorghums make a larger yield in the same length of time than any other forage crop, with possibly the exception of Teesinte. The use of Sorghum as a forage crop has increased very rapidly. No food is more nutritious, or more greatly relished by eattle. Should be one of the staple crops of every Southern farmer. Makes an excellent green feed. Can be cut over two or three times during a season, yielding two or three crops from one seeding. Will stand dry weather much better than millet, and is a surer and larger yielding crop. Sorghum also makes an excellent summer pasture for hogs and cattle. Commence pasturing it when about a foot high, before it joints and sends up its stems. Makes excellent hog pasture to follow rye or rape. For hogging, broadcast three pecks per acre; graze April plantings in June and May plantings in August; and the July plantings in September and October. In syrup-making chop off seed heads and feed; one ton makes 20 gallons of syrup. The sweet sorghums and grain sorghum crops this year in U. S. were more than 50 per cent a failure, which makes the seed exceedingly high.

Culture—Plant from April 15th to August 1st. If in rows 3 feet apart, 20 pounds to the acre, or broadcast, 1 bushel per acre.

EARLY AMBER SORGHUM—(Called also Chinese.)—Slender stalks, narrow leaves. Seed heads loose and drooping with black bulls which usually do not shed in thresh-

EARLY AMBER SORGHUM—(Called also Chinese.)—Slender stalks, narrow leaves. Seed heads loose and drooping, with black hulls, which usually do not shed in threshing; seed reddish-yellow. The earliest sorghum forage known, making in 70 to 100 days, according to climate. Produces about 4½ tons of forage per acre. For forage sow till August 20th. Is not essentially saccharine and is not adapted to syrup-making. For early forage use it is the largest used of all sorghums. Pound 20c; peck \$1.35; bushel \$4.25.

EARLY ORANGE SORGHUM—Georgia Experimental Sta-

not adapted to syrup-making. For early forage use it is the largest used of all sorghums. Pound 20c; peck \$1.35; bushel \$4.25.

EARLY ORANGE SORGHUM—Georgia Experimental Station makes total three cuttings green forage per acre, 42,018 pounds. Erect and compact; heads larger, heavier stalks, and heavier seed heads, but later in maturity than Amber. Seed heads 3 inches wide, 5 to 7 inches long. Chaff deep red, seed reddish yellow. In threshing, seed are freed from hulls and are clean. Sown thickly makes more and better green forage than Amber. The great standard. Better for syrup than amber, and better for the shocking of ripened stalks for feeding. Earlier than Red Top. One pound 20c; peck \$1.35; bushel \$4.25.

RED TOP, or SUMAC SORGHUM—Stems sweeter and juicier than some other sorghums. Seeds smallest of all and go farther in planting. Head erect, dark red in color. Yields about 5 tons per acre of forage. Seeds roundish and clean usually of hull. Medium early, 7 to 10 feet high. Leads all other varieties in portions of Tennessee and in North Georgia, and in these sections for syrup and forage universally used and preferred, seed bringing there a premium. About six days later than Orange. Stools well. One pound 20c; peck \$1.35; bushel \$4.25.

GOOSE NECK SORGHUM—Sometimes called "Crooked Head Texas Seeded." Seed large as Orange, and in color the same; round in shape; never cleans well in threshing, but holds the outside hull which is deep black. Largest of all sorghums, 10 to 14 feet high. Stalks about 1½ to 2 inches at butt in diameter. Sow thinly for syrup. Later than any of the sorghums. Some plant in rows 3 feet wide and 18 inches apart, and 3 stalks to hill. Old growers say that it has the finest flavor of all sorghum syrup, and that the syrup keeps longer in a barrel or jug than other sorghum without jellying. Heads bend over like a goose's neck, and are black, 5 to 9 inches long and 3 to 5 inches

wide. Great demand and always scarce. Prolific in the finest syrup. One pound 30c; peck \$2.25; bushel \$7.50.

SUGAR DRIP SORGHUM—Also called Georgia Cane. Falsely called "Texas Seeded Ribbon Cane." Practically the same as Gooseneck, except it has straight head. Stalk at base 1 to 2 inches in diameter. One acre makes 200 or more gallons of syrup of good quality. Yields in forage three times amount Amber does. Seeds are larger than Western Orange and a good deal larger than North Georgia Orange seed. It is flatter, very much lighter in color; hull is maroon and shells clean. An entirely new, separate and distinct Sorghum. Undoubtedly one of the best varieties for making syrup. An immense maker of forage; one seed produces 7 to 8 stools and stalks. Largely planted in 4-foot rows, 1 foot apart. Grows 12 to 15 feet high. Many growers think that it makes the sweetest and finest flavored of all syrups made of Sorghums. Seed often sold at fancy prices. On account of its especial sweetness, cattle are extremely fond of it. Much liked in Virginia and in North Georgia. A heavy seeder. In the Southwest it is called "Georgia Cane." The demand has been much more than the supply. One pound 25c; peck \$1.75; bushel \$6.00.

HONEY SORGHUM—Known in Tennessee as Japanese Seeded Ribbon Cane, and sold under this name by a number of seed houses. Mr. C. V. Piper, of the U. S. Department of Agriculture, says: "Was distributed by the Department for a number of years, and is the sweetest of all Sorghums." This new Sorghum makes an unusually large stalk, sometimes as large in diameter as Ribbon Cane and runs higher in saccharine than any other Sorghum, being one of the heaviest yielders of mc.



Honey Sorghum.

yielders of mclasses known. Has been ported to turn out as much as 300 gallons per acre. The product thick is thick and bright same; flavor as our Sugar Cane. This syrup in Tennessee brings always a good price. New, and not much known; but never vet has there been enough seed supply fourth the de-mand. Seed head mand. Seed head
is a sprangled
top one. Seed d
husk is bright
red. Is considered to be one of
the most valuable Sorghums e v e r known for syrup purposes, and as a forage crop. Price: One pound 25c; peck \$1.75; bushel \$6.00.

THE KAFFIRS—Kaffir, Milo and Feterita and Shallu (called the grain Sorghums), for cattle feed and human feed, are a more certain crop for grain than corn. Easily make from 25 to 50 bushels per acre (70 pounds of heads equals to 1 bushel). Cut stalk, shock, then cut off the heads and store in a dry place, and feed same on plank floor, and also elsewhere feed the remaining roughage. Kaffir and Milo heads are sold loss in an lets in a

floor, and also elsewhere feed the remaining roughage. Kaffir and Milo heads are sold loose in car lots, in a large way for feeding purposes in the South and West. Kaffirs are soft stalks (not hard like Sorghums); can be cut down and shocked up quickly. The Kaffir crops are increasing mor rapidly than any other crop in the United States. In the drier regions are wholly supplanting corn and are used for all the corn purposes.

are wholly supplanting corn and are used for all the corn purposes.

KAFFIR CORN—(50 pounds to bushel.) Mississippi Experimental Station says: "Will yield 30 bushels of seed on land making only 12 to 15 bushels corn; equals feeding value of corn. Plant as late as July 20—plenty of time to mature seed." The principal crop in Oklahoma. Used as a part in all prepared chicken feeds. Sow with cow peas broadcast, at the rate of a peck of Kaffir corn to a bushel of cow peas per acre. Both can be cut together, making an enormous yielding crop of most nutritious feed. For a crop of forage by itself, Kaffir corn should be sown broadcast at rate of from 1 to 1½ bushels per acre, or drill two pecks per acre—good for three or four cuttings. 21,344 pounds of green per acre. For seed, plants should be from 4 to 6 inches apart. The ground grains make fine muffins, waffles, etc.; a world of food—700,000,000 people eat it. For mixed hay, one peck with 1½ bushels of cow peas, better than Sorghum, since Kaffir has a soft stalk and cures more easily than hard-stalked Sorghum. Get Bulletin 31, Agricultural College, Stillwater, Okla.

RED KAFFIR—This variety has red seed. Yields well

RED KAFFIR—This variety has red seed. Yields well on poor land and ripens earlier than the white and probably a little more hardy. Stalk is more tender and juicy. Heads are long and slender. Grows 5 to 6 feet. One pound 20c; peck \$1.35; bushel \$4.25.

WHITE KAFFIR—A straight, upright growth, with stalky stem and wide leaves. Yield in seed per acre, 30 to 60 bushels. Valuable for stock and poultry. A most valuable fodder corn; grows from 4 to 6 feet high. Stalks attain unusual thickness, and put out enormous leaves, dense foliage, shades the ground, and absorbs the moisture. The stalks do not harden like other varieties of sorghum, but keep green and brittle even when rine. Fodder is relished by stock. Each stalk carries a large seed head. The joints look like sugar cane joints and from these joints grow large suckers, each making a head—sometimes seven heads per stalk: makes one or two quarts of grain per stalk. Price: One pound 20c; peck \$1.35; bushel \$4.25.

MILO MAIZE, or BRANCHING DHOURA—(50 pounds to bushel.) A variety of Sorghum, non-saccharine, growing stalks 8 to 10 feet high. Grows similar to Kaffir corn. Three weeks



earlier, making more grains per stalk. Texas matures Milo in July. stalk. Texas matures Milo in July. It stands dry weather, and makes its crop where corn would wholly fail. Plant in 3-foot rows, leaving one or two plants every 6 inches in the row, and cultivate as corn: 12 pounds per acre, or drill 40 pounds; stool heavily—5 to 6 stools from each seed; cut green many, many times; good for the silo. Very productive; makes sometimes as much as 50 bushels seed plus first cutting fodder. If hogs are turned on a field in Indian corn, Kaffir com and Milo they will devour the entire Milo before touching either of the others. Seed larger than Kaffir. One pound 20c; peck \$1.35; bushel \$4.25.


FETERITA — (Sudan Durra.)
New. Also called "Schriber corn."
Resembles Kaffir and Milo, but is larger, softer grains and more digestible and makes sweeter flour.
Popular in Texas and Okla. Same feeding value as corn. The earliest of the grain sorghums. White grains. To be used as Kaffir. The joints look like sugar cane joints and from these joints grow large suckers, each making a head; makes one or two quarts of grain per stalk. The grain of the suckers is as large as that of of the main head. Fe-

terita matures in amazing quick time, being ready for the silo in 60 days from planting, and thoroughly matures in 90 days. As a drought-resister, it clearly surpasses both Milo and Kaffir. Usually 7 to 8 feet high, making a splendid hog and cattle feed; cut and shock, then cut off heads and store; feed heads on floor to horses and hogs, and the remaining roughage to cattle. Makes 28 to 50 bushels per and store; feed heads on floor to horses and hogs, and the remaining roughage to cattle. Makes 28 to 50 bushels per acrme, and is a safer crop than an equivalent acreage in corn. Poor corn lands or droughty corn lands should go into Feterita for horse feed. 70 pounds heads make one bushel grain shelled. At Augusta, 1914, stood 13 weeks' drought, made four cuttings, for dried hay, and three weeks earlier than Kaffir. Stools 5 to 7 stalks per grain. Can be cut ripened and pilled up for feed—head and stalks. Plant same as Kaffir. One pound 20c; peck \$1.35; bushel \$84.25

SHALLU—(50 pounds to bushel.) (Called also Cal. Rice, Cal. Wheat, Egyptian Wheat.) A non-saccharine Sorghum of widest use in India. Our Augusta grower made Sorghum of widest use in India. Our Augusta grower made this year 30 bushels of seed planted very late on ¾ acre, and from 5 pints of seed. He says, and the Exp. Sta. also says: "Makes more seed than any cane or sorghum, and early double that of Kaffir corn. Stools heavily, 4 to 6 stalks per hill; grows 10 to 14 feet high; planted early, two crops can be had, first for green cutting and second as seed crop. Heads look like large broom corn heads; seed are round, plump and white like Kaffir corn. Excellent for forage; seed unexcelled for chicken feed and good for cattle; excellent if ground as meal for the human." A grower in Alabama says: "We grow two crops in Alabama, and makeas high as 70 bushels to the acre." Plant in rows 3 feet apart, 10 pounds to the acre. or broadcast 25 pounds. Pound 25c; peck \$1.75; bushel \$6.00.

TEOSINTE—(Euchlaena Luxuriana.) Resembles Indian corn; stools heavily; sow in April, May or June. Cut when two or three feet high, and continue to cut as it grows out, all through summer. One acre will produce 50 tons green food in the season and take care of 15 head of cattle. Miss. Exp. Sta. reports 22 tons per acre green forage product. One seed makes 30 to 50 stalks or stools. On rich land grows 15 feet high, and produces larer amount of forage than any known plant. Have seen 225 pounds of forage from one seed; 10 per cent saccharine. Seeds only in extreme South. For seed purposes, plant 2 pounds to acre the last of March, drills 4 feet apart, seeds 2 feet in the drill; cultivate as corn. Ripens last of November; then cut with corn binder, shock and leave in the field until perfectly dry and thresh with separator. It takes 85 degrees heat to germinate Teosinte; needs a long, hot season, rich soil, abundant moisture. Fine for silo. Price: One ounce, 10c; 4 ounces 25c; pound 75c; 5 to 10 pounds at 65c per pound. TEOSINTE—(Euchlaena Luxuriana.) 65c per pound.

BROWN TOP MILLET—(1 man Hay Grass; Kea Grass.) -(Panicum fasciculatum.) (Gers.) See Cut. New, only listed by us.



Brown Top Millet.

here (an East Indian Grass) two years. Undoubtedly better than Sudan or any of our very best grasses or Mil-lets for grazing, green cuting, green cut-ting or cured hay. Plant in April through July, well har-rowed r i c h. land, 3 to 4-lbs. per acre, 30-in. drill, 18 to 24-in. rows, cultiwate with cultivate with sweep once; or six lbs. broadcast. Hay annual. annual. Hay crop about 3 to 5 tons per acre; cuttings in July, Au-gust and Sep-tember. Stools heavily, averages 25 to 30 stems from 1
seed, and each
stem makes a
millet s e e d
head resem-German bling Millet,

In use

seeds themselves are larger, much resembling Cat-tail Millet. Cut shows the product from one seed. Makes about 2,000 lbs. seed per acre; thresh like oats. A Ga. stockman says: "The best grazing grass I ever saw for hogs,

mules and cows. They keep fat on it. Can graze in 4 weeks; in 6 weeks overlaps rows; chickens feed on it green, or the ripe seed. Makes splendid, delicious hay, wide blades, tender stems." A S. C. grower says: "Got 10 one-horse loads from ¾ acre, and my cattle ate the dried hay in preference to oats and corn cured in dough. Green till frost. About 3 feet high, 3 or 4 green cuttings per season if April planted. Caution! This grass under a drought will go dwarf and head out; cut it back before heading, and a good season will bring it to a tall growth. Price: One lb. \$1.25; 5 to 10 lbs. at \$1.00 per lb.

Price: One lb. \$1.25; 5 to 10 lbs. at \$1.00 per lb.

GEORGIA PEARL, or GEORGIA CATTAIL MILLET—
(Pennisetum Specatum)—Known also as Pencillaria, also
Horse Millet, and Maud's Wonder Forage Plant. 1917
crop almost a total failure; seed are high. We are largest
Southern handlers of Cat-Tail Millet. Demand is always
more than supply. No other plant makes so much green
forage as this. Seven cuttings can be had from one planting about Augusta in one season. Total of three cuttings
green forage per acre at Georgia Experimental Station,
52,416 pounds—equals 10 tons cured fodder. Drill 10
pounds to the acre in 3 feet or closer rows; 25 pounds if
for hay. Plant in spring. This is by far the most popular
of all the green quick-eaten millets; non-saccharine, not
sold by bushel. Pound 40c; 5 to 10 pounds 35c; 50 pounds
at 30c per pound. sold by bushel. Po at 30c per pound.

at 30c per pound.

GERMAN MILLET—(Chaetochia Germanica.) Known as Tennessee and Golden Wonder. German Millet makes an enormous yield of most nutritious feed. Must be sown thickly, about 1 bushel per acre, and the crop cut while in bloom, before the seed hardens in the head. Sow when the weather gets warm in May or any time during the summer until the end of July. Two crops have been seeded and grown during the summer on the same land; good hay combination with cow peas. German Millet is the quickest maturing plant that we have probably as a hay crop. You could plant that as late as the middle of August and make a pretty good crop if the land is rich. It makes only a fair quality of hay and ought to be cut before the seed are mature. It is not considered safe to feed millet continuously to horses and mules for a long period, but if they are fed once a day on millet hay, no harm is likely to come. For hogging plant March and April and graze in June. One pound 20c; peck \$1.35; bushel \$4.25.

JAPANESE MILLET—(Panicum Crusgalli)—(32 pounds

For hogging plant March and April and graze in June. One pound 20c; peck \$1.35; bushel \$4.25.

JAPANESE MILLET—(Panicum Crusgalli)—(32 pounds to bushel.) In La. constitutes 50 to 75 per cent of food of ducks. Grower says: "In five weeks from seed, was 4 feet high, and heading well." Rank grower, bushy head. Matures as high as Canada. Superior to German millet; stalks much thicker than German. Also called Billion-Dollar Grass, Barnyard Millet, Goose Grass, Louisiana Wild Rice, Blue Duck Food. For hay, grazing or green cutting; cut 5 or 6 times, or can be broadcast and cut for hay 3 or 4 times. Miss. Agl. Col. says: "Produces per acre 36,000 lbs. of fodder or makes 12,000 lbs. of cured hay, or 67 bushels of seed; hay surpasses a good corn fodder. Annual. Sow from April to August 1st, 32 lbs. per acre. Makes crop in 6 to 8 weeks. Can be cut for hay several times and then fall grazed. Stools heavily. Cut for hay isst before seed heads form. Seed head large, 6½ inches long. In rich lands grows 3½ to 4 feet high. Resembles rice in growing; heavy bladed; grows in upland and is at home perfectly in wet black land; under water sometimes two weeks, a fine producer on waste wet lands. Japanese Millet in 32 days, as planted at Augusta, showed full grown seed heads and plant 5½ feet high with 8 or 10 stools per plant. One lb. 20c; 25 to 50 lbs at 12c; 100 lbs. at 10c lb. POP CORN FOR FORAGE—Makes quick spring forage. Earlier than other corns. Full grown in June and stooling heavily, it makes a world of forage which, when cut and fed, the corn in the milk and green forage makes a perfect than other corns. Full grown in June and stooling heavily, it makes a world of forage which, when cut and fed, the corn in the milk and green forage makes a perfect than other corns. Full grown in June and stooling heavily, it makes a world of it. Can be sowed up to July 4th, in 3 or 4-foot rows, several grains every 6 inches, 1 peck to ½ bushel per acre. 1 lb. 20c; 5 to 10 lbs. 18c; 25 to 50 lbs. at 15c; 100 lbs. at 15c peck to ½

JAPANESE SUGAR CANE--We sell December 1st to One of the greatest forage April 1st. f. o. b. Florida.

plants known. Highly prized and in largest use in Florida and South Georgia. Will probably produce more forage per acre than anything known. Also affords fine support for Velvet Beans when planted together. Can be eaten at same time through the winter. It is not a Sorghum. Is strictly a sugar cane, and each joint of stalk has an eye. Each eye is a perennial, and when planted produces from 10 to 12 stools, and a maximum of 20 for each eye. It has immense root system, something like 3 feet. Very pro-10 to 12 stools, and a maximum of 20 for each eye. It has immense root system, something like 3 feet. Very pro-lific, making from 10 to 12 tons per acre, and 15 gallons of syrup per ton. It will do better farther North than any variety of sugar cane. When once planted, if properly cared for, will last 3 to 8 years, sprouting from the stubble each spring. Syrup made from this cane is of excellent quality; can hardly be told from Ribbon Cane, and is preferred by some. The sugar cane grinders for sugar purposes, pay only 10 per cent less for Japanese canes than for Ribbon Canes. Cut the stalks before frost, stand them up against the house, spread pine-straw over them to prevent frost, and feed cattle with same in February. 1,000 stalks plant an acre, by laying stalks in row end to end, 3 feet apart. Rows 6 to 8 feet apart. Stalks about 5 feet high. Price, cash with order for whole stalks: 100 stalks, \$5.50 to 300 stalks, \$9.00. Price: Stalks cut to 12 or 14 inches long, each, sacked, 500 for \$2.75; 1,000 for \$4.00; 5,000 at \$3.75 per 1,000.

#### PEANUTS

THE PEANUT AND ITS CULTURE and USES.—
(Arachis Hypogea)—An annual soil enriching legume. Also called Pinders, Goobers and Ground Peas. One of the big cash crops in this country. Tremendous amounts are being grown— Ala., 980,000, Ga. 500,000, Texas 600,000 acres. Get fromthe Agricultural Department at Washington farmers' bulletin No. 751, "Peanut Oil." Also from the Sea Island Cotton Oil Co., Charleston, S. C., their bulletin, "Planting Peanuts for Profit," also "Peanuts for Profit," from J. F. Jackson (C. R. R.), Savannah, Ga.







North Carolina. Virginia. Spanish.

Jumbo

Best soil, light sandy loam. Level culture best, prepare ground with disc harrow. Plant running peanuts in 36-in. rows and 12 ins. between; bunch peanuts 30-in. rows and 6 to 8 ins. apart in the row; plant 1½ ins. deep. To gather bunch peanuts, run a plow in the fall close to the peanuts, take pitchfork and lift up peanuts with the vines, at 3 or 4 hours, stack peanuts with the vines, around a ridge pole. Ridge poles to be 8 feet high, with 2 cross-pieces nailed to pole at right angles at the base, and 8 inches above ground. (See Cut.) In winter take nuts off by hand or Lilliston machine, and feed the hay. For hog purposes, plant 2 bushels per acre, April 15th to July 15th. Graze from August 15th to January 1st. To make hay, harvest before frost. One acre peanuts makes 1,000 pounds pork. Peanuts, like velvet beans, are not affected by wilt pork. Peanuts, like velvet beans, are not affected by wilt or root knot.

USES—Parching, confections, butter, salad and cooking oil, cattle and hog feeding, cake, ground hulls for feeding, and "hogging" in field.

WHITE SPANISH — (Arachis Hypogea—30 lbs. to the bushel. Plant 1½ to 2 bushels in shell per acte; break pod in two parts, soak and plant at once. Lime sour land 1 ton per acre, or use on non-sour land, 500 to 800 lbs. guano, 12 per cent Phos. acid and 2 per cent remonia. Plant in 2% foot rows. per cent Phos. acid and 2 per cent ammonia. Plant in 2½-foot rows and 6 or 8 inches in the rownever plant further apart. From 40 to 90 bushels should be made per acre, and the residue of hay should total the cost of the peanut crop being usually one ton of excellent hay worth about \$22. The most yaluable neart of all the peanst yaluable nearty of all the peans most valuable peanut of all the peanuts for oil—contains 5 to 10 per cent more oil than other types and the earliest. In tremendous use as ground up by oil mills for oil and

Japanese Sugar Cane.



cake—one ton of peanuts in pods yielding 80 gallons of delicious sweet oil and yielding also 750 pounds of the best feeding cake. Will supplant cotton on sandy lands as a Southern money crop. As easily sold as cotton, and as profitable as cotton at 15 cents. Oil mills pay 10c per bu. more than

White Spanish Peanuts.

for cotton seed, and are using product of 2,000,000 of 2,000, acres or 70,-000,000 bus. today where two years ago they we re grinding none. The oil and cake are superior to that rior to the from cotton coed. Peanut seed. Peanut meal makes hard hog flesh. One acre peanuts worth 1 acre in cotton, producing bale per acre. One man in S. C. made 100 bus. per acre on 300 acres in 1916. Hay alfalfa equals

Mature in 110 days. Small pods, strong growing upright stems, abundant and heavy foliage, pods cluster at base of plant and attach to the roots. Magnificent hog crop. Plant April to July 15th, following after oats. Hogs can be turned in on patch or the vine can be fed all winter from the storage barn after peas have been picked. Plant, too, in late corn rows between the stalks. Georgia in value.



Field Spanish Peanuts Stacked.

correspondent writes that on four acres in 30 inch rows planting one seed to the hill, 8 inches apart, planted June 10th, dug October 23d, kept in shock until November 10th, and then hand-picked at a cost of 10c per bushel, he made 230 bushels of peanuts on the four acres plus \$60.00 worth of pure hay. About 460 unshelled peanuts weigh a pound. Price: 5 lbs. at 15c; 10 to 25 lbs. at 12½c; 50 to 100 lbs.



North Carolina Peanuts and Corn Growing in South Georgia.

LITTLE RED SPANISH—(30 pounds to bushel)—Originated a few years ago in Georgia. They are a bunch peanut and pods adhere to the roots. The bunch is larger than the bunch of the White Spanish. The pea is very red, meat cream. Besides the extra amoutn of hay in them, the Red Spanish invariably have two peas to the pod, while 25 per cent of the White Spanish have only one pea to the pod. Red Spanish is slightly larger than the White. The genuine Red Spanish taste similar to the Valencia. The skins are fiery red. Only listed by us and extremely scarce. Growers this year near Augusta made 75 bushels per acre. Oklahoma says great improvement over White Spanish; will stay unrotted longer in the ground than the White. Price: 5 lbs. at 20c; 10 to 25 lbs. at 18c; 50 to 100 lbs. at 15c lb. LITTLE RED SPANISH--(30 pounds to bushel)

VALENCIA—(24 pounds per bushel)—A Spanish peanut sometimes called Three and Four to Pod. Must not be confounded with the Little Red Spanish or Tennessee Reds. Are exceedingly rich in oil. Some prefer to grow the Valencia peanut to the White Spanish type. They both attach to the root and peanuts can be pulled up along with the vines, but being heavier than the White Spanish, they are much easier to detach from the vine. Both vines are upright, but the foliage of the Valencia is fully one-fourth more, as regards to forage and hay, than the White Spanish. These are said to excel all other peanuts in production, 80 bushels per acre here at Augusta; are exceedingly profuse in hay. About 260 pods weigh a lb. Perhaps two weeks later than the White Spanish. Sell for a high price, are greatly to be desired, and only a minimum amount at any time can be found for sale. Can be easily planted after oats, making a good crop. Of a special fine flavor, thin pod and easy to shell. Cultivate flat; each joint sends out 1 to 4 rootlets that may take root and cover ground and make nuts. The prize acre at Augusta made 159 bushels. The standard fancy parching peanut, now grown here, for soll the property of the production of the property of the production to the production of the production o make nuts. The prize acre at Augusta made 159 bushels. The standard fancy parching peanut; now grown here, formerl yimported from Spain; two crops; good in red lands. Growers who grow these for the parching trade should hand-pick them and send to the market only peanuts containing 3 and 4 to the pod, and all sound, and thus eliminate pods carrying only 1 or 2. These hand-picked graded peanuts of 3 and 4 to the pod always fetch a premium. Valencia peanuts must be picked when they are ripe. They sprout in the ground sooner, it seems, than other peanuts. Price: 5 to 10 lbs. at 25c; 25 to 50 lbs. at 20c; 100 lbs. at 18c.

TENNESSEE RED—(24 pounds per bushel)—Run "3's and 4's." Very hard shell, and hard to crack same with fingers. Universal for red land peanut. A bunch pea, bright red, attach to the roots, contain from 3 to 4 peas to the pod; shell thick and tough; well adapted to hograising, as peas will stay in the ground all winter and come up in the spring. Bunch-tops, and peanuts can all be pulled up at one time with the hand, and afterwards the hay can be baled and the peanuts taken from the roots. Easily handled, yields well; earlier than Virginias. Smaller and harder shelled and must not be confounded with Valencias. 264 pods weigh about 1 lb. Price: 5 to 10 lbs. at 20c; 25 to 50 lbs. at 18c; 100 lbs. at 15c lb.

at 20c; 25 to 50 lbs. at 18c; 100 lbs. at 15c lb.

NORTH CAROLINA, or LITTLE WILMINGTON—(24 pounds to bushel)—Known as African, Wilmington and Florida Peanut. A running peanut, smaller than the Virginia Running or Bunch, but somewhat larger than the White Spanish. The great hog peanut. In South Georgia and Florida are used in tremendous amounts for hog purposes, as the peanuts do not rot lying in the soil through the winter. Hogs in the field do all the gathering. Peanuts fill the whole pod and contain no pops. Sometimes vines cut for hay, and nuts then hogged. Yields 60 to 90 bushels per acre. U. S. Dept. of Agl. says of it: A small-podded varietyl with very heavy dark-green foliage; stems creeping, sometimes having a spread of 3 or 4 feet; pods scattered along procumbent stems and not adhering well in digging; small, a little larger than the Spanish variety, usually containing two peas. Price: 5 to 10 lbs. at 12½c; 100 lbs. at 12½c; 100 lbs. at 12½c; 100 lbs. at 120. VIRGINIA RUNNER—(22 pounds to bushel)—120 days in maturing. resembles North

virginia runner—(22 pounds to bushel)—120 days in maturing; resembles North Carolina in growth, except pods are larger, 279 pods weigh a pound. A large-podded variety with heavy foliage; stems creeping; pods scattered along procumbent ded variety with heavy foliage; stems creeping; pods scattered along procumbent stems and not adhering well in digging; pods and peas similar to those of the Virginia Bunch peanut. This variety is harder to cure than the bunch types, because the pods are scattered along the stems and can not be as well protected

from the weather as the varieties with nuts clustered near the base of the plant. Is the usual Norfolk parching peanut. Sold for parching. Price: 5 to 10 lbs. at 15c; 25 to 50 lbs. at 13c; 100 lbs. at 12½c.
VIRGINIA BUNCH—(22 pounds to bushel)—Plant as lateas first of June in Virginia, and mature by frost. Exceedingly productive. Stems upright; pods attach to the roots of plant; usually 2 to the pod. Peas light brown pods, bright and clean, and adhere well to the plant in digning. Pods and peanuts quite large. A large-podded variety with rather light foliage; stems upright; pods clustered about the base of the plant. Virginia peanuts have a lower oil content and a smaller proportion of meats to shell than the Spanish; should not be grown for oil purposes 280 pods to the pound. Price: 5 to 10 lbs. at 15c; 25 to 50 lbs. at 13c; 100 lbs. at 12½c.
BUNCH JUMBO—(22 pounds to bushel)—Grows upright, easily cultivated; maturing in 90 to 100 days; requires better land to make; does not speck in stacks. Plant 2½ feet row, 12 inches in drill; usually ridge culture; good on red land. Our largest peanut. Price: 5 to 10 lbs. at 18c; 25 to 50 lbs. at 15c; 100 lbs. at 18c; 25 to 50 lbs. at 15c; 100 lbs. at 14c.


RUNNING JUMBO-Same price as Bunch Jumbo.

RUNNING JUMBO—Same price as Bunch Jumbo.

HOG GOOBER—(Woandzeia Subterranen)—(28 pounds to bushel)—Used only for hogs. Come in pods like peanuts, except that the pods are single; are very large, as large as the end of your thumb; pods are thick on vines; peas inside are single. The taste of the pea is somewhat between that of a peanut and field pea. Will not sprout in the ground; will remain all winter in the ground for hogs. Nuts partly detach from vine in harvesting. Yield much greater than that of chufas. Plant about 30 pounds per acre. Soak shells or shell the pods before planting. Many growers say yield per acre is double that of other peanuts. Extra good hog feed. Planted in 3-foot rows 16 inches to the row, and plowed only twice, these goobers here grew solid in row. Vines trail on the ground. Make hard and not soft hog flesh; and negroes do not eat up the crop. After pulling vines, dry for several days. Gather in October before frost. Each pod contains only one pea. Never make pops and keep well in ground. Our grower gathered on 8 acres 240 bushels and fed 25 hogs 3 months on balance in field. Price: lb. 35c; 10 to 25 lbs. at 30c; 50 to 100 lbs. 25c per lb.

GEORGIA CHUFAS—(Cyperus Esculentus)—(44 pounds to bushel)—Hognut; Ground Almond. (See two cuts.) Annual. Georgia-grown seed. Demand always consumes supply be for re April 1st. One of our growers recently m ad e 1,000 acres. An-HOG GOOBER-(Woandzeia Subterranen)-(28 pounds

1,000 bus. on 100 acres. An-other made 157 bus, on one acre planted July 4. These attach to The the roots. vines can be pulled up for saving seed and seven-eights will found tached to the oots. The vines, after being pulled up should be allow up. ed to thorough-ly dry for sev-eral days. For eral days. For feeding value an acre of chufas There is no better hog crop



equals 40 bushels of corn. There is no better hog crop known than these. For hog purposes plant from April to about May 10th, turn in hogs September 15th to January 15th. Mature about October and will lie in ground without rotting until eaten. Grow best in drill, rows 2½ feet apart. Do not bed or hill up; give two plowings and hoeings. If you get a poor stand, pull out shoots and transplant them. Chufas follow oats splendidly. Plant, June or July. Chufas are frequently matured and harvested within

Chufas-Natural Size.

90 days after planting. Plant 1 peck to acre, 10 inches in drill. Reproduce if left in ground. Hogs can be fed by

pulling up vines and nuts together. Best of all crops for winter egg-making; turn in chickens in the field. Price: Quart 30c; peck \$2.00; bushel \$6.00.

JERUSALEM ARTICHOKE—(Helianthus Tuberosus)—
Georgia grown. Cut artichoke into four pieces, each one
with two or three eyes. Plant 18 inches in drill and with
rows 4 to 5 feet apart, and don't work after plants shade
ground. Fine hog crop; produce in rich land 300 bushels
per acre. Even in 5-foot rows run from row to row and
make tubers—the underground being a network of artichokes; will stay in ground all winter and not freeze. Let




Jerusalem Artichoke.

stay in ground all winter or bank like sweet potatoes. If frozen in ground or in shed does not hurt them; turn in hogs at any time. For hog purposes, plant 3 to 5 bushels to the acre from February 1st to March 1st. Graze from November 1st to January 1st. If not eaten too close, crop will come up in spring without second planting. We sell only by measured bushel in January and February; about 50 pounds. One peck 90c; bushel \$2.75.

only by measured outsier in January and repruary; about 50 pounds. One peck 90c; bushel \$2.75.

RUSSIAN SUNFLOWER—Sow in spring, 5 pounds to the acre. Great improvement over the small sunflower. Some are 18 inches in diameter. In Russia are used for oil. Known here as the best of all poultry foods. 40 to 50 bushels grown per acre. In cities it is the parrots' feed. This is not only a valuable seed to plant on the farm, but every inch of waste space around the fences and yard should be planted in this seed; it will not only improve and beautify the place, but will produce large amounts of the most valuable feed. Numbers of Georgia growers grow this now as a seed money crop. Fine bird attracter and feeder on the farm or game preserve. Plant in 3-foot rows and 8 to 12 inches in row. Cut off heads and shell by rubbing over a big rough stone or corrugated iron. Green stalks and seed as cut make a fine silo. Price: Pound 15c; 5 pounds at 12c; 25 to 50 pounds at 11c per pound.

DWARF ESSEX RAPE—(Brassica Napius)—The universally grown forage crop in England, Germany and Canada for pasturing lambs, sheep and hogs, and also for



Grazing in Rape Field.

cows. Drill 10 to 15 pounds per acre, in 3 feet drills in spring or fall, through October, or 20 pounds broadcast in damp lands, or drill in rich uplands. A hog grower with 80 cows.

hogs, who uses Bermuda grass in summer, uses for a winter grazing proposition solely rape. Florida Experimental Station says: "We have raised as high as 22 tons to the acre in a single year. Fifteen to twenty tons of green matter can be expected almost every year. Especially adapted to feeding to hogs, sheep and continues green until the warm spring weather occurs." Graze November 15th to January 15th. Sown in August makes in two months an enormous amount of green feed, two or three feet high and branching. Deserving of large use for green cattle feed in winter when rye is almost the only thing to be had; does not make milk "taste." Can be grazed or cut three or four times. Never cold-killed; fine for green winter chicken feed. The plants may be cut 4 inches above the ground, which enables them to throw out new shoots. Can be sown after oats or wheat, or in the corn from July to October in the South, as it thrives best in cold weather, and furnishes an excellent winter pasture. At Augusta can be sown and cut almost every month in the year. Cook like spinach. Makes splendid salad greens—and a world of it. Price: One pound 25c; 5to 10 pounds at 22c; 25 to 50 pounds at 20c; 100 pounds at 18c per pound.

BEGGAR WEED—(Desmodium Tortuosum)—The Clover of Florida. Legume. Grows 4 to 8 feet high. Sow 10 to 15 pounds per acre; barely cover; drill or broadcast seed, or sow in June rains on top of ground in corn rows at last cultivation; comes up in June and matures in 80 days; can cut several times or pasture late summer and fall; cut for hay at blooming time with mower; re-seeds itself. Plant is indigenous to upper and middle Florida. Comes up in cultivated fields about



first of June. In worn pine land as a renovator of soil it has no superior. United States Senator F. M. Simmons, of North Carolina, says: "I am satisfied it is the best of leguminous forage and land improving crop and land improving crop for the lighter lands of the eastern part of the South Atlantic States." Fine for green cutting. For hay, cut when 3 or 4 feet high. A wonderful cattle fattener. For hogging, broadcast 10 nul cattle fattener. For hogging, broadcast 10 pounds per acre, graze when one foot high up to and through August. Spreads rapidly; will take possession on land and come in as a volun-

take possession on land and come in as a voluntary crop exactly like crab grass. A single cultivation of the soil after Beggar Weed starts will kill it out so that it will never become a pest. Demonstration Fla. farm planted June 6th farm planted June 6th. Wonderful for feeding, 21.7 per cent protein, 30.20 per cent carbohydrates, and 2.30 per cent fat. In Florida, an orange grove cover crop. Good for pasture, hay or green manure. Some plant after Fulghum oats and make a crop in time to plant Feterita. Mississippi Experimental Station reports 42.429 pounds green stuff per acre. If cut 2 feet high, will come otu again, making two cuttings as far north as North Carolina. Planted largely in game preserves for attracting and feeding quail. Price: One pound, 75c; 5 pounds 65c; 10 to 25 pounds 50c per pound.

JAPANESE BUCKWHEAT—(48 lbs. to bushel)—Buck-

pounds 65c; 10 to 25 pounds 50c per pound.

JAPANESE BUCKWHEAT—(48 lbs. to bushel)—Buckwheat should be more generally sown in the South for poultry feed. It can be sown in early spring or late summer; it matures in about two months. The Japanese is quite an improvement over the old varieties; the kernels are much larger and it is well suited for the South. Grows on almost any soil, resists heat and drought. The blooms furnish excellent food for bees. Buckwheat, together with Bene, are the two best plants of all for attracting and feeding birds. Planted Florida Demonstration Farm June 6th and gathered in August made 2,637 pounds. A plant in large use for making Buckwheat Flour. Price: Peck \$1.00; bushel \$3.50.

Flour. Price: Peck \$1.00; bushel \$3.50.

SILVER-HULL BUCKWHEAT—This variety is a well known late variety and gives excellent results wherever planted in the South. A plant in large use for making Buckwheat Flour. Price: Peck \$1.00; bushel \$3.50.

UPLAND RICE—(44 pounds to bushel)—The varieties we list are the most popular, and the ones we recommend for planting throughout the South. For lowland culture get U. S. Agricultural Department Farmers' Bulletin No. 417. The food of one-half the population of the earth. Plant March 15th to June 15th, one bushel and roll, for uplands, in 20-inch rows. Farmers who have lowlands that can be plowed, but are too wet for other purposes, the growing, either for home use or for selling to the mills,

of rice, can be profitably done. The seed that we sell is free from wild rice. Threshed rice straw makes (baled) fine hay and in large use on South Carolina coast. Yields 25 to 75 bushels per acre, and one or two tons of dry straw for baling.

straw for baling.

BLUE ROSE RICE—Originated in Louisiana. The largest Georgia Coast Rice grower declares it to be the best rice yet introduced. The stalk is sturdy, and of bluegreen color, and retains its color after harvesting better than other straw, makes, therefore, finer forage. The grains are full and heavy, and the plants scatter less than any known rice. The percentage of whole rice runs about 85 per cent or 90 per cent. Hull is same color as white rice, but the grain is shorter, more blunt, and of much greater thickness. It is the prettiest rice of the White Hull type on the market. A grower says: "It sticks to the head better than other rices and is the largest white grained rice I have ever seen, and it pounds better than any other rice. Price: Peck \$1.25; bushel \$4.00.

CAROLINA WHITE—This is the great Rice for upland

CAROLINA WHITE-This is the great Rice for upland

CAROLINA WHITE—This is the great Rice for upland use. This rice is platned largely on the South Atlantic Coast. Is quite an early species: very pearly and bright when pounded. Is early: maturing about the same time as Honduras. Price: Peck \$1.25; bushel \$3.90.

CAROLINA GOLD—This is the most popular and profitable rice for planting on the Atlantic Coast. In average years it has given the best results. More largely planted possibly than other types and makes a good yield. Hard to shell; of firm head. Price: Peck \$1.25; bushel \$3.85.

SEED PECANS—Selected of the very best type. Our seed stock usually runs about 60 to the pound. Our seed pure types and from fanciest Carolina grower. Types are: Stuart, Schey, Mobile, Pan Yagil, Hermit, Atlantis, Frotscher. Price: Pound \$1.25; 5 to 10 pounds at \$1.00; larger amounts at 85c per pound.

#### BARLEYS

GEORGIA BEARDED BARLEY—(48 pounds per bushel)—Sow 1½ bushels to acre; best in fall, though can be sown in spring; excellent fall, winter and spring pasturage; continuously grazed; dense foliage, strong and nutritious food; yields largely of grain; can be cut for grain two weeks earlier than wheat. For fall, winter and spring grazing, it stools out more and is, therefore, better than wheat or rye. See Fall Catalog. Price: Peck \$1.00; bushel \$3.25 wheat or rye bushel \$3.25.

GEORGIA BEARDLESS BARLEY—Introduced into the South by us, and south of Ohio we are the largest handlers. (48 pounds to bushel. Sow in August and cut South by us, and south of Onlo we are the largest nandlers. (48 pounds to bushel. Sow in August and cut in October, or sow for spring use February through March; ripens in June or before; makes fine fall grazing. Can be planted for fall grazing at the last laying by of cotton. Makes a big yield of seed, sown in February, and can be cut three times up to May 30th, cutting at last, waist high. When cut in bloom and before seeding makes fine hay; ripens earlier than bearded and is taller, larger and stiffer; being beardless, is easily handled, and can be fed to stock without danger, same as oats; cattle very fond of the hay; heads are six-rowed; hulls remain tight after being cut; long heads: ripens 60 to 90 days. February planting makes quickest and best of all spring forage; better and safer than spring-planted oats. Furnishes all winter good grazing and then runs up when cattle are taken off, and makes crop for hay when hay is scarce, or crop can be cut and saved for seed purposes. Sow 1½ bushels to acre.

Good plan is to plant in fall, a combination of one bushel of Beardless, 24 pounds of Vetch and one bushel of Ryc. Cut Beardless in 60 to 75 days. Cut your Ryc early next year and in early May your Vetch will be ready. Dairymen at Augusta use this plan largely. Peck \$1.25; bushel \$4.00.

SEED OATS—(32 pounds to bushel)—Culture: Usually two bushels of oats are sown per acre broadcast. Drilling requires from one bushel to one and a quarter bushels per acre. Oats by all means should be drilled, because they will be less liable to being winter-killed. Oats can be planted here up to March, and as a rule make good crops. The most popular oats for spring planting is the Burt. Very low prices to the trade in car lots. We are in the center of a tremendous oat-growing section. For smut in oats, one pound of Formaldehyde (price 65c per pint). mixed with 50 gallons of water, will treat 50 bushels of oats. Wethe seed oats with this solution, spread on the hard ground or floor, throw a canvas over or sheet them, and allow them to stay covered for several hours.

WILLET'S OAT CLEANING MACHINERY—Electric power, takes out 10% worthless seed and trash. Operation costs us 10c per bushel. Increases oat germination 10%; removes all runty, lightweight and weed seeds (runty seeds make runty crops). Result is clean homogeneous seed, all same size and weight, and always worth double farmers' and grocers' uncleaned stock, and 50% more than hand-cleaned stocks, because hand machinery runs irregularly.

#### FULGHUM OATS (Recleaned)

Our Mr. Willet was the first man, 6 or 8 years ago, to write in the press, as concerning and to exploit Fulghum

write in the press, as concerning and to exploit Fuignum Oats.

Two weeks earlier than Appler; three weeks earlier than Texas; fully as early as Spring Oats. Ready for feed April 25th, off the land by May 10th. This extreme earliness affords early Spring feeding and allows early planting for crops of Corn, Cotton, Sorghum, etc. Carries as much foliage, the grains are as large, and is as prolific in grain out-turn as any other oat. It is rust-proof. It is never cold-killed. It withstands in the North 16 or 18 degrees below zero. It is absolutely beardless, drills easily and is a safe horse feed proposition. The best and most remarkable of Southern Oat products. Here at Augusta, Fulghum oats planted the middle of February made better oats than Applers that had been fall planted. Furthermore, they were cured and in the barn and the ground sowed to peas before the Applers were cut. Fulghum oats planted even in March, Augusta, 1917, made fair crops. This shows their value as a spring-sowing matter. See Willet's Fall Catalog for full description. Frice: One bushel \$2.00; 5 to 10 bushels at \$1.85; 25 bushels at \$1.75. Get prices on larger amounts.

amounts.

GEORGIA APPLER OATS—(32 lbs. to bushel.)—Refanned and re-cleaned by a fancy electric mackine, which takes out all weed seed and light, inferior seed, and which gives them double the value of all plantation stock. One of the finest oats in the South. Rust-proof; hardier than Texas. Heavy, often 37 pounds to the bushel. Matures about ten days earlier than native rust-proof and week or ten days later than Burt. Exceedingly prolific; can be harvested about last week in May. Georgia Experiment Station says about 10 to 15 per cent better in straw and oats than native rust-proof oats. One-third larger than Western rust-proof oats, and with far less immature oats and waste. Give far better yields and are less cold-killed than Texas, Kansas or Oklahoma Red Oats, which, though cheaper, are not a good investment for Southern planting. Price: One bushel \$1.75; 5 bushels at \$1.60; 10 bushels at \$1.50 per bushel. Get prices in large amounts.

GEORGIA BANCROFT OATS—Re-fanned and re-cleaned.

GEORGIA BANCROFT OATS—Re-fanned and re-cleaned. An improvement over Texas Rust-proof. Very little difference in these two oats, namely, the Appler and Bancroft. One party near Augusta, with four acres last year, made 90 bushels to the acre. A Florida correspondent of ours, who made 4,000 or 5,000 bushels of Bancroft reports average as being 50 bushels per acre. For full particulars see Willet's Fall Catalog. Price: One bushel \$1.75; 5 to 10 bushels at \$1.60; 25 bushels at \$1.50 per bushel.

10 bushels at \$1.60; 25 bushels at \$1.50 per bushel.

THE 100-BUSHEL OATS—Re-cleaned by a fancy electric machine. An improved type of Southern oat, rust-proof, heavy grains, large straws, and extremely productive. We certainly can not, nor can anyone else, guarantee 100 bushels to the acre. For full particulars, see Willet's Fall Catalog. Price: One bushel \$1.75; 5 to 10 bushels, at \$1.60; 25 bushels at \$1.50 per bushel.

GEORGIA BURT OATS—Practically the only spring oats—far better and safer than any other oats sown in spring—and when oats are winter killed these oats are invaluable. The Burt oat is also good oat sown in fall; three weeks earlier than Native Rust-proof. The most popular of the early varieties of oats which are largely used in Tennessee and the Southern States, both for hay crop as well as grain. The true stock of Burt oats are unusually free

from rust, healthy, clean, makea vigorous growth of straw besides a good yield of grain. Very desirable where a quick crop of oats is needed. Price: One bushel \$1.50; 5 bushels at \$1.40; 10 bushels at \$1.35 per bushel. Get prices in large amounts.

TURF, or GRAZING OATS—Do not resemble oats till they head; look like rye, and look, too, like orchard grass. No cold whatever seems to kill them. They can be winter grazed, and afterwards will grow off and head out in spring like rye. Blade as wide as wheat; 10 days later than Rustproof oats. For particulars, see Willet's Fall Catalog. Price: One bushel \$2.25; 5 bushels at \$2.10; 10 bushels at \$2.00 per bushel. Get prices in large amounts.

GENUINE TEXAS RUST-PROOF OATS—A trifle later than Appler; smaller in size, more bearded and will more easily cold kill—because, perhaps, planted the previous season in the spring. For particulars, see Willet's Fall Catalog. Price: One bushel \$1.40; 5 bushels at \$1.30; 10 bushels at \$1.25 per bushel. Get prices in large amounts.

alog. Price: One bushel \$1.40; 5 bushels at \$1.30; 10 bushels at \$1.25 per bushel. Get prices in large amounts.

RYE (56 LBS. TO BUSHEL).

NATIVE GEORGIA RYE—(56 pounds to bushel.) It stools heavily; can be grazed several times and then allowedto go to seed; cut and fed green; has made 10 tens green food per acre in five months. Our Georgia fall sown rye is called "Black Rye." Plant in September or October and through January and into spring, one bushel per acre. Graze December 1st to April 15th. Rye can be planted for late fall and winter grazing at the last laying by of cotton. For particulars, see Willet's Fall Catalog. Peck \$1.90; bushel \$3.25; 5 bushels at \$3.10 per bushel. Get prices in large amounts.

BEECH ISLAND RYE—There are many farmers who believe that a rye grown below the latitude of Augusta, is more liable to grow tall and never trail, than rye grown in Middle Georgia. Beech Island Rye is supposed to be the tallest of all ryes. For particulars, see Willet's Fall Catalog. Price: Peck \$1.25; bushel \$3.75; 5 bushels at \$3.50 per bushel. Get prices in large amounts.

ABRUZZI RYE—(Italian)—Seed are 25 per cent larger, less elongated and fatter than native rye, and havea bluish cast. A tremendous yielder of grain and forage. Best rye known for grazing, cover crop or seed purposes, and 50 per cent more prolific, and earlier than the other ryes. In tremendous demand for winter cover crops in cotton middles or otherwise. Makes 25 to 30 bushels per acre. Sometimes 15 stools per seed, each stool carrying an 8-inch seed head. Upright, never trails. Six feet high. Will supplant all other ryes. Will stand 10 degrees below zero. Price: Peck \$1.25; bushel \$4.00; 5 bushels \$3.75 per bushel.

WHEAT—(60 lbs. to bushel.)—Wheat is never cold killed like oats. Should make 20 bushels per acre. Plant to January 15th. If rust comes, cut wheat in milk (beardless varieties) and save for hay. Get Bulletin No. 179 on "Wheat." For full particulars, see Willet's Fall Catalog. Beardless or smooth Head Varieties we recommend for

### Vetches, Clovers and Grasses

SUITABLE FOR THE SOUTH

#### GET OUR FALL CATALOGUE FOR FULL DESCRIPTIONS

NOTE—'Leguminous Crops in North Carolina.''—A goo bulletin. Experimental Station, Raleigh, N. C. Get it.

A CULTURE FOR VETCH GROWING—We are large importers. In half ton and ton lots we can quote f. o. b. warehouse, New York City. We sow August to January 15th, ½ to ¾ bushels per acre with 8 quarts of oats and 2 quarts of Crimson Clover; or 20 pounds of vetch, ½ bushel of oats and 2 quarts of Crimson Clover. Make the finest hay.

finest hay.

Vetches grow 4 to 5 feet. Vetches tiller heavily—Villosa 5 to 12 per cent, and Vicia Sativa, 4 to 6.

Our best winter legume—vastly enriching the soil in winter. If followed by cow peas in summer, two legume crops can be had with great soil enrichment. For full particulars, see Willet's Fall Catalog.

VETCHES IN COTTON FIELDS—Plant with harrow at last plowing, or about August 1st, or at first picking of cotton, 30 pounds vetches, 1 peck of oats. In winter, cotton stalks may be pulled out, and in May vetches cut for hay. This soil enrichment and for the making of two crops per year is coming universally into vogue.

The vetches will add 25 to 50 per cent to the fertility of

cotton lands.

AUGUSTA VETCH, NARROW LEAF, VICIA ANGUSTIFOLIA—A perennial. Sow August until February. In immense use here at Augusta for sixty years. Seed heretofore unobtainable; but now obtainable in large amounts. Not so tall as other vetches, but our only perennial and our earliest vetch. Always reseeds itself, never failing. Other vetches are annuals. Our most valuable vetch—the hay from which brings \$20 or more per ton, and is equal to any hay. The seed are small and it carries less seed cost than other vetches. We plant alone, 25 pounds per acre, or with two quarts of oats, or half and half with Crimson Clover. Never cold killed. Our most valuable winter legume. Our earliest vetch, coming off and maturing April 15th to May 15th. Easier cured than Hairy; begins blooming in March. One week earlier than Sativa; three weeks earlier than Hairy. Sowed in cotton middles also; or scarified in Bermuda sod or on top of sod where it doubles value of Bermuda pasture. Grown, too, in combination with Johnson grass—vetch hay coming off first. For



oat-vetch hay, green cut, we plant 15 pounds vetch and large amounts this fall. Prepare to use it; will be of great value to you. The plant does not seed synchronously, but seeds continuously in a small way, and from the bottom. For hay, plant 20 pounds vetch and one bushel oats—same amounts for grazing or turning under. Its earliness allows cotton and corn and rice crops (without guano to be grown as following it. It has been scattered through Augusta oats, throughout the South, in a small way; and everywhere it is highly regarded and conserved. In reseeding and coming up in the fall it germinates so slowly that it may gradually come up from Oct. to Dec. Holds its own against native grasses, being wild and hardy. Can be grazed. Could only secure 50 tons last fall. Seeds from bottom of the plant successively up to the top, through a season of three or four weeks. The hay, therefore, is a mixed matter of both grain and hay, while other hays are simply hay alone; therefore, Augusta Vetch hay carries more feeding value and is liked by cattle better than other vetch hays. Price: One pound 20c; 5 to 10 pounds 15c; 25 to 50 pounds 12c; 100 pounds 10c.

VICIA VILLOSA, or HAIRY VETCH—(Inoculate for best

pounds 12c; 100 pounds 10c.

VICIA VILLOSA, or HAIRY VETCH—(Inoculate for best results with our soil inoculating bacteria.) (60 pounds to bushel.) An annual winter legume; 10 days later than Sativa: can be planted alone or in mixture. Much hardier than Sativa, especially on red lands. Seed smaller than Sativa—30 to 40 pounds to the acre should be planted. The blooms are a beautiful purple, and appear in streamers on the end of the limbs. No grass so beautiful as hairy vetch. The favorite Mississippi College farm's plan is: Plant Hairy Vetch November 15th, cut and plant in cow peas and then plant on same land Amber Sorghum, which can be cut about November 1st, making three crops. Plant till January 15th. For full particulars see Willet's Fall Catalog. alog.

Price: One pound 25c; 10 pounds at 22c; 25 to 50 pounds at 20c per pound.

pounds at 20c per pound.

VICIA SATIVA, or OREGON, or ENGLISH WINTER VETCH—A legume. Stands climate here at Augusta excellently. Forthe latitude below here, usually no trouble in Sativa being cold-killed. Stands up better, is less twining and cheaper than Hairy Vetch. Largely grown at Augusta, Ga. More easily cured than Hairy; an annual; tillers or stools 4 to 6 stalks per seed; seed larger than hairy. Grows 3 to 5 feet, slightly earlier than Villosa. Usually cut here about May 10th. Hay is of highest quality. Sow 40 pounds to the acre from August to January 15th. One bushel of Sativa, 8 quarts of oats and on top of the ground about 2 to 4 quarts of Crimson Clover per acre. Vetch hay is equal to alfalfa. Price: One pound 15c; 10 pounds at 12c; 25 to 50 lbs. at 11c; 100 lbs. at 10c per lb.

PURPLE VETCH (Vicia Atropurpurea). Annual. Sow

12c; 25 to 50 lbs. at 11c; 100 lbs. at 10c per lb.

PURPLE VETCH (Vicia Atropurpurea). Annual. Sow September to February. New. Withstood here three inches water overflow, and two months most terrific drought and heat, as planted February; and grew 3½ feet and made luxuriant and finest hay. Stools well like Hairy. Fall sowing should grow it taller. Seed and bloom and stem somewhat like Sativa. Better and more hay than Hairy. We regard it as being next in value to Augusta Vetch. Unaffected here by cold. In quite large use in the Northwest. The plant is upright. Hay palatable because not "fuzzy." Stems do not break down like Hairy, is strong. Is upright and bushy and easily cured; more hay than Oregon Vetch and will probably supplant same. Withstands usually 8 degrees above zero weather. New, but in immense demand in California for green manuring crop in orange groves. Plant 30 lbs. per acre. Price, 1 lb. 20c; 5 to 10 lbs. 15c; 25 to 50 lbs. 13c; 100 lbs. at 12c.

#### LOVERS

GREEN LEGUMES TURNED UNDER-Five tons green GREEN LEGUMES TURNED UNDER—Five tons green of the varied legumes, as turned under, will yield in pounds nitrogen, and worth (at 20c per pound) in dollars, for soil nutriment, as follows, viz.: Cow peas, 37 pounds, nitrogen worth \$7.40; vetch, 55 pounds, worth \$11.00; crimson clover, 46 pounds, worth \$9.10; velvet beans, 54 pounds, worth \$10.80; Soys, 65 pounds, worth \$13.00; alfalfa, 74 pounds, worth \$14.80, and Burr Clover, 85 pounds, worth \$14.80, and Burr Clover, 85 pounds, worth \$17.00. \$17.00.

ALFALFA, or LUCERNE CLOVER-A legume ADFAUFA, or LOCERNE CLOVER—A legume and soil renovator. Use Mulford Cultures; 1-acre size, \$1.50; 5-acre size, \$5.00; ¼-acre size, 50c—all postpaid. (Medicago Sativa.) 60 pounds to bushel. Let us mail you Coburn's "Book of Alfalfa," 164 pages, illustrated. Cloth, \$2.10 postpaid; paper, 60c postpaid.

postpaid; paper, 60c postpaid.

Stools or multiplies and stems heavily—30 to 40 stalks from one root. These throw out numberless intertwined branches; average growth 3 feet. Drill or broadcast, 20 pounds per acre, spring or fall. Cut before blooming 4 to 6 times a season. Stand, once set, last a lifetime. Deep feeder—needs a loose soil; grown throughout America; better than red clover. In place of successive cuttings, alfalfa can be cut in June and then pastured until October 1st. Pound for pound, it has equal feeding value with bran or the grains. Thousands of cars of ground alfalfa have been mixed with ground grains, which is a perfect ration for horses and cows, and are now annually used. At the Gov-

ernment Diversity Farm in Alabama there was netted \$51 an acre on alfalfa—five cuttings, \$12 per ton for hay on land rated at \$15 per acre. Georgia Agricultural College, 1913, made 6½ tons per acre with five cuttings. Best in Georgia to drill, 3-foot rows, and clean cultivate for several years the middle till weeds are driven out, then plant middles. Alabama and South Carolina are sowing large amounts of alfalfa. Mississippi is growing it well in her black lands—2,000 acres in one county. Alfalfa will lap when grown in 2½-foot rows. On a small scale, if a few rows are grown in a garden or around the border of the garden



Alfalfa Field.

A Field of Alfalfa Near Augusta, Making Four Tons Acre.

walks, it will furnish for many months in the year, in successive cuttings, goodly amounts of green forage, year af-ter year, without replanting. A Thomasville, Ga., grower planted 13 acres in alfalfa in October and in May, first cutting, cut 15 tons of hay. The root plants had gone down four feet, eight inches. Many people grow alfalfa successfully by planting 15 or 20 pounds along with spring oats in February. Price: One pound 30c; 5 to 10 pounds 28c; 25 to 50 pounds 25c; 100 pounds 22c.

HAIRY PERUVIAN ALFALFA-The largest and best of HAIRY PERUVIAN ALFALFA—The largest and best of all alfalfalfas and introduced by Plant Division, Washington. This alfalfa is fast supplanting in the Southwest the other 9 types of alfalfa so largely used. It has remarkable advantages; it carries a very much longer season and therefore carries more cuttings and yields according to all tests, 1½ to 1½ tons more of hay per acre than other types; the hay is of finest quality because of the greater abundance of leaves which are much larger than the usual types (and it is the leaf in alfalfa that largely carries feeding value; the plant has great tenacity and maintains itself.

This alfalfa grows at a lower temperature than all other

This alfalfa grows at a lower temperature than all other This attaits grows at a lower temperature than all other alfalfas and, therefore, keeps on growing later in the fall and begins growing earlier in the spring than other types. In most sections, remarkable to say, this alfalfa keeps green and an edible proposition throughout the whole year, while other alfalfas go down at frost. It grows as well at a 5,000 feet altitude as at the sea level.

at a 5,000 feet altitude as at the sea level.

In the early stages of its life and in the winter time, it takes on a pronounced coating of fine silvery fuzzy hair. which protects it from the cold—this fuzz disappears in summer. Furthermore, large leaves grow from the top to the very crown of the plant, and unlike other types, and this gives an extra abundance for this type in the riatter of leaves. Large areas in the Southwest are going down to it, and it is supplanting all other types. While fall is spring to try out this type. Plant 10 lbs. per acre as drilled; make rows 2½ feet apart; cultivate middles, free of grass for two years, and then plant middles. Price: One lb. 65c; 5 lbs. 55c; 10 lbs. 60c a lb.

GEORGIA BURER CLOVER. or SPOTTED BURR CLO

of grass for two years, and then plant middles. Price: One 1b. 65c; 5 1bs. 55c; 10 1bs. 60c a lb.

GEORGIA BURR CLOVER, or SPOTTED BURR CLOVER (10 pounds to bushel).—(Medicago Arabic.) Closeriointed, has much more foliage, is a great deal hardier than the California Burr Clover, which is somewhat bunched and is sold much cheaper. Get Farmers (U. S.) Bulletin No. 693. Sold in burrs unhulled. Recleaned in our Electric Cleaner. A perennial legume. Ascending and branching. The cut is a plant covering 2½ to 4 feet square; carries 40 stems and each stem with about 60 burrs: each burr 3 to 7 seed—the plant having about 2.400 burrs and 12,000 seed. Always wet and roll seed well in ashes or dust and can then be sown broadcast like cow peas. A hardy rank grower, 15 to 30 inches high, dense mass fiber roots; penetrating 12 to 18 inches, large nitrogen gatherer. Plant two bushels per acre. To get heavy and quick seed germination, put a bag of the burrs over night in cold water, then immerse the bag for one minute in boiling water, then replace the bag in the same cold water for several hours. This last process reinoculates the seed. The hot water softens the hard seeds, but kills the bacteria. 90 per cent germination usually takes place by this method, within a week. Sow July to last of November. Smoothly harrow

land and cover only one-third-inch in depth. Matures about May 20th. If cut or grazed, maturity is June 10th. When seeds ripen, plant land in corn or cotton, etc. For cattle and hogs scatter seed in corn late in summer, harrowing over with "Joe Harrow"; or break land and sow in August, harrowing in; comes up in October. Turn cattle and hogs in in winter up to April 1st, and then let it go to seed. Furnishes immense grazing for cattle, sheep and hogs in winter. Makes fine hay. One planting lasts a lifetime. Burr clover and Bermuda grass make a splendid combination for pasture or lawn, which is green all the year. Sow the Burr clover of: to 6 seed are in each burr) in September or October by running a disc over the Bermuda sod, then sow Burr clover and drag the land or sow on top of the ground. After planting June or July cow peas, sow Burr clover on top of ground and mow cow peas later for hay, leaving clover undisturbed. Burrs carry inoculation. Good crop to plant between the corn or cotton rows. Five tons of green Burr clover, turned under, puts 85 pounds of nitrogen into the soil, worth \$17.00. A friend grazed ten acres Burr clover until April 1st, took off the cattle, and June 1st gathered from the ground, as fallen down, 1,600 bushels of seed in burr, which he sold. Then turned under the plants; planted corn and made 60 bushels per acre, with no guano. At South Carolina Fair, 1915, exhibit showed cotton after two years of Burr clover turned under, clover, showing the same results as corn using 900 pounds per acre of guano. Seed were planted in fall in cotton middles; and in the spring cotton and corn were planted leaving the middles undisturbed, which Burr clover after reseeding itself on the ground late in May, was turned under. Never cultivate a field of it after August 25th. Grow an acre also about the house for calves, chickens and hogs to winter graze on. One pound 24c; 1 bushel \$1.50; 5 to 10 bushels \$1.35; 25 to 50 bushels \$1.25.

CALIFORNIA BURR CLOVER—(Medicago Denticulata) 18:00; Sacore size for \$5.00; Macore size for \$5.00; Acore size for \$5.00; Macore size for \$5.00; Macore size for \$1.00; Macore size for

JAPAN CLOVER—(Lespedeza Striata.) Use Mulford Cultures. 1-acre size, \$1.50, postpaid; 5-acre size for \$5.00; ¼-acre size, 50c, all postpaid. A perennial legume. Southern seed trade supplied. 25 pounds to bushel. Grows anywhere; is tenacious in any soil; lasts always; well known now in the South. Sow in fall or spring in permanent pastures by scarifying surface with disc harrow. Is eaten greedily by stock—June until frost. In some soils grows 20 inches high; is mowed; two tons to acre; rich soil grows 30 inches; appears in May; can plant in spring 25 pounds per acre alone, or fall with rye and oats. Spreading by natural means rapidly through the whole South. Select a well-drained bottom or fairly fertile upland, break in winter, let lie till February 15th, disc harrow and roll or drag with a log. Sow one bushel seed and drag again with a very light log or roll. Cut September to November, as soon after blossoming as convenient. Leave strip of 6 inches each around the mower for resetting. Thoroughly drag these 6-inch strips and the stand will be perfect the second year. Will grow on any land, sweet or sour. Stock and hogs are fond of it. Scatter it in the woods or pastures fall or spring. Sow seed in fields on top of ground after spring oats are planted. For reseeding do not cut till seed on lower part stem have ripened, which then scatter. On account of high price of hay, Japan Clover seed are almost prohibitory in price. Price: 5 to 10 lbs. at 60c; 25 to 50 lbs. at 55c; 100 lbs. at 50c lb.

SCARLET OR CRIMSON CLOVER—(Trifolium Incarnatum.) Use Mulford Cultures; 1-acre size, \$1.50; 5-acre size for \$5.00; \(^4\)-acre size, 50c-all postpaid. The new crop is not imported until August. A legume, 60 pounds to the bushel. An annual. A month earlier than Red Clover, and can be sown onthinner land, not wet; can be cut for green food in April or May, or for hay or for fall plowing under. Stools heavily. It is best to plant on thoroughly well plowed ground, level, just before a rain, but if a dry season follows it is best to brush in lightly. It grows during the winter an dspring months. Useful for soil improvement, late April or May cutting, and early spring grazing. Can be sown at second picking in cotton fields; adds 25 per cent to soil fertility when plowed under before cotton planting. Sow ontop of ground broadcast, September or October, 20 pounds per acre, and cover lightly. Can pasture in December and January and still yield. Soil inoculating bacteria are absolutely necessary, and land, too, must not be acid. Planted in corn last plowing, and plowed under in the spring, it can be followed by corn without

fertilizing. Largely sown with vetches. It is the king of clover crops. In increasingly tremendous use. Fine cover crop for orchards. Cut for hay when the earliest heads begin to fade. Easily cured. We largely plant half Crimson Clover



half Crimson Clover and half Narrow Leaf Vetch Mixture for hay and grazing. See Willet's fall catalog. Price: 1 lb. 30c; 5 to 10 lbs. 25c; 25 to 50 lbs. 22c; 100 lbs. 20c.

CRIMSON CLOVER IN THE CHAFF—(Native grown)—Always sow on top of the ground without covering, to get better results. Thirty lbs. per acre in chaff will give as ground a trand co 15

VER IN THE CHAFF

—(Native grown) —
Always sow on top
of the ground without covering, to get
better results. Thirty lbs. per acre in
chaff will give as
good a stand as 15
lbs. hulled. Do not
cover at all. The
husks hold considerable moisture, which
germinates the seed
even in dry seasons;
for it gathers moisture daily from the
dew. At the same
time the continual
moisture of the husk
helps on the plant
when the clover is
young. Our best Crimson growers much
prefer planting the
chaff to the hulled
seed. Price, 1 lb. 25c;
10 lbs. 22c; 50 lbs.
20c; 100 lbs. 18c lb.

LATE WHITE BLOOMING CRIMSON CLOVER—A legume. Is about three weeks later; makes a lerger growth by 25 per cent; yields more hay and foliage and grazing than the regular early blooming crimson-headed clover. Plant same time as the Early Crimson. For full particulars see Willet's Fall Catalog. Price: 1 lb. 32c; 5 to 10 lbs. 27c; 25 to 50 lbs. 24c; 100 lbs. 22c lb.

RED CLOVER—(Trifolium Pratense.) A legume. Use Mulford Cultures. Sow broadcast in spring, September or October, 15 lbs. to the acre, or sow with any spring grain as early as ground is suitable for plowing; needs a stiff soil. The most widely cultivated of all pasturage plants for pasture, hay and enricher of soil. Price: 1 lb. 35c; 5 to 10 lbs. 30c; 25 to 50 lbs. 28c; 100 lbs. 26c.

ALSIKE CLOVER—(Trifolium Hybridum.) Swedish clover. A legume. Is valuable for pasturage or soiling; makes finest hay. Perennial, sow 10 to 15 lbs. per acre. Grows thicker, makes better hay and grazing than Red Clover. Is hardier. The flowers are a distinct light pink and afford fine pasturage for bees. Sow 15 lbs. per acre. Price: 1 lb. 35c; 5 to 10 lbs. 30c; 25 to 50 lbs. 28c; 100 lbs. 26c.

WHITE CLOVER—(Trifolium Repens.) Not a heavy producer, but invaluable in permanent pastures and lawns. Sow 12 lbs. to acre in fall or spring. Price: 1 lb. 60c; 5 to 10 lbs. 55c; 25 to 50 lbs. 50c lb.

GEORGIA MELLILOTUS ALBA or BOKHARA CLOVER—A legume. Use Mulford Culture; 1-aere size, \$1.50; 5-acre size, for \$5.00; \( \frac{1}{2}\)-acre size, 50c—all postpaid. 30 lbs. to bushel. Sow 1 bushel to aere, in March or April; also can be sown in the fall with grain. When grain is cut off in spring clover will come out and be ready to cut for hay in a short time. One of the best crops known for enriching soil. Can be pastured in spring and summer, and plowed under in the fall. When cut for hay the cutting should be done when it is about 20 inches high, and not too tough. Lime or black soil is best. Once planted, always planted. Fine hay crop—several cuttings. Begin cutting in June and before seeding. Does not seed first year, but reproduces from roots second year. Cut hay and then allow to go to seed. Will reseed as long as the land is unbroken. Grows on soils too poor for clover or alfalfa. Grower says: "I cut per acre two tons in June, made a seed crop in August, and made a short hay crop later. Grows 5 feet high." Our grower says: "Will quickly bring back to cultivation old worn-out lime lands. Makes water white honey—blooms May to August." He makes 1,500 gallons honey from 300 hives. Grows largely with Johnson grass, making the sweetest of all hays. First crop will be Mel Alba, and other cuttings will be mixed Johnson and Mel Alba. Cut about 20 inches high about May 10th. Seeds about July 15th. Always reseeds as it begins seeding near ground—parties about here have grown it half a dozen years with Johnson without reseeding. No sweeter and better hay than mixed Johnson and Mel Alba. We sell Mel Alba in the burr. (Never use the yellow type.) Price, native grown in the burr (30 lbs.): 1 lb. 45c; 5 to 10 lbs. at 42c; 25 to 50 lbs. at 40c; 100 lbs. at 36c lb.





#### **GRASSES**

SUDAN GRASS—(See Cut.) (Andro Sorg. Var.) A new sensational African sweet-sorghumgrass, fine stemmed Johnson. An annual. Will sup-plant as a hay plant the mil-lets. Platn spring, or in sum-mer here within 80 days of frost, in 30-inch rows 5 to 8 lbs. per acre. Cut in full bloom, and 45 days later can cut again. Johnson. An annual. and 45 days later can cut again. Three cuttings per season and 3 or 4 tons total per acre. Grows 5 to 8 feet, stools 20 to 40 per seed. Erect leafy stem. Has a tremendous future as a hay plant. Earlier than Sorghum. Looks like Johnson, but is more leafy and sweeter. Root system like astemperer, a past is more leafy and sweeter. Root system like oats—never a pest. Makes 600 lbs. seed per acre—1,800 seed per head. In Florida, planted June 6th, made 3 tons first cutting, and 4 weeks after was waist high. At Augusta planted June 10th, grew in 30 days after germination 5½ feet. Sweet green or cured is

gusta planted June 10th, grew in 30 days after germination 5½ feet. Sweet, green or cured; is eaten ravenously. Probably the original form of sorghum. A North Georgia man writes us: "Sudan grass bought of you turned out fine; it is certainly a wonderful plant. Made three full cuttings, at the rate of 6 tons per acre." Can be planted up to August 1st, usually planted in 14 to 24-in rows, 8 lbs. per acre. So sweet it is that the dried fodder after threshing is greedily eaten. Can be grown throughout United States. Hay superior to millet and equals timothy. Cut with a mower for hay just after full bloom, it renews its growth promptly and gives another cutting in perhaps 40 days. It makes stools abundantly after first cutting, sometimes as much as 100 stools per seed, and the second and third cuttings are fine stemmed. At Augusta June, 1915, showed height of 5½ feet, 32 stools per one seed; length of root, 14 inches. Three years ago the seed sold at \$3.00 a pound. No farm in the whole South can afford not to plant Sudan Grass, both as a green cutting proposition for cattle and as a dry hay proposition. Augusta parties who have used it here for three years claim it to be the best green-cutting grass. It grew here at Augusta this past year up to 8½ feet. The man with a farm now, who buys hay and disregards the possibilities of a Sudan crop as grown by himself is a bad loser. Seed in tremendous demand at increasingly high prices this season. Price: 1 lb. 40c; 5 to 10 lbs. 35c; 25 to 50 lbs. 30c; 100 lbs. 25c lb.

NATAL GRASS—(Tracholaena Rosea.) From Africa. In large use in Florida, where it is called Australian Red Top, and is growing in popular use. Used for hay or pasture. Spreads



A Field of Sudan Grass.

field of Natal than Orange. Three to five cuttings and each gives one or one and a half tons per acre. We plant almost any time 5 lbs. per acre or transplant from root system. Grows well in winter. Seeds blow abroad and take root.'' One Florida grower says: 'In orange orchard my Natal gave four cuttings—one-half ton each cutting—and was worth one-half of my orange crop.'' July matured seed as gathered can be planted at once and get a crop. You can seed the land with a small amount seed by letting first crop seed ripen and fall down for reseeding. This hay has largely shut out timothy hay importation in Florida. U. S. Agri. Dept. says: 'Florida land seeded to Natal carries extra value. As good hay as timothy. Florida should become a hay shipping state—and hay of finest quality.' Can furnish Natal grass plants for setting out between May and August 1st. 1,000 for \$1.25 or 5,000 at \$1.00 per 1,000, all postpaid. Prices of seed, 1 lb. 60c; 5 to 10 lbs. 50c; 25 to 50 lbs. 45c; 100 lbs. 40c.

RHODES GRASS—(Chloris Gayana.) New. From Africa. A perennial above 20 degrees climate, and an annual at below 18 degrees. Seed resembles Bluegrass. Hay palatable and nu-18 degrees. Seed resembles Binegrass. Hay panatable and nu-tritious, yielding sometimes six tons per acre, three cuttings. Planted in spring, cut from May until September. It can be propagated from the running branches like Bermuda. Is easily eradicated. Plant lightly on smoothed land in wet seasons and roll, 8 lbs. per acre, in April, May, October and Novem-ber. Grows continuously throughout the year. Good grazing. Blade wide as rve

system, smaller than oats. Augusta growoats. Augusta grow-er says he tried 50 grasses on his sandy soils, and Rhodes is best of all. Easily cured. 4 feet high. cured. 4 feet high Plant sends out run-ners, which take root and spread. Florida grower says: "By May to September sickled heads and saved per acre 82 lbs. of seed. Turned in cattle thereafter and cattle thereafter and they can't keep it down—knee high now —and they won't —and they won't come to barn for their grain." In addition to their grain." In addition to being an excellent hay grass is also excellent for



rapidly. Height 2 or 4 feet. Stools heavily; sometimes 100 to the seed. An annual, but reseeds itself. After reseeding it then spreads rapidly. Stands 20 degrees cold. Comes up voluntarily after melons, potatoes and oats. Excellent late summer, fall and winter grazing. Hay as good as timothy. Comes harly and stays late. Blooms all the time. Sow seed, drill or broadcast, 6 lbs. per acre, from November to April in well-smoothed land. Requires considerable moisture for germination. Some growers say May 1st is the best planting time, though they set the time from February to July. Grows in clumps. Deep root system. Stools can be subdivided and transplanted; 80 days from seeding to maturity; three cuttings. Spreads, but can be eradicated by cultivation or cutting before seeding. Large fluffy seed heads. Seed matures on the Gulf late in October. Florida grower says: "Would rather have a

also excellent for grazing purposes. It keeps green until cut back by severe frost, and then starts growing again as soon as warm weather returns. Well adapted to occupying land permanently. On the drained lands of Central and South Florida enormous yields are made.' In Florida they prefer planting February through June. Needs moisture for germination. Does well in sandy land, yet it is best adapted to low moist soil. In Florida Rhodes is largely used for pasturage turning off cattle about July 1st and let it grow until November, when it is used for a winter pasture. Keeps green all winter. Price: 1 lb. 90c; 5 to 10 lbs. 85c; 25 to 50 lbs. 80c lb.

JOHNSON GRASS—(Sorghum Halepense.) 28 lbs. to bu.) Known, too, as Means Grass, and falsely as Guinea. Vetch and Johnson grass are the standard Augusta hay farm mixtures. Plant as soon as frost disappears, through June, 30 to 40 lbs. to acre. Sowing Johnson grass in the fall with oats, is

quite a cheap and reliable way to get land seeded. Seed will lay dormant in ground until early spring. Cut before head flowers; 3 to 5 cuttings per season. Withstands drought; yields heavy crops year after year without resetting, though ground needs, each fall, disc harrowing. Do not let go to seed; spreads if you do. Tender when young, making immense crops; hardy. Known, too, as Cuban grass—in large use there. It gets its name "Johnson" from a grower some 50 years ago in Alabama, who had a thousand acres. We have grown Johnson here at Augusta for 75 years consecutively; this is a large distributing point of Johnson grass hay. Large areas of Johnson grass are to be found in Georgia, Alabama, Florida, Texas and Mississippi. A few years ago these acres were thought to be quite without value, but today they, on account of the high quality and easy sale of Johnson grass hay, are exceedingly valuable. Good combination with Bermuda, oats, vetch and crimson clover. Our cheapest hay grass, yet it contains more nutriment than timothy. In 1915 the English Gov, in feeding army mules at

Good combination with Bermuda, oats, vetch and crimson clover. Our cheapest hay grass, yet it contains more nutriment than timothy. In 1915 the English Gov. in feeding army mules at New Orleans used it regardless of price in preference to timothy. Price, 1 lb. 35c; 10 to 25 lbs. 30c; 50 to 100 lbs. 28c lb. TIMOTHY—This is one of the more strictly hay grasses, valuable for N. Ga., Ala., and Miss., and in mountainous sections of the Carolinas. Sow at the rate of 12 to 16 lbs. per acre. Price: 1 lb. 25c: hp. \$4.50.


of the Carolinas. Sow at t Price: 1 lb. 25c; bu. \$4.50.

Price: 1 lb. 25c; bu. \$4.50.

WILLET'S EVERGREEN LAWN AND PARK GRASS—(14 lbs. to bu.) Willet's Evergreen Lawn Grass will form a rich, deep green, velvety lawn in a few weeks' time. Composed of various grasses that grow and flourish during different months of the year, so that with proper care and attention, a beautiful green lawn can be kept all the year round. The grasses used are those which years of experience have shown success and do best in our Southern soils and climate. Sow at the rate of 60 to 75 lbs. per acre, or for small yards, 1 lb. to area 10x10 ft. Can be sown either in the spring or fall. Sown in the spring it should be put in as early as practicable, although it can be satisfactorily seeded as late.

rily seeded as late as the month of April. Do n o t as the April. Do use stable ma-wre—makes weeds iscellaneous of grasses. Price of Lawn Grass: 1 lb. 30c; 5 to 10 lbs. 26c; 25 to 50 lbs.





Orchard Grass.

KENTUCKY BLUE GRASS.—(Poa Pratensis.) 14 lbs. to bu.) Germinates within 2 to 3 weeks. This grass is too well known to need a description. An excellent pasture grass. Usually sown in fall with other grasses—orchard grass, clover, etc.; also used in lawns and woodlands. Sow two bushels per acre. A perennial for hard-soiled low lands. Good grazing in fall and winter. Fancy quality only. 1 lb. 30c; bu. \$4.00.

HERDS OR RED TOP—(Agrostis Vulgaris.) (10 lbs. to bu.) Good perennial. Generally sown on permanent moist land pastures. It is best when fed down close as a forage plant, not killed by overflows; improves with age each year. Its chief value is a pasture grass, altho it is used largely in some sections for hay. It is used largely, too, in mixing with other grasses for permanent pasture mixtures. Sow in fall or spring,




Rhodes Grass.

2 bus. to acre. Can be successfully sown from Aug. to Oct. We quote only fancy recleaned. The cheap kind is sold for half this price, but in the end is more expensive. 25c; bus. \$2.25.

BERMUDA G B A S S SEED—(Cynodon Dactylon.) (Couch Grass or Joint Grass.) Germinates within 2 or 3 weeks. A perennial sun-loving grass, perennial sun-loving grass, spreading extensively by creeping stems. The most valuable of all grasses for pastures in the South. Grazing can be had from May to middle of Nov. Every 3 or 5 years the sod-bound soil should be disc harrowed in the spring. Excellent soil binder. Ton for ton the hay is equal to timethy. Graves

er. Ton for ton the hay is equal to timothy. Grows on great varieties of soil. On rich land 2 to 4 cuttings can be had (2 ft. high) yearly. Seed are planted (6 to 8 lbs. per acre in moist seasons in spring or summer; best to press them in with a roller. Prof. Tracy advises, after the last cutting in the fall, plow the land and sow oats or vetch, or a mixture of the two. Soil should be thoroughly harrowed, both before and after the sowing, and if possible, smooth



Red Top Grass.


off with a heavy roller in order to give a level surface for mowing. The oats and vetches give a crop of hay in May and by July the Bermuda may be cut. For a combination with Burr clover, which would give green pasture all the year, read our catalog description of "Georgia Burr Clover." Excellent, too, for lawns. For a hardy perennial green summer and winter pasture, sow in fall 25 lbs. Augusta vetch seed on top Bermuda soil. Let vetch reseed itself in April. Price: 1 lb. 75c; 5 to 10 lbs. at 60c; 25 to 50 lbs. at 50c per lb.





BERMUDA GRASS ROOTS—About 8 lbs. to bu. Plant 25 to 50 bus. per acre. Grows anywhere; hay equals alfalfa; South's best grazer; soil preserver; terrace builder; stops washes; no heat hurts it; close cropping and tramping improves it; of great value to the cattle and hog man. Utilize Bermuda sod in winter by tearing it up and planting any of these: Oats, rye, burr clover, vetch, Italian rye grass seed or Texas grass sets. It is best that these roots be set out in the spring months or early fall. Keep cuttings covered with wet earth till you are ready to plant. They can not be shipped and set out in extremely hot, dry weather, and it is best not to plant them, either, in mid-winter. Set out sets 1 ft. each way in prepared and smooth soil; cover lightly. Every 3 years Bermuda fields should be ripped up by a subsoil harrow in fall and plant vetches. These roots often go down 6 ft. or more in the soil. Absolutely resistant to drought. Spring plantings are easily vetches. These roots often go down 6 ft. or more in the soil. Absolutely resistant to drought. Spring plantings are easily grown. Our principal Southern Lawn Grass used alone or with Burr Clover or Texas Blue Grass sets—combination making green effect all the year. Mixes well with Italian Ray Grass and English Ray and Augusta Vetch. Our best grower says: "Separate roots into sprigs, cut them up with a feed or oatcutter, and drop each sprig into furrows in the drill 12 inches apart in the furrow, and cover roots." Put up in 100-lb. bags, holding about 12 bu. Prices: 1 bag \$2.75; 5 bags \$2.50; 20 bags \$2.25 per bag.

ITALIAN RYE GRASS—(Lolium Italicum.) (14 lbs. to bu.) Sow 30 lbs. per acre, in fair soil, Aug., Sept., Oct. Graze in winter. Makes abun-



dant hay crop for Mch. or Apr. Stands drought. A quickgrowing grass for dairymen. An annual. Makes 2 or 3 spring cuttings of hay. Seed about May 1. Excellent pasturage. Very quick grower. Sometimes combined with Crimson C 1 o v e r. Largely used in So. Ga. sandy lands and under trees, for lawns. Mix seed with lawns. Mix seed with earth and rake in. Wherever in South where watering is impossible and where sandy soil and shade make lawn grass impossible Italian Rye will gire layers? will give largest and should be in universal use. The principal grass in So. Europe. Our magnifi-cent Hotel Bon Air, as well as half of Augusta, uses this grass exclusively on their

Rye Grass.

early spring. Its cheapness is a great item. Can be cut with lawn mower. Grows waist high. 1 lb. 20c; 5 to 10 lbs. at 18c; 25 to 50 lbs. at 16c; 100 lbs. at 15c lb.

ENGLISH BESSEL

ENGLISH PERENNIAL RYE GRASS-(Lolium Perenne.) ENGLISH PERENNIAL RYE GRASS—(Lolium Perenne.) (14 lbs. to bu. Sow about end of Oct. 25 lbs. per acre. Best adapted for lawn purposes and nasturage. Grows well on Bermuda grass sod, filling in the time in fall, winter and spring, when Bermuda is dormant. A quick, leafy matted growth for winter and spring grazing; makes fair hay, but best adapted for pasture or lawn. Good for light sandy or heavy soil. Lasts several years. For full particulars, see Willet's Fall Catalog. Price: 1 lb. 20c; 5 to 10 lbs. at 18c; 25 to 50 lbs. at 16c; 100 lbs. at 15c lb. lbs. at 15c lb.

AWNLESS BROME GRASS—(Bromus Inermis.) Also called Hungarian Brome and Smooth Brome. Adapted to bare and sandy soil and withstands drought; not adapted to heavy soils. Better as a pasture grass than a hay crop. God all the year round pasture grass. Almost evergreen in habit, growing during the entire winter. Sow 30 pounds of seed per acre in early spring or early fall. Price: One lb. 25c; 20 to 25 lbs. at 20c; 50 to 100 lbs. at 18c lb.

RESCUE OR ARCTIC GRASS—(Bromus Unioloides.) Known, too, as Schrader's. Sow at the rate of 30 pounds per acre in the fall. Ripens seed in March, but for hay cut first crop and let second crop grow for a crop of seed, which allow to mature and fall to the ground. Makes fine pasturage in winter months. Sown with Bermuda makes continuous year pasturage. Scarify Bermuda sod with disc harrow in early fall and sow down the Arctic Grass. A Georgia grower this past year sowed seed in August and cut it in March, made 5½ tons of hay on 1½ acres. For full particulars see Willet's Fall Catalog. In North Georgia "Cheat" is falsely called Arc-

Price: One lb. 25c; 10 to 25 lbs. 20c; 50 to 100 tic Grass. lbs. at 18c lb.



TALL MEADOW OAT GRASS —(Arrhena Avenaceum.) (11 pounds to bushel.) Evergreen grass in Southern states. lated to the common oat and has a beautiful open panicle leaning slightly to one side. Widely naturalized; well adapt-ed to great variety of soils. On ed to great variety of soins. Consandy or gravelly soils succeds admirably, growing 2 to 3 feet high. On rich, dry upland grows from 5 to 7 feet high. Sow in March or April and mow the same season; but for heavier-yield better to sow in Septem-ber or October. Along more Southern belt sow in November Southern belt sow in November and onward till the middle December. One of the most certain grasses to have a good catch. Not less than 2 bushels per acre should be sown. Price One lb. 25c; 10 to 25 lbs. 20c; 50 to 100 lbs. at 18c.

CARPET GRASS—(Paspalum Compressus.) Alabama Exp. a. says: "Is second only to Bermuda as a permanent pas-Alahama Exn. Sta. says: ture. Recommended for damp, sandy bottom lands in the Southern half of the Gulf states. Is able to thrive even on sour soils. The flat blades furnish grazing from early spring Southern half of the Guit states. Is able to unive even on sour soils. The flat blades furnish grazing from early spring throughout December, remaining green later than almost any other perennial grass. Is easily destroyed by cultivation, if wanted. We suggest the use of at least 5 pounds of seed per acre, sown broadcast, in the latter part of February or early in March, on land as carefully prepared as for turnips." Price: One 1b. 80c; 5 1bs. 70c; 25 1bs. 65c 1b.

PASPALUM DILATATUM—Sow in spring, 5 to 10 lbs. per acre by hand, roll or plank under on harrowed land. A perenuial. The great cattle permanent pasturage of Australia, wheer one acre supports one cow year round. Grows 2 to 4 feet high. Makes enormous pasturage, or several green cuttings. Grows in clumps; its broad leaves are near the ground. Best in damp black lands. Mixes well with Bermuda or Red Top Vetch. Known, also, as Large Water Grass and Golden Crown Grass. Spreads by root stock and seed. Has crowfoot seed heads. Growth is sprawling and in clumps, and spreads rapidly. Has double feeding value of Bermuda and is a month earlier and also later for grazing. Plowing kills it. This grass is spreading naturally now in Georgia. Good amounts of Paspalum in Louisiana mixed with Japan clover make a good mixture. This grass has transformed New South Wales into one of greatest dairying countries in the world—13 tons of green stuff per acre. This grass is rapidly spreading all around this city by natural means. Our city cut in her parks, etc., at least 150 tons of this splendid hay this past summer. Waist high in good lands. Known in Virginia and North Georgia as Dallis Grass. Price: One lb. \$1.00; 5 lbs. 90c per lb.

GEORGIA "TEXAS BLUE GRASS" ROOTS—(Poa Arachnifern.) Perennial. Transplant sets or roots April to November; run off rows 24 inches apart; drop sets 12 inches in rows; can be pushed into soil with an inch wide stick; live easily. Cultivate first year with wide sweep; after this takes care of itself. Invaluable to dairymen in fall and winter; makes fine pastures from November to May. Do not too closely graze crop in summer. A mixed lawn of this and Bermuda is green all the year. Grows 2 to 3 feet high and thick; makes good cutting in spring; makes good lawn, and for terrace nothing superior. Price: 1,000 at \$1.25; 5,000 to 10,000 at \$1.10 per 1,000. If by postal packages add 15c per 1,000 sets.

KUDZU GRASS ROOTS—(Pueraria Thumbergians.) From Japan. A muchly-advertised legume. Hay or pasturage. Broad leaf and very rapid grower. Grows from a tuberous root, takes root each joint of the vine. Cut at any time. Three or four cuttings. Covers ground, destroys other grasses and weeds. Fine for rolling washing lands for pasturage. Has made ten tons of hay per acre. A perennial. Plant in Florida November to June; in Georgia, in March. 100 plants 8x10 sets an acre. We can't deliver later than March 20th. Plants are already inoculated and self-rooted. In Japan, its native habitat, Kudzu is crown on rough rocky land or steep hill sides imposalready inoculated and self-rooted. In Japan, its native habitat, Kudzu is grown on rough, rocky land or steep hill sides impossible for cultivation, and in this country it could be raised on lands too poor for otherwise profitable cultivation. Our Georgia grower says: "No plant whatever so valuable for hay or grazing or sandy coastal plane region. Am more and more pleased with it. I expect soon to put down 60 or 70 acres on very poor land. Two cuttings gave me 2½ tons per acre, and I practically lost one cutting, which should have been made June 15th. Price Kudzu plants: 20 to 50 plants 5c each, postpaid; 100 at 3c; 500 at 2½c; 1,000 at 2½c each for express.

NOTE.—Orders and remittances by telegraph under new arrangements made by the Western Union Telegraph Company. You can now telegraph your order and the money in the same message. Call on your Western Union manager.

#### CYCLONE SEED SOWER

A Very Popular Seeder, and Very Extensively Used.



This sower is guaranteed to distribute perfectteed to distribute perfectly seed evenly and will not throw seed in an upward direction or against the operator, but direct and evenly to the land. Sows Clover, Timothy, Red Top, or Herds Grass; Afalfa, Oats, Rye, Wheat, Millet, Buckwheat, Turnip and other varieties of farm seeds. It also distributes bone plaster and fertilizer to advantage. Price, \$1.50 each. Price, \$1.50 each.

CHRISTEN SEED SOWERS-Each \$1.00.

### Willet's Insecticides, Germicides, Spray Pumps, Etc.

Amounts.

FOR SAN JOSE SCALE ON PEACH TREES—Spray in late winter. Dry Lime-Sulfur, 10 pounds to 50 gallons of water, or Lime-Sulfur Solution, 1 gallon to 8 mallons of water. Give second spraying early in spring before leaves appear. For summer spray, use 2 to 3 pounds Dry Lime-Sulfur to 50 gallons of water in combination with 2 pounds Dry or 3 pounds Paste of Arsenate of Lead, for use on seed fruits, such as apples, pears, etc. Use 1 to 1½ pounds to 50 gallons of water in combination with 2 or 3 pounds Arsenate of Lead for summer spraying for stone fruits, such as peaches, plums, etc.

FOR CURCULIO—Spray 2½ pounds Arsenate of Lead Paste or 2 pounds dried form, together with three pounds Lime to each 50 gallons of water, and apply when little peach shucks are shed, throwing a fine mist on fruit and foliage.

FOR BR\_WN ROT—Mix 5 pounds Atomic Sulphur to each 50 gallons of water and apply three weeks after petals drop or the lead spraying. Never use Bordeaux Mixture for stone fruit trees. FOR SAN JOSE SCALE ON PEACH TREES--Spray in late

DRY LIME SULFUR—Price, 5 lbs. at 25c; 10 lbs. at 20c; 25 lbs. at 19c; 100 lbs. at 15c per lb. Mix 8 lbs. to 50 gal.

water.

COLD LIME SULFUR WASH (Solution)—1 gal. can \$1.50; 5-gal. for \$3.25; ½ bbl. (30 gal.) at 27c gal; bbl. (50 gal.) at 25c gal. Mix 1 gal. to 8 of water.

PASTE ARSENATE OF LEAD—4 lbs. to 50 gals. water.

Price, 1 lb. 30c; 5 lbs. at 25c; 25 lbs. at 22c lb.

DRY ARSENATE OF LEAD—2 lbs. to 50 gals. water. Price, 1 lb. 50c; 5 lbs. at 35c; 25 lbs. at 40c lb.

ARSENATE OF LIME—Made especially for Cotton Leaf Worm, and tender foliage, 5 lbs. at 45c; 25 lbs. at 37c; 100 lbs. at 36c lb. Mix 4 lbs. to 50 gal. of water.

B. T. S.—Sulphur and Barium. Use same as Dry Lime Sulphur. Use 8 lbs. to 50 gals. water. Price 5 lbs. at 25c; 10 lbs. at 20c; 25 lbs. at 16c; 50 lbs. at 15c lb.

FUNGH-BORDO, DRY BORDEAUX MIXTURE (Prices Per

FUNGI-BORDO, DRY BORDEAUX MIXTURE (Prices Per Pound) For fungus rots, blight, mildew, etc. Use 8 lbs. to 50 gals. water.

1s 50c	5s 45c	25s 40c	50s 38c Per lb.
			Per 10

ATOMIC SULPHUR—Price: 5 lbs. at 15c lb.; 25 lbs. at 13c lb.; 100 lbs. at 11c lb.

FLOUR SULPHUR—(Best grade). 10 lbs. at 15c lb.; 100 lbs. at 12c lb.

FRESH LIME—(Rose Brand.) 1 bbl., \$1.75.
FOR RABBITS AND MICE—Paint the base of the tree close
the earth and several feet above with lime sulphur solution

to the earth and several feet above with lime sulphur solution as a prevention.

ANIMAL PARASITE KILLER—Mix 1 part to 25 of water. Kills fleas, lice, mites, itch and mange. One pint 25c; 1 quart 50c; 1 gallon \$1.25; 5 gallons at \$1.00; 10 gallons at 85c gal.

SUN SANITARY FLUID—Mix 1 part to 50 of water. An ideal disinfectant, deodorizer, and antiseptic, for dwellings, stables, poultry houses, etc. One pinot 20c; 1 quart 35c; 1 gallon \$1.00; 5 gallons at 85c; 10 gallons at 75c per gallon.

RUTHLESS INSECT EXTERMINATOR—For mosquitoes, dog fleas, Argentine ants, flies, etc. (Use No. 2, heavier-bodied for cattle fly spraying.) Prices: (Spraying machines are sent free with each package below.) Pts 40c; qts. 60c; 1 gal. \$1.60; 10 gals. \$1.50 a gal.; ½ bbl. \$1.35 per gal. All less 25 per cent to trade.

HOUSEHOLD CLEANSING FLUID—Removes spots, grease.

less 25 per cent to trade.

HOUSEHOLD CLEANSING FLUID—Removes spots, grease, oil, fats, varnish, paints. Harmless to fabric or colors. Odorless and non-inflammable—better than benzine. Price: 1 lb. tin 50c; postpaid 60c; (1 doz. \$4.25); 5 lb. tin \$1.75.

PARIS GREEN—Wet Method. One pound to 100 gals. wa-ter; dry method, 1 pound to 100 pounds of flour. 1/4 lb. 25c; 1 lb. 60c; 5 lbs. 55c lb.

"BLACK LEAF 40"—For sucking Insects. Fine for plant lice and young bugs that attack cabbage and collards, cucumbers and melons, and for leaf hoppers, and all soft-bodied sucking insects. Use one teaspoonful to ½ gal. water in small amounts. A better spray is made by dissolving soap, and then adding black leaf 40 in order to produce suds. One-ounce bottle (makes 6 gals.) 25c; ½ lb. (for 50 gals.) 75c; 2 lbs. (for 200 gals.) \$2.50.

WHALE OIL SOAP—Lice and delicate larvae, 1 pound to 5 gallons of water. San Jose Scale, 1 pound to 1 gallon of water.

5 gallons of water. San Jose Scale, 1 pound to 1 gallon of water.

For White Flies, use 1½ ounces of Whale Oil Soap per gallon of water and spray. Prices: 1 lb. 25c; 5 lbs. 20c; 25 to 50 lbs. 14c; 100 lbs. 10c per lb.

KEROSENE EMULSION—A very valuable remedy against all soft-bodied and sucking insects, such as plant lice, leaf aphis, squash bug, mealy bug, cabbage worms, etc. Make a 15 per cent solution. One quart 80c; 1 gallon \$1.50.

LEMON OIL—Mix one tablespoonful with two cups warm water. Apply sprayer or sponge. Destroys all insects, mealy bugs, scale, red spider, also mildew on plants, vines, hedges, etc. ½ pint 25c; 1 pint 40c; 1 quart 75c; ½ gallon \$1.25; 1 gallon \$2.00.

etc. ½ pint 25c; 1 pint 40c, 1 quere etc. ½ pint 25c; 1 pint 40c, 1 quere etc. ½ pint 25c; 1 pint 40c, 1 quere etc. ½ pint 25c; 1 pint 25c; 1 pint 25c; 1 lbs. 35c; 10 lbs. for 60c. SOAP—For spraying flowers, vines, 10 lbs. for 60c.

10 lbs. for 60c.

SULPHO TOBACCO SOAP—For spraying flowers, vines, shrubs, vegetables, etc., for insects such as red spiders, etc. 3-oz. cake, 10c; 8-oz. cake 20c; 10-lb. cake \$3.00.

BISULPHIDE OF CARBON—One pound saves ½ ton of seed. For weevils and any insects in grain that is to be stored away. One pound for 70 bushels: Use in corn crib, in keeping corn, 1 pound to 80 bushels of corn. Put liquid in a vessel on top of material for fumigation and close the room tight 24 hours, and keep all fire away (fumes explosive). Pour teaspoonful in hole of any burrowing animal and cover hole with earth, and it will kill it. Price: One lb. 60c; 5-lb. cans \$2.50.

\$2.50.
BLUE STONE—One lb. at 35c. For wheat, prevents smut, one ounce to 1½ gallons of water, soak 12 hours.
TOBACCO DUST AND STEMS—One lb. 15c; 5 lbs. at 14c; 25 lbs. at 12c; 100 lbs. at 9c.
SCHNARR'S INSECTICIDE—For white fly, scale, mealy bugs rust mite and red spider. Apply 1 gallon Schnarr to 65 gallons water. Price: 1 gal. \$1.50; 5 gals. \$6.00; 10 gals.

#### BUG DEATH

(N. L. WILLET SEED CO. AGENTS.)

Kills garden insects without injury to the plant. Bug
Death contains neither Paris
Green or other arsenical poisons. Bug Death is safe and sure; try it on plants trees or vines either dry or in solution.

This is important. You can work freely handle with impunity and feel that all is

If you raise potatoes, melons, cucumbers, celery, squash, beets, egg plants, currants, cabbage, etc., you will need BUG DEATH, and you can not afford to do
without it.
Will not injure foliage of

delicate plants when properly used. Directions on every

Pat. March 16 and Nov. 9, 1897.
Pat. in Canada Nov. 2, 1897,
and Jan. 25, 1900.

1 pint boiling water with 1
bran and Bug Death, mixing the mixture around the stalks of plants and you will have no trouble with cut worms.

Price: 1 lb. with perforated metal top, 20c; 3 lbs. 45c; 5 lbs. 60c; 12½ lbs. \$1.35; 100 lb. drums \$8.00. Express or postage extra. Bug Death can be sent by parcel post.

DICKEY BUG DEATH DUSTER

# DICKEY BUG DEATH DUSTER.

Small size, convenient for applying. Each......35c

#### ACRE AN HOUR SIFTER





pint water. -Wounds and sores, bathe solution, two tablespoon-

pint water. Wounds and sores, bathe solution, two tablespoonfuls to five pints water. For sheep scab, one gallon to 120 gallons water—two dippings: Price: One-naif pint, 25c; quart 75c; 1 gallon \$2.00.

COOPER'S CATTLE DIP \_O DESTROY THE CATTLE TICK.—Texas Fever Ticks can be absolutely eradicated by dipping or spraying with Cooper's Cattle Dip.

COOPER'S CATTLE DIP is a concentrated liquid immediately mixable with cold water and each gal. makes 125 gals. of effective tick-killing solution. Cooper's Cattle Dip has an official recognition for U. S. Dept. of Agriculture for official work.

Equally Effective for Dipping or Spraying.

Equally Effective for Dipping or Spraying.

The small cattleman only needs a spray pump. No expensive apparatus necessary—no cooking or danger. Safest cattle dip for the small or large operator. A gallon or 100 gallons can be mixed as wanted. Keeps indefinitely. Cooper's Cattle Dip is extremely efficient—does not scald or injure hide and has been recognized by many governments throughout the world.

Dangerous to Use Home-Made Dips. While coal tar and like dips are worthless for destroying ticks and money paid for them thrown away, there is much danger attending the making of arsenic dips. Arsenic is a poison and unless handled scientifically, may cause trouble. Price of Cooper's Catle Dip—One quart 75c (makeš 31 gallons; ½ gallon \$1.50; 1 gallon \$2.25 (makes 125 gallons); 5-gallon cans \$9.00.

#### SPRAY MACHINES

Price, complete with 3-ft. lead. Gould's Bucket Spray No. 1129. Price, complete with 3-ft, lead.... Gould's Extension Rods No. 1437. 

Brown's Knapsack. 

the tank.

Lowell's No. 115 Continuous Hand Sprayer. Each..........\$1.00 The best hand sprayer known. Lowell's No. 108 Dust Blower. Each....

Nothing is better for spraying lice powders and dry insec-

### Incubators, Brooders and Poultry Supplies

We haven't space here to give full description of all Incubators, Brooders, etc., we handle, but any article in this catalog that interests you, write us and we will mail you special literature, giving full descriptions.



or Brooder will save money by purchasing now.

MANDY LEE INCUBATORS—(Latest Models.) The Mandy Lee is one of the standard Incubators today and has one special feature that is greatly admired by its different users. It regulates automatically heat, moisture and ventilation. There is no guess work. It cuts down moisture and increases ventilation if heat runs too high; then vice versa, if heat runs too low. It works while the operator is away, or asleep and insures uniform and big hatches of strong chicks. While we

haven't sufficient space to describe fully all the details of the Mandy Lee, we can say, out of many carloads that we have handled in the past, they have all given satisfaction, and we have letters from customers throughout our territory reporting wonderful hatches.

#### Special Prices Mandy Lee Incubators

Mandy	Lee	, Jr	60	eggs	\$ 8.	.00
Mandy	Lee	Regular	100	eggs	14.	.0 <b>0</b>
Mandy	Lee	Regular	140	eggs	18.	.00
Mandy	Lee	Regular	200	eggs	22.	.00
				eggs		

MANDY LEE BROODERS—(Latest Models)—The Mandy Lee Brooders are probably the best known of all. The direct contact heat has made them so popular that it hardly seems necessary to go into much detail describing them. The Mandy Lee Indoor Brooders have long been without an equal, and today with their full line, there are no brooders on the market that are giving the actual results and satisfaction.

#### Special Prices Mandy Lee Brooders.

Mandy Lee Outdoor Heated, complete	\$15.00
Mandy Lee Regular, Indoor, complete	
Mandy Lee sectional	10.00
Mandy Lee Secondary, complete	7.50
Mandy Lee No. 10. Fireless	
Mandy Lee No. 8, Fireless	4.00
If interested in Mandy Lee Incubators and Brooders,	write
us for complete cetalor	

BUCKEYE INCUBATORS—While this is a cheap or medium priced Incubator, it is one guaranteed by the manufacturers, and the latest models have all the latest improvements. Each machine is made to last a lifetime, as nothing enters their construction but wood, copper, steel and brass. So you can truthfully say they are "Wear-Proof," For 23 years Buckeye Incubators have been sold with a guarantee to hatch every hatchable egg, and in every case where they fail to fulfill this guarantee, the machines have been taken back by the manufacturers. The total number that have been returned has been less than one-tenth of 1 per cent. Here is the guarantee that is packed in every Buckeye Incubator:

Guarantee No. 231175—This Buckeye Incubator is guarantee.

Guarantee No. 231,175—This Buckeye Incubator is guaranteed to hatch every hatchable egg, to be complete in every detail and in perfect working order. We guarantee the efficiency of all its mechanical parts, and the material of which it is constructed is guaranteed against deterioration from wear for a period of five (5) years. If this Incubator, or any part thereof, should fail to fulfill our guarantee, the entire machine or

any defective part (excepting thermometers and lamp burners) any detective part (excepting thermometers and lamp burners) may be returned to us at any time within (5) years, and we will place the machine in perfect working order, and replace any defective part without charge. Thermometers and lamp burners are guaranteed against defect and breakage upon arrival. Should either be defective or broken on arrival, we will replace them without charge. (Signed) The Buckeye Incubator Co. This guarantee goes with every Buckeye, regardless of

#### Special Prices Buckeye Incubators.

Style E, No. 14 60-egg \$10.50 Style H, No. 15 60-egg 14.50 Style E, No. 16 110-egg \$18.50

yle E, No. 16 110 egg ......\$18.50 BUCKEYE BROODERS—(Latest Models)—These Brooders BUCKEYE BROODERS—(Latest Models)—These Brooders are equipped with regulators, same as the Incubators, and there is no danger of getting too hot or cold, as in some, which often causes the loss of quite a lot of chicks. They have overhead heat, using the hot water system and it keeps every corner of the Brooder at exactly the same temperature and avoids crowding. These Brooders are made of the very best material and with care should last a lifetime.

#### Special Prices Buckeye Brooders.

Buckeye No. 1, Indoor Brooder, 50-chick capacity\$ 8.00
Buckeye No. 3, Indoor Brooder, 100-chick capacity 9.00
Buckeye No. 2, Outdoor Brooder, 50-chick capacity 11.00
Buckeye No. 4, Outdoor Brooder, 100-chick capacity 16.00
POULTRY NETTING-(50 yds. to roll)-Used for fencing
houses, chick runs, and many other things about the farm. We
handle only the Best Grade.
1 ft. 2-in. mesh\$3.25
2 ft. 2-in. mesh
3 ft. 2-in. mesh
4 ft. 2-in. mesh
5 ft. 2-in. mesh
6 ft. 2-in. mesh
On any wire we list, if you intend using large amounts, we
mill be also to aims were a second major

will be glad to give you a special price.

STAPLES—For putting up wire. 1 lb. 10c; 6 lbs. 50c.

UNION POULTRY LOCK FENCING—Union Lock is the standard poultry fence of the day, making not only one of the neatest, but the strongest and cheapest fence that can be built.

Price per roll of ten rods, or 165 feet—

2 ft. high 165 ft. long..\$2.75 5 ft. high 165 ft. long..\$4.50

3 ft. high 165 ft. long.. 3.10 6 ft. high 165 ft. long.. 5.10

4 ft. high 165 ft. long.. 4.00

The prices on the above wire were made before the recent

advance, but we will not change our prices until what stock we have on hand is sold.

#### THE BLACK HAWK GRIST MILL-Price.....\$3.50 THE BLACK HAWK CORN SHELLER—Price....... 2.50

feet, \$4.75.

BONE MILLS—No poultryman can afford to be without a bone mill, and the best is always the cheapest. We carry a full line of bone mills, only the best makes, and which are guaranteed by the manufacturers.

Mann's No. 5C, with crank handle \$ 6.0
Mann's No. 5B, with balance wheel 8.0
Mann's No. 5BM, with balance wheel 10.4
Mann's No. 7, with balance wheel and stand 12.0
Mann's No. 7½, Semi-Power Machine
Mann's No. 9, balance wheel on stand
Mann's No. 11, Power Machine
Mann's No. 12, Power Machine
Standard No. 3, comp 17.50 Standard No. 8, comp 10.5
Standard No. 4, comp 19.90 Standard No. 9, comp\$ 8.8
Standard No. 6, comp 13.50 Standard No. 10, comp.\$ 6.7

We can also furnish larger Power Mills. If interested in Bone Cutters, write for catalog of either Mann's or Standard, which will give you full descriptions.

#### Mann's Clover Cutter.

Without St	tand (for use o	n bench or	table	\$ 8.00
With Iron	Stand, complet	e		10.00

Empire Training and Exhibition Coops.

We are agents for the Empire Cooping Co., and can furnish any coops listed by them. We carry a full line in stock. Write for their catalog giving full descriptions. Prices, f. o. b. Au-

Style AA—One apartment cage, wire front, top and back. Solid veneered ends. Length 2 ft., width 2 ft., height 27 in.

Solid veneered ends. Length 2 ft., width 2 ft., height 27 in. Each, \$3.75.

Style C—Standard two-apartment poultry coops with wire front, top and back. Solid 3-ply veneered ends and partitions, or wire ends and partitions. Length of section 4 ft. Size of apartments 22x24x27 in. Each \$5.50.

Style A—Standard 3 apartment poultry coop with wire front, top and back. Solid veneered ends and partitions. Length of section 5 ft. 6 in. Size of apartment 22x24x27 in. Each, \$6.25.

Style B—Standard 3 apartment pullry coop with wire front.

Style B-Standard 3 apartment poultry coop, with wire front

and top. Solid 3-ply veneered back, ends and partitions. Length of section 5 ft. 6 in. Size of apartment 22x24x27 in.

Style H--Pen Exhibition coop, with veneered or wire ends. Each, \$5.50.

Each, \$5.50.

With solid 3-ply veneered back. Each, \$6.00.

Length of pen 4 ft., width 30 in., height 30 in.

Style E—Standard 4 apartment Bantam or Pigeon coop, with wire front, top and back. Solid 3-ply veneered ends and partitions. Length of section 6 ft. Size of apartments 18x18x18 in. Each, \$6.50.

EMPIRE SHIPPING COOPS—These shipping coops are a combination of economy and convenience and should appeal to every fancier. An important feature of the coop is the top lid or cover which does not require hammer, saw or nails to coop 

ERIE SHIPPING COOPS—This coop is especially adapted for use in shipping fancy fowls. The tops and bottoms are made of wood. The body is made from extra heavy corrugated paper, which protects the fowls from draughts and from heat Each Doz. \$4.00

4.50 6.75

THE SEFTON LIVE CHICK BOX-Made especially for shipping live chicks. Amount saved in express will alone pay for Each Doz. boxes. 


 50xes.
 12x6x5.
 \$0.25

 50 Chick size, 12x12x5.
 35

 100 Chick size, 24x12x5.
 40

 2 25 3.50

THE ERIE EGG BOX—These boxes are especially designed for shipping settings of fancy eggs. Note that egg is protected upon all sides with one thickness of corrugated paper. When the top is on and the handle is inserted it locks the box so there can be no substitution of inferior eggs. The handle



THE ANDERSON EGG BOX—Especially constructed for packing eggs for setting purposes in quantity. Prices—Folded flat for shipment: 50-egg size, each 35c; doz., \$2.50; 100-egg size, each 60c; doz., \$4.50.

DIAMOND EGG CARRIERS—Especially constructed so as to ship setting eggs by parcel post. 15-egg size, price, each, 25c; doz., \$1.50.

PAPER EGG BOXES FOR MARKET EGGS—Dozen, 25c; 100, 90c; 1,000, \$7.50.
We can furnish these printed in any style customers may wish at 50c per 1,000 additional.

WOOD'S REVOLVING EGG CABINET-A practical device for taking care of and turning eggs that are kept for hatching purposes. Price 150-egg size, weight 50 lbs., each. \$3.00 288-egg size, weight 55 lbs., each. 5.00 560-egg size, weight 75 lbs., each. 6.25

each, \$1.75.





LEG BANDS—Why are leg bands used? We are often asked this question. Every breeder of note, are today using them. Different individuals and strains are kept separate in this way.

Climax Leg Band. line.

strains are kept separate in this way. Poutlrymen exhibiting birds are compelled to band them in order that judges will have some method of identifying individual birds on score cards. The age of birds, too, can be kept and when too old to be profitable should be disposed of. You have to band in order to keep correct
egg records. There should be more
imax Leg Band.
In ordering Leg Bands always give sizes wanted or name

f	breed of fowls and number	of males and females.
		Postpaid.
	Climax	Double Clinch
	12\$ .15	12\$
	25	25
	50 45	50

50	45	50		.40
100	75	100		.65
500		500		2:75
000		1,000		5.25
Leader	Adjust	able Leg Bands.		
12				.65
25				
50				
	- 5	mith Sealed Les	Rands	
		James Dealer De		30
		······		

	60	1.0	0
	DA 986 100 100 100 100 100 100 100 100 100 10	1.5	0
	<b>5</b> 00	6.5	0
-	1,000	2.5	0
-	Sealers for Smith Seal Leg Bands.		
Plain,	each\$ .50 Lettered Jaw	₿.6	35
	Onen Piggon Lag Rands Rantoms and Diggons		

 Open Pigeon Leg Bands—Bantams and Pigeons.
 15
 100
 65

 25
 25
 50
 2.75

 50
 7.40
 1,000
 5.25

Pilling Police 20c.

CAPONIZING INSTRUMENTS—We carry in stock a com-plete line of Caponizing Instruments and Poultry Surgical Cases. Write us for literature if interested.

Cases. Write us for literature if interested.
Pilling's Philadelphia Caponizing Sets, complete with instructions, \$2.50.
Pilling's Farmer Caponizing Sets, complete with instructions, \$3.00.
Pilling's Cupped Forcep Caponizing Sets, complete with instructions, \$5.00.
Farmer Miles' Caponizing Sets, complete with instructions, \$7.50.

Pilling's Poultry Surgical Cases-Pilling's Poultry Surgical

FAVORITE DRY FOOD HOPPERS-Rust-proof and will never clog. Has round bottom made of heavy galvanized iron. The best wall dry mash Food Hopper known. 12-in., each....\$1.00 18-in., each....\$1.25 24-in., each....\$1.50

FAVORITE CHICK FEEDERS—This is the only practical dry mash wall chick feeder that we have ever offered. These are well made and are very handy to use in a Brooder house.



Model Grit and Shell Boxes.

THE OVERALL FEEDER-This is THE OVERALL FEEDER—This is one of the best Feeders on the market today, especially for feeding mash feeds. There is no waste of feed, and they are easily accessible. There is no clogging of feed, and can be cleaned without waste of time. This feeder is strong and will last a lifetime with any care. Price:

(SO 45)

 Chick size
 \$0.45

 6-quart size
 .55

 1-peck size
 .65

DRINKING FOUNTS—Every poultryman knows the necessity of keeping before his birds at all times fresh clean water; for results your birds will require this. We carry a complete line of drinking founts, all sizes and suitable for any conditions

HALLOCK FOOD AND WATER HOLDERS-Excellent to 

practical fount or feed hopper—use a quart bottle as a water fount or a fruit jar as a feed hopper. Hangs against the wall in brooder houses. Little chicks can easily drink, vet do not get wet. Each, 25°; ½ dozer, \$1.25; 1 dozen, \$2.25.

MODEL DRINK FOUNTS—These

are a standard article, made if heavy galvanized iron and will not rust or freeze. Made in several sizes Made in several sizes suitable for baby chicks

or grown birds.

1-qt. size, 20c; ½ doz., \$1.00 3-qt. size, 30c; ½ doz., \$1.50

2-qt. size, 25c; ½ doz., \$1.25 4-qt. size, 40c; ½ doz., \$1.75

\$1.25 4-qt. size, 40c; ½ doz., \$1.75

Sanitary Stone Drinking Founts—
Made in sizes suitable for baby chicks or grown birds, easy to clean and especially fine for summer use keeping water fresh and cool.

1-qt. size, each 20c; ½ doz., \$1.90
2-qt. size, each 25c; ½ doz., \$1.90
5-qt. size, each 40c; ½ doz., \$1.25

Model Wall
Founts (Square

Model Wall Founts (Square and Round Bot-tom) — This fount is very handy and can be hung on wall a few feet above the floor in the

houses, pens, or yards, and keeps birds from get-

Model Drink Founts.

ting d i r t in yet enables the birds to drink. Very them

\$1.20; I dozen \$2.00.

BEISE DRINKING FOUNTS—One of the best founts, made of galvanized iron and nicely finished. Fills same as a pail, does not spill when laid down for use and the convex front prevents bursting in winter, also makes it easy to clean. No. 1 holds 3 qts., Little Chicks, 45c: No. 2 holds 2 gals., Grown Fowls, 75c: No. 3 holds 3 gals, Grown Fowls 85c; No. 4 holds 4 gals., Grown Fowls 95c.

DAVIS ALL RITE FOUNTS—This is a small fount, handy and easy to clean. Nothing better to use for young chicks in brooder houses, or for an old hen in brood coop. Do not

break easily, and last indefinitely. Each, 15c; 1/2 dozen, 75c; 1 dozen, \$1.25. POULTRY REMEDIES.

All remedies listed below we have handled for a number of years; all are reliable. For some we are agents. Any listed

we can recommend.

Poultry Powders and Egg Producers.

Magic Poultry Powder, small size, 25c; large size, 50c.

International Poultry Powder, small size, 25c; medium, 50c; large, \$1.00. Pratt's Poultry Regulator, 10c, 25c, 50c, \$1.00, \$1.25, \$2.50,

\$5.00 and \$10.00.
Conkey's Poutlry Tonic, 1½-lb. pkg., 25c; 3¼-lb. pkg., 50c;
7-lb. pkg., 1.00.
Saylor's Poutlry Powder, 25c.
ROUP REMEDIES—Conkey's Roup Remedy, small size, 25c;
medium, 50c; large size, \$1.00.
Conkey's Roup Pills—25c and 50c.
Rust Roup Pills—Small size, 25c; medium, 50c; large, \$1.00.
Willet's Roup Remedy—Small size, 25c; large, 50c.
Sorehead and Chicken Pox Remedies—Conkey's Chicken Pox
Remedy—Small size, 25c; large 50c.
Conkey's Healing Ointment—25c.
Southern Wonder—\$1.00.
White Diarrhoea Remedies—Conkey's 25c and 50c.
Cholera Remedies—Conkey's Cholera Remedy, small size,

Cholera Remedies—Conkey's Cholera Remedy, small size,

25c; large, 50c.

Dodge's Four C's—25c.
Willet's Cholera Remedy—Small size, 25c; large, 50c.

MISCELLANEOUS POULTRY REMEDIES.

LICE AND INSECT KILLERS. 
 Lambert's Death to Lice
 10c, 25c, 50c and \$1.00

 Conkey's Insect Powder
 25c and 10c and 25c

 Conkey's Head Lice Ointment
 10c and 25c

 Conkey's Lice Liquid
 35c, 60c and 35c, 60c and 35c
 Conkey's Noxicide 35c and

POULTRY FEEDS AND NECESSITIES.
We carry a complete line of Poultry Feeds and Necessities, such as: Scratch Feed, Mash, Beef Scrap, Charcoal, Grit, Oyster Shell, etc. But owing to the market changes we are unable to quote prices in catalog, but will be glad to do so

on request.

DOG FOODS AND REMEDIES.
Glover's Imperial Dog Remedies.
medy.......\$1.00 Vermifuge ........\$0.50 Distemper Remedy.....\$1.00 Liniment ......50 Worm Capsules..... Diarrhoea Remedy .50

on dog diseases-free.

SERGEANT'S DOG REMEDIES (PER BOX). 
 Sure Shot Capsules
 \$ .50

 Rheumatic Pills
 .50

 Flea Remedy, bot
 .25

 Canker Wash, bot
 .50
 fron and Arsenic Pills, 1.00 Constipation Cure..... .50

FEED FOR DOGS.

Spratt's Meat Fibrine Vegetable Dog Cakes—The standard dog food. Used at the leading kennels and dog shows throughout the world, a staple and constant food for all breeds of dogs. Bulk, 100-lb. boxes, \$12.00; 3/-lb. carton, 15c; 21/2-lb. carton 40c; 5-lb. carton, 75c.

Spratt's Puppy Biscuits—The standard puppy food. A perfect and whole food for puppies of all breeds. Follow direct

Spratt's Puppy Biscuits—The standard puppy food. A perfect and whole food for puppies of all breeds. Follow directions on each package. Bulk, 100-lb. boxes \$12.00; \(^3\)/4-lb. carton, 15c; \(^21\)/2-lb. carton, 40c; 5-lb. carton, 75c.

Prepared Canned Meat—2\)/2-lb. cans. An Ideal Dog Food, very convenient, never spoils. One can, 50c; dozen, \$4.00.

Weanol—The perfect substitute for bitch's milk. This is an ideal preparation for raising puppies that have lost their mother. There is nothing that has ever been offered on the market for this purpose. Price, per can, \$1.00.

DAIRY SUPPLIES.
Milk Bottles.

Doz. Gross Gross 

 ½ Pints
 \$0.40
 \$4.50
 Quarts
 \$0.85

 Pints
 60
 6.00
 ½ Gallon
 1,75

 We buy mik bottles in car lots
 we make special prices in large quantities.

 \$8.50 18.00

MILK BOTTLE CARRIERS (Galvanized Iron). 

MILK BOTTLE CAPS.

Regular, per box of 5,000..\$2.30 Certified, per box 5,000..\$2.75 Special prices made in large quantities. Can furnish printed in any style wanted.

\$4.00

#### DE LAVAL CREAM SEPARATORS.

For more than 30 years this has been the standard Cream Separator of the world. Farmers, as arator of the world. Farmers, as well as dairymen, are finding out the advantages of a separator and that they pay for themselves within a year. Sooner or later you will buy a separator, and when you do, insist on getting the best. No one keeping two or more cower can afford to be without a separator today, for every three lbs. of butter you are making without a separator you can make 4 lbs. or more with a De Laval, besides the labor saved. We carry in Stock-No. 5, Capacity guaranteed 135 No. 5, Capacity guaranteed 135 No. 10, Capacity guaranteed 335 lbs. per hour...........\$50.00 No. 10, Capacity guaranteed 335 lbs. per hour........\$75.00 No. 12, Capacity guaranteed 450 lbs hour \$85.00 No. 15, Capacity guaranteed 750 lbs hr. \$100.00

De Laval Milk Carriers—No. 100, \$200.00. If interested, get special cat-Champion Milk Coolers. No. 2, Cap. 4 gal., each. \$7.50 No. 3, Cap. 8 gal., each 8.50 No. 4, Cap. 12 gl., each 10.50 Sterilac Sanitary Milk Pails—

DAVIS SWING CHURNS.

No. 1, 4-gal. or less..\$ 8.00 No. 2, 5-gal. or less.. 9.00 No. 3, 8-gal. or less.. 10.00 No. 4, 10-gal. or less.. 12.00 No. 5, 13-gal. or less..\$15.00 No. 6, 17-gal. or less.. 18.00 No. 7, 30-gal. or less.. 30.00 No. 8, 40-gal. or less.. 35.00

Butter Paper—Heavily paraffined for wrapping butter. 1 lb., 40c; 10 to 25 lbs., at 35c.

Butter Cartons-Hold 1 lb. butter. Price, 100, \$1.10.

"Dairy Land Creamery Soda".—For washing and deodorizing milk cotnainers, and killing bacteria. Price \$4.00 for 100 lbs.

"B. K. Disinfectant".—For dairy use. 10 times stronger than carbolic acid. Safe to use; not poisonous. For sterilizing milk bottles, churns, separators, and killing odors and germs in milk house, and for use in cow udders. Price, 1 qt. \$1.00, 1 gal. \$2.75.

#### BUTTER COLORING.

Wells & Richardson......Bottle, 25c; ½ doz......\$1.25 Wells & Richardson.....Bottle, 50c; ½ doz......2.25 We carry a full line of all Dairy Supplies. Write us for what you want.

BIRD SUPPLIES AND REMEDIES.

Pkg	½ Doz.
Mocking Bird Food\$0.2	
Bird Manna	
Bird Bitters	5   1.25
Song Restorer	5 1.25
Plumage Restorer	5 1.25
Bird Eye Water	5   1.25
Mite Exterminator	5 1.25
Moulting Pepper	5 1.25
Pk	g. 1 Doz.
Bird Seed (1-lb. packages)\$0.1	5 \$1.50
Silver Gravel	0 .75
Cuttle Fish Bone, per pound	5

Mixed Bird Seed (bulk)-10 lbs. 10c; 25 to 50 lbs. 9c; 100 lbs. 8c per lb.

We also list and carry in stock a full line of Animal Feeds and Animal Remedies, and Bird Supplies, Cages, etc. Write for our complete Poultry and Pet Stock Supply Catalog.

# N. L. Willet Seed Company, Augusta, Ga.

MANUFACTURERS

RUTHLESS INSECT EXTERMINATOR-Pleasant Odored Liquid, sprayed is best preparation as yet known for Mosquitoes when sprayed in the room at night; for Dog Fleas, Argentine Ants and House Flies. Do not spray on cats. Use No. 1 for the above purposes.

PRICES-Full pints (16 oz.) with mouth sprayer, 40c; full quarts (32 oz.) with mouth sprayer, 60c; one gall n can with 1 quart sprayer, \$1.75; 5-gallon can with 1 quart sprayer, \$1.60 per gallon; 10-gallon can with 1 quart. \$1.50 per gallon; 1/2 barrel with 1 gallon sprayer at \$1.35 per gallon; 1 barrel with 1 gallon "Business" sprayer free, at \$1.25 per gallon.

RUTHLESS INSECT EXTERMINATOR-No. 2... Same as No. 1, but heavier bodied for use against flies, etc., on dairy cows, horses, etc., in the fields or in the stables. Price: Same as No. 1.

HOUSEHOLD CLEANSING FLUID removes spots, grease, oil, fats, varnish, paints. Harmless to fabric or colors. Odorless and non-inflammable-better than Benzine. Price: 1-lb. tins 50c; postpaid 60c; 5-lb. tins \$1.75; postpaid, \$2.00.

CARTWRIGHT'S DCG MANGE CURE, liquid form, or in powder form (same as our liquid). This is the only Mange Cure in powder and which can be mailed, as put up in the United States. Price: Liquid and Powder, 50?; postpaid 55c. Guaranteed or money refunded. This remedy cured all the mangy dogs out of several hundred impounded this past season in Augusta. A wonderful discovcry for the quick and absolute cure of Mange, the scourge of the kennel and dread of the dog owner everywhe e-Absolutely non-poisonous.

CARTWRIGHT'S BLACK TONGUE REMEDY, for Black Tongue and Hook-Worm in dogs. One package contains symptoms and the complete remedy, including a box of Deg Tonic Pills for convalescence. Symptoms: Paleness of tongue and mouth, which finally becomes black, abnormal appetite for the eating of dirt and clay, cough and vomiting, dribbling of thick and ropy saliva, champing of jaws (most cases of supposed rabies are simply Black Tongue), sore mouth, loss of appetite and inability to swallow, breath, vomits and excrements of bloody mucus and bile offensive, skin hide-bound, weakness of legs and hindquarters, and great weakness which increases up to death. Dry form, 1 package, postpaid, \$1.00.

CARTWRIGHT'S DOG SOAP-1 cake, 20c: postpaid, 25c: 1 box 3 cakes for 60c postpaid.

ANIMAL PARASITE KILLER-Mix one part to twentyfive of water. Kills fleas, lice, mites, itch and mange. One pint, 30e; 1 quart, 50c; 1 gallon, \$1.25; 5 gallons, at \$1.00; 10 gallons, at 85c per gallon.

SUN SANITARY FLUID-Mix one part to fifty of water. An ideal disinfectant, deodorizer, and antiseptic, for dwellings, stables, poultry houses, etc. One pint, 20c; 1 quart, 35c; 1 gallon, \$1.00; 5 gallons, at 85c; 10 gallons, at 75c per gallon.

CONTAGION RAT DEATH-A germ fed on bread gives rat or mouse eating it (hurtful to no other animal) a contagious disease fatal in ten days and which he spreads to the whole tribe. The rat is mummified and is odorless when dead. One box, 50c postpaid.

WILLET'S RAT AND ROACH POISON-A poison for rats, mice and cock roaches. A paste in collapsible tubes. Press the tube and the poison spreads itself. Two oz. to

We guarantee this to give satisfaction or money refunded. 25c postpaid.

COTTON MARKING AND BRANDING INK-Rex Brand -Colors: Red, Purple, Black (powder; simply mix in water), pkg. for 50 gal. Ink, \$5.00; postpaid, \$5.15; for 25 gal., \$2.75; postpaid, \$2.85, and 10 gal., \$1.50; postpaid. \$1.60. Color, Blue, pkg. for 25 gal. Ink (no smaller size), \$3.50; postpaid, \$3.60.

COTTON BRANDING BRUSHES-With Handles, 50c each; postpaid, 60c; 1 dozen \$4.50.

COTTON MARKING BRUSHES-Sterling No. 3, 50c; Krako, 85c, and Mobile, \$1.00, postpaid.

COTTON STENCILS-In tin only. State your wants.

COTTON BALE TAGS-Numbered inscriatim and with detachable coupon: "S. Rope," Rawhide, Panther and Oxford, either manilla or colored, and No. 5 Plain tags, manilla, without lettering, or numbers, or coupon. Get prices and literature.

#### WILLET'S FARM MACHINERY

NO. 5 "DIXIE" VELVET BEAN AND PEA HULLER -Hulls Velvet Beans from the Dry Pod. Hulls Cow Peas from the Dry Pod.

CAPACITY-20 to 30 bushels per hour. Operated b. 3 H. P. engine or motor. Weight 650 pounds. This is the most successful Velvet Bean Huller on the market. State whether wanted to hull the Hundred-Day or the large Chinese and Osceola Velvet Beans. We have had neal 20 years' experience in Velvet Bean Machines, and this i the most successful machine known today. Price \$100.0 '.

#### SEMINOLE BEAN AND PEA HULLER

New; durable; easily operated; adjustable for various sized products. Weight 300 lbs. Floor space 2x3 ft. height 3 % ft. Capacity about 100 bushels per day. Wi o range of work, hulls from the smallest pea to largest Vel vet Bean. Price. \$100.00.

#### CAROLINA COTTON SEED GRADER

This is the only machine that we have ever found that will do rapid work and will clean successfully big cotton seed, little seed, black seed, runty seed and trash, and leave you a homogeneous seed of the size as wanted.

In planting the ungraded seeds, the smaller seeds and the black seeds will always come up first and at cottin chopping time will be the most advanced plants, and these most undesirable and unwanted plants will be the very ones that will be left. The farmer can not afford this; in these days of high-priced cotton and Boll Weevil, the man who plants an acre in cotton wants to get and must get the very highest outturn possible from this acre. It is impossible to do this without a Cotton Seed Grader. Price of the above machine \$50.00 Augusta.

Master's Plant Setter	5.50
Gordon Bean and Pea Harvester	145.00
Lilliston Peanut Picker	475.00
Tom Huston Peanut Sheller, f. o. b. factory	6.00
Tom Huston Peanut Digger, delivered	3.50
Black Hawk Grist Mill	3.50
Black Hawk Corn Sheller	2.50
Bostrom Improved Farm Level	18.00
Cyclone Seed Sower	1.75
Christian Seed Sower	1.00
Perfection Garden Drill and Seeder	2.25

### WILLET'S 1918

# SPRING CATALOG

FIELD & GARDEN SEED FOR THE SOUTH



N.L.WILLET SEED CO. AUGUSTA, GEORGIA.